

DAFTAR BAHAN BINAAN

YANG DIPERAKUKAN CIDB

2018

REGISTER OF
CIDB-CERTIFIED CONSTRUCTION MATERIALS

(Perakuan Pematuhan Standard (PPS) di bawah Akta 520, Seksyen 33 (c))
(Certificate of Standard Compliance under Act 520, Section 33 (c))

© Lembaga Pembangunan Industri Pembinaan Malaysia 2018



Sebarang pertanyaan berkaitan buku ini hendaklah dimajukan kepada:

Ketua Eksekutif
Lembaga Pembangunan Industri Pembinaan Malaysia
Bahagian Standard & Bahan Binaan
Tingkat 34, Menara Dato' Onn
Pusat Dagangan Dunia Putra
No.45, Jalan Tun Ismail
50480 Kuala Lumpur
Malaysia

Tel : 603-4047 7000
Faks : 603-4047 7070
Emel : qpass@cidb.gov.my
Web : www.cidb.gov.my

Cetakan pertama 2019

Sebarang aspek dari penerbitan ini tidak boleh diterbit semula dalam sebarang bentuk atau cara sama ada elektronik, mekanikal, fotokopi dan rakaman tanpa kebenaran dari CIDB.

Kandungan

Prakata	3-4
Fourth Schedule	5-10
Indeks Pengeluar - Mengikut Abjad	11-20
Senarai Pengeluar - Mengikut Kategori	21-157
Aluminium	22-25
Cement	26-31
Ceramic Pipes And Pipe Fitting	32-35
Fibre Cement Flat Sheet	36
Glass	37-47
Insulation Materials	48-50
Iron And Steel Products	51-110
Precast Concrete Piles	111-125
Precast Concrete Pipes	126-128
Radiant Barrier	129-133
Ready Mix Concrete	134-143
Sanitaryware	144-150
Unglazed / Glazed Ceramic Tiles	151-157

PRAKATA



PRAKATA

Selaras dengan keperluan memastikan persekitaran industri pembinaan yang berkualiti dan selamat, Akta 520 (Pindaan) 2011, telahpun diwartakan pada 15 September 2011 dan telah dikuatkuasakan mulai 1 Jun 2015. Antara pindaan yang diberi penekanan adalah pematuhan terhadap standard yang telah ditetapkan bagi bahan binaan. Peruntukan kawal selia bahan binaan di bawah Seksyen 33 Pindaan Akta 520 ini menjadikan CIDB salah satu agensi yang memantau dan menguatkuasakan bahan-bahan binaan yang berada di pasaran.

Bahan binaan yang dikawal selia CIDB adalah tersenarai di bawah Jadual Keempat Akta 520 tersebut. 13 kategori yang disenaraikan termasuklah produk *aluminium, cement, ceramic pipes and pipe fittings, fibre cement flat sheet, glass, insulation materials, iron and steel products, precast concrete piles, precast concrete pipes, radiant barrier, ready mix concrete, sanitaryware* dan *unglazed glazed ceramic tiles*. Peruntukan Akta menetapkan sesiapa yang berurusan dengan bahan binaan yang tidak diperakukan, apabila disabitkan, boleh didenda tidak kurang daripada RM 10,000.00 tetapi tidak melebihi RM 500,000.00.

Bagi menyokong aspirasi tersebut, Daftar Bahan Binaan Yang Diperakukan CIDB 2018 diterbitkan sebagai sumber rujukan untuk penggiat industri mengenalpasti pengeluar-pengeluar dan produk-produk binaan yang telah diperakukan oleh CIDB dan telah memperolehi Perakuan Pematuhan Standard (PPS). Daftar ini juga akan dapat membantu pengeluar-pengeluar mewujudkan peluang jalinan kerjasama dan persaingan sihat sesama mereka.

Diharapkan penerbitan Daftar ini dapat memberi manfaat dan menyumbang ke arah peningkatan akauntabiliti, integriti serta profesionalisme industri pembinaan di Malaysia, dan seterusnya meningkatkan kualiti hasil kerja pembinaan secara keseluruhannya.

Nota:

Senarai maklumat pengeluar dan bahan binaan adalah setakat 31 Disember 2018.

Untuk maklumat terkini, boleh didapati terus dari laman web ccpm.cidb.gov.my

FOURTH SCHEDULE



FOURTH SCHEDULE

FOURTH SCHEDULE

[Subsection 33C (1)]

STANDARDS FOR CERTIFICATION OF CONSTRUCTION MATERIAL

No	Types of construction materials	Types of construction materials
1	<i>Sanitarywares</i>	
	(a) Ceramic wash basins	MS 2578
	(b) Ceramic water closet pans without flushing cisterns	MS 147 MS 1522
	(c) Ceramic water closet pans with flushing cisterns	MS 147 MS 1522 MS 795: Parts 1 to 3
	(d) Ceramic bidets and urinals (floor or wall mounted)	MS 147 MS 1799
	(e) Ceramic flushing cisterns equipped with mechanism (close couple, medium level, high level or concealed)	MS 147 MS 795: Parts 1 to 3
	(f) Ceramic flushing cisterns not equipped with mechanism (close couple, medium level, high level or concealed)	MS 147
	(g) Plastic flushing cisterns equipped with mechanism (close couple, medium level, high level or concealed)	MS 795: Parts 1 to 3
2	<i>Glazed and unglazed ceramic tiles</i>	MS ISO 13006
3	<i>Ceramic pipes and pipe fittings</i>	MS 1061: Parts 1 to 3
4	<i>Cement</i>	
	(a) Portland cement	
	(i) White Portland cements of all kinds	MS 888
	(ii) Other Portland cement of all kinds	MS EN 197: Parts 1 and 2
	(b) Aluminous cement	BS 915 BS EN 14647
	(c) Other hydraulic cement	MS EN 197: Parts 1 and 2
	(d) Masonry Cement	MS EN 413: Parts 1 and 2
5	<i>Prefabricated timber roof truss system</i>	CIS 5
6	<i>Precast concrete piles for foundation</i>	MS 1314: Parts 1 to 7
7	<i>Insulation materials</i>	
	(a) Slag wool, rock wools and similar mineral wools (including their intermixtures) in bulk, sheets or rolls	MS 1020

FOURTH SCHEDULE

	(b) Thin sheets (voiles), webs, mats, mattresses, boards and similar non-woven products, of fibre glass	MS 1020
	(c) Glass fibre (including wools)	MS 1020
8	<i>Glass</i>	
	(a) Clear float glass, non-wired or non-coloured throughout the mass, other than square or rectangular shape (including those with one, two, three or four corner cut)	MS 1135
	(b) Tinted float glass, coloured throughout the mass (body tinted), opacified, flashed or merely surface ground, other than optical glass	MS 1135
	(c) Coated glass	MS 2397
	(d) Safety glass	MS 1498
9	<i>Fibre cement flat sheet not containing asbestos</i>	MS 1296
10	<i>Radiant barrier (thermal insulation foil)</i>	MS 2095
11	<i>Iron and steel products</i>	
	(a) Hot rolled carbon steel sheets or plates	
	(i) Hot rolled steel coils, sheets or plates	MS EN 10025: Part 2 MS 1705 MS 1768
	(ii) Hot rolled chequered coils, sheets or plates	ASTM A786 MS EN 10025: Part 2
	(b) Coated steel coils or sheets	
	(i) Coils or sheets electrolytically plated or coated with zinc	MS 2543
	(ii) Zinc-coated carbon steel profiles hot dipped. Otherwise, plated or coated with zinc. * Only in sheets	*MS 2500 (Profile)
	Coil/sheet zinc-coated carbon steel hot dipped. Otherwise, plated or coated with zinc.	MS 2384 MS 2385
	(iii) Profile aluminum-zinc alloy coated continuous hot-dip. Plated or coated with aluminum-zinc alloy. * Only in sheets	*MS 2500 (Profile)
	Coil/sheet aluminum-zinc alloy coated continuous hot-dip. Plated or coated with aluminum-zinc alloy. * Only in sheets	JIS G 3317 JIS G 3323 MS 1196 AS 1397
	(iv) Painted, varnished or coated with plastic	MS 2383 JIS G 3318
	(v) Plated or coated roofing tile	MS 2500 (Steps)

FOURTH SCHEDULE

(c) Pipes and tubes	
(i) Seamless carbon steel pipes	API 5L MS ISO 3183 API 5CT
(ii) Welded carbon steel pipes Circular cross-section, non-circular cross-section square or rectangular cross-section. Others of non-circular cross-section	MS 61386: Part 21 BS31 MS 863 MS 1862 EN 10219: Part 1 EN 10210: Part 1 JIS G 3444 EN 39 SPAN TS21827: Part 1 SPAN TS21827: Part 2 API 5L API 5CT MS ISO 3183 MS 2381
(d) Structural and other cast iron and articles	
(i) Bridges and bridge sections	MS EN 10025: Part 2
(ii) Towers and lattice masts	MS EN 10025: Part 2
(iii) Scaffolding	MS 1462: Part 1 to 4
(iv) Corrugated sheet pile cold form	MS 2025: Part 1 MS 2025: Part 2
(v) Bearing piles – angle shape and section	MS EN 10025: Part 2
(vi) Guardrails	AASHTO M-180 BS EN ISO- 1461
(vii) Fabricated structure	MS EN 10025: Part 2
(viii) Railway track	JIS E 1101 DIN 536 BS EN 13674
(ix) Light gauge steel section	MS EN 10025: Part 2
(x) Equal angles, shape and section U, I, L, T or H	MS EN 10025: Part 2
(e) Wire rod, bars and wires	
(i) Coil form	
(A) Hot rolled steel reinforcement bar	MS 146
(B) Steel wire rod	MS ISO 16120: Part 1 MS ISO 16120: Part 2 MS ISO 16120: Part 3 MS ISO 16120: Part 4
(c) Round bar in coil	MS 144

FOURTH SCHEDULE

(d) Wire, strands and ropes	MS 1138: Part 2 MS 1138: Part 3 MS 1138: Part 4 MS ISO 4344 MS ISO 2408
(ii) Wire mesh for construction	MS 145
(iii) Straight form	
(A) Carbon steel for structural use	MS 144
(B) Carbon steel for structural machine use (flat bar)	MS EN 10025: Part 2
(C) Hot rolled steel reinforcement bar	MS 146
(D) Round bar	MS 144
(f) Stainless steel products	
(i) Seamless, welded stainless steel pipes for construction purpose	MS 1841 ASTM A554
(ii) Seamless, welded stainless steel pipes for the conveyance of water	MS 1988 BS EN 10312 ASTM A 312 JIS G 3448
(iii) Light gauge stainless steel tube for ordinary piping	JIS G 3448
(iv) Stainless steel-angled, shape and cross-section	MS 2240: Part 2
(v) Casing and tubing of a kind used in drilling for oil and gas	API 5CT
(g) Alloy steel product	
(i) Hot rolled alloy steel plate and coil	MS EN 10025: Part 6
(ii) Equal angles, shape and section U,I, L,T or H	MS EN 10025: Part 5 MS EN 10025: Part 6
(h) Cast iron product	
(i) Non-malleable cast iron - manhole covers	BS EN 124
(ii) Tube, pipe and hollow profile	MS 1919 BS EN 598 ISO 6594
12 Aluminium	
(a) Aluminium plates, sheets and strip of a thickness exceeding 0.2 mm, whether or not alloyed	MS 2040
(b) Aluminium foils of a thickness not exceeding 0.2 mm, not backed: rolled but not further	MS 1848
(c) Aluminium plates, sheets and strips	MS 2040
(d) Aluminium structures	MS 832 MS 1017

FOURTH SCHEDULE

(e)	Aluminium composite panel for exterior and interior wall	MS 2571
(f)	Aluminium and aluminium alloy – coil coated sheet and strips for general applications	MS EN 1396
(g)	Aluminium and aluminium alloy for extruded shape	MS 2289
13	Ready mix concrete	MS 523: Parts 1 to 3 CIS 21

*Note: The latest edition of the standard specifications published by the relevant accreditation body shall apply.”.

Made 29 November 2016
[KKR.PUU.110-1/5/3; PN(PU2)546/V]

INDEKS PENGELUAR



INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
A STAR GLASSTECH (M) SDN BHD					■								
A.S.STEEL INDUSTRIES SDN BHD							■						
AALBORG PORTLAND MALAYSIA SDN BHD		■											
ABLE STEEL PIPES SDN BHD							■						
ADVANCED TECHNICAL LAMINATES MANUFACTURING SDN BHD										■			
AGT SAFETY GLASS SDN BHD					■								
AJIYA SAFETY GLASS SDN BHD					■								
AJIYA SAFETY GLASS SDN BHD					■								
AJIYA SAFETY GLASS SDN BHD					■								
AJIYA SAFETY GLASS SDN BHD					■								
ALLIANCE PRECAST INDUSTRIES SDN BHD								■					
ALLIANCE PRECAST INDUSTRIES SDN BHD									■				
ALLIANCE STEEL (M) SDN BHD							■						
ALLPIPES TECHNOLOGY SDN BHD							■						
ALPINE PIPE MANUFACTURING SDN BHD							■						
ALUMINIUM COMPANY OF MALAYSIA BERHAD	■												
AMCAN COLOR COATING INDUSTRIES SDN BHD							■						
AMCAN SDN BHD							■						
AMSTEEL MILLS SDN BHD							■						
ANN JOO STEEL BERHAD							■						
ANN JOO STEEL BERHAD							■						
ANN JOO STEEL BERHAD							■						
ANTARA STEEL MILLS SDN BHD							■						
APOLITE CONCRETE PRODUCT SDN BHD								■					
ASAS ANGSANA SDN BHD							■						
ASIA ROOFING INDUSTRIES SDN BHD							■						
ASIA ROOFING INDUSTRIES SDN BHD							■						
ASIA WIRE STEEL MESH MANUFACTURERS SDN BHD					■								
ASSOCIATED AIR-PAK INDUSTRIES SDN BHD										■			
ASSOCIATED PAN MALAYSIA CEMENT SDN BHD		■											
ASSOCIATED PAN MALAYSIA CEMENT SDN BHD (RAWANG)		■											
ASTEEL AJIYA SDN BHD					■								
ASTEEL SDN BHD							■						

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
ASTINO (MALAYSIA) COLOUR STEEL SHEET SDN BHD													
ASTINO (MALAYSIA) COLOUR STEEL SHEET SDN BHD													
ASTINO SCAFFOLDING SDN BHD													
ASTINO SOUTHERN SDN BHD													
ASTINO SOUTHERN SDN BHD													
BAN SOONG HENG SDN BHD													
BEKALAN PIE SDN BHD													
BESI ASIA ENGINEERING WORKS SDN BHD													
BOON & CHEAH STEEL PIPES SDN BHD													
BP ALUMINIUM EXTRUSION SDN BHD													
BRC INDUSTRIES SDN BHD													
BRC PREFAB HOLDINGS SDN BHD													
BRILLIANT TRADING & SUPPLIES SDN BHD													
BW YEE SENG STEEL INDUSTRIES SDN BHD													
C L PILE SDN BHD													
CABARAN PERKASA SDN BHD													
CEMENT INDUSTRIES (SABAH) SDN BHD													
CERAMICA INDAH SDN BHD													
CHOO BEE METAL INDUSTRIES BERHAD													
CHRS SAMAWIRA MESH SB													
CLAY INDUSTRIES SDN BHD													
CMS CEMENT INDUSTRIES SDN BHD													
CMS CEMENT SDN BHD (BINTULU PLANT)													
CMS CEMENT SDN BHD (KUCHING PLANT)													
CMS CONCRETE PRODUCTS SDN BHD													
CMS WIRES SDN BHD													
CONCRETE ENGINEERING PRODUCTS BHD (BATANG KALI)													
CONCRETE ENGINEERING PRODUCTS BHD (NILAI)													
CONCRETE ENGINEERING PRODUCTS BHD (PASIR GUDANG)													
CONCRETE ENGINEERING PRODUCTS BHD (RAWANG)													
CONCRETE ENGINEERING PRODUCTS BHD (SG PETANI)													
CS ECO GLASS (M) SDN BHD													
CSC STEEL SDN BHD													

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
CUT & BEND SDN BHD													
DAHTEC MARKETING SDN BHD													
DURABON SDN BHD (JOHOR)													
DVC MANUFACTURING SDN BHD													
EAST COAST MANUFACTURING SDN BHD													
EASTEEL SERVICES (MALAYSIA) SDN BHD													
EC EXCEL WIRE SDN BHD													
ECCO STEEL INDUSTRIES SDN BHD													
ENG BENG MANUFACTURING (M) SDN BHD													
ENG LIAN HUP MANUFACTURING SDN BHD													
ENGLER MANUFACTURING SDN BHD													
ENGTEX DUCTILE IRON PIPE INDUSTRY SDN BHD													
ENGTEX METALS SDN BHD													
ENGTEX METALS SDN BHD													
ENGTEX PIPE INDUSTRY SDN BHD													
ENGTEX STEEL INDUSTRIES SDN BHD													
ENGTEX STEEL PIPE SDN BHD													
E-RETE (MALAYA) SDN BHD													
ESTABLISHED METAL INDUSTRIES SDN BHD													
EUROPEAN PROFILES (M) SDN BHD													
EVERLAST ACCESS TECHNOLOGIES SDN BHD													
EVERLAST ALUMINIUM (M) SDN. BHD													
EVERPRESS ALUMINIUM INDUSTRIES SDN BHD													
FIRST STATUS SDN BHD													
FIW STEEL SDN BHD													
FJ CONCRETE & PILES SDN BHD													
FOIL LAMINATE INDUSTRIES SDN BHD													
FOJOHN ENTERPRISE (SIBU) SDN BHD													
GALVACO INDUSTRIES SDN BHD													
G-CAST CONCRETE SDN BHD													
GLIMEX INDUSTRIES SDN. BHD.													
GOLDEN PHAROS GLASS SDN BHD													
GSG CONCRETE INDUSTRIES (M) SDN BHD													

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
K FOIL INSULATION (MALAYSIA) SDN BHD													
KAMEN STEEL INDUSTRIES SDN BHD													
KANZEN TETSU SDN BHD													
KANZEN TETSU SDN BHD (NILAI PLANT)													
KCSS WIREMESH SDN BHD													
KIBING GROUP (M) SDN BHD													
KIEN SAFETY GLASS SDN BHD													
KIM HIN CERAMIC (SEREMBAN) SDN BHD													
KIN KEE STEEL PIPE MANUFACTURING SDN BHD													
KING HONG STEEL SDN BHD													
KISWIRE SDN. BHD (PC FACTORY)													
KLANG VALLEY WIRE SDN BHD													
KTK CONCRETE SDN BHD													
KUANTAN WIRE PRODUCTS SDN BHD													
LAFARGE CEMENT SDN BHD													
LAFARGE CEMENT SDN BHD													
LAFARGE CONCRETE (M) SDN BHD - KL PLANT													
LAFARGE CONCRETE (M) SDN BHD - PJ PLANT													
LE NAM MEGASHEET (M) SDN BHD													
LEADER CONCRETE SDN BHD													
LEADER SAFETY GLASS INTERNATIONAL SDN BHD													
LEADER STEEL SDN BHD													
LEADER STEEL SERVICE CENTRE SDN BHD													
LEE CHUAN GUAN STEEL SDN BHD (SCAFFOLD DIVISION)													
LEFORM SDN BHD													
LF ENGINEERING SDN BHD													
LY CONCRETE PRODUCTS SDN BHD - KOTA TINGGI PLANT													
LYE MANUFACTURING SDN BHD													
LYSAGHT CORRUGATED PIPE SDN BHD													
MACRO DIMENSION CONCRETE SDN BHD													
MACRO DIMENSION CONCRETE SDN BHD													
MALAYSIA STEEL WORKS (KL) BERHAD													
MALAYSIA STEEL WORKS (KL) BHD													

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
MALAYSIAN MOSAICS SDN BHD													
MALAYSIAN MOSAICS SDN BHD													
MALAYSIAN MOSAICS SDN BHD													
MALAYSIAN SHEET GLASS SDN BHD													
MAPEL HARMONY SDN BHD													
MDC PRECAST INDUSTRIES SDN BHD													
MELEWAR STEEL TUBE SDN BHD													
MELEWAR STEEL TUBE SDN BHD													
MELEWAR STEEL TUBE SDN BHD													
METEX STEEL SDN BHD													
METRIC CONCRETE INDUSTRIES SDN BHD													
MODULAR CONSTRUCTION SERVICES (M) SDN BHD													
MYDECOR SDN BHD													
NAGAKO CERAMICS SDN BHD													
NAM HENG SAFETY GLASS (J) SDN BHD													
NEGERI SEMBILAN CEMENT INDUSTRIES SDN BHD - PERLIS PLANT													
NIRO CERAMIC (M) SDN BHD													
NS BLUESCOPE MALAYSIA SDN BHD													
OKA CONCRETE INDUSTRIES SDN BHD													
OKA CONCRETE INDUSTRIES SDN BHD													
OOI JOO KEE & BROTHERS SDN. BHD.													
ORIENTAL STEEL PIPE SDN BHD													
ORIENTAL STEEL PIPE SDN BHD													
ORO SAFETY GLASS SDN BHD													
PAHANG CEMENT SDN BHD													
PAKAI INDUSTRIES BERHAD													
PANTECH STAINLESS&ALLOY INDUSTRIES SDN BHD													
PAU TATT WATER PIPE SDN BHD													
PBJ CONCRETE SDN BHD													
PERAK HANJOONG SIMEN SDN BHD													
PERFECT CHANNEL SDN BHD													
PERFECT MIX PORTFOLIO SDN BHD (NUSAJAYA PLANT)													
PERNIAGAAN LOGAM XING FA SDN BHD													

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
PERUSAHAAN KONKRIT MERDEKA SDN BHD													
PGF INSULATION SDN BHD													
PIPEFAB INDUSTRIES SDN BHD													
PMW CONCRETE INDUSTRIES SDN BHD													
PRESS METAL BERHAD													
PROGRESS WELDED MESH SDN BHD													
RM WIRE INDUSTRIES SDN BHD													
ROCA MALAYSIA SDN BHD													
ROCKWOOL MALAYSIA SDN BHD (BRJ)													
ROCKWOOL MALAYSIA SDN BHD (MLK)													
SABAH WIREMESH & FENCING SDN BHD													
SAMA SANITARYWARE (M) SDN BHD													
SAN MIGUEL YAMAMURA WOVEN PRODUCTS SDN BHD													
SCAFFOLDS BUILDER SDN BHD													
SCIB CONCRETE MANUFACTURING SDN BHD													
SEACERA GROUP BERHAD													
SEDCO PRECAST SDN BHD													
SEJATI KONKRIT SDN BHD													
SEJATI KONKRIT SDN BHD													
SETIA READYMIX SDN BHD - BANGSAR PLANT (PLANT IDENTIFICATION: SRSB-14-W-1)													
SETIA READYMIX SDN BHD - BERANANG PLANT (PLANT IDENTIFICATION: SRSB-010-D-4)													
SETIA READYMIX SDN BHD - SEMENYIH PLANT (PLANT IDENTIFICATION : SRSB-010-D-3)													
SETIA READYMIX SDN BHD - SETIA ALAM PLANT 1 (PLANT IDENTIFICATION: SRSB-010-D-1)													
SETIA READYMIX SDN BHD - SETIA ALAM PLANT 2 (PLANT IDENTIFICATION: SRSB-010-D-2)													
SHG SAFETY GLASS SDN BHD													
SLAG CEMENT (SOUTHERN) SDN BHD													
SLAG CEMENT SDN BHD													
SOUTHERN CONCRETE SDN BHD													
SOUTHERN PC STEEL SDN BHD (55573-U)													
SOUTHERN PIPE INDUSTRY (M) SDN BHD													

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
SOUTHERN STEEL BERHAD													
SOUTHERN STEEL MESH SDN BHD													
SOUTHERN STEEL MESH SDN BHD													
SOUTHERN STEEL ROD SDN BHD													
SPC INDUSTRIES SDN BHD													
ST STEEL INDUSTRIES SDN BHD													
STEEL INDUSTRIES (SABAH) SDN BHD													
STRONG MIXED CONCRETE SDN BHD													
STRONG MIXED CONCRETE SDN BHD													
STRONG MIXED CONCRETE SDN BHD													
STRONG MIXED CONCRETE SDN BHD													
SUBANG SAFETY GLASS SDN BHD													
SUNGAI RASAU PLANT 1													
SUNGAI RASAU PLANT 2													
SUNWAY SPUN PILE (M) SDN BHD													
SUNWAY VCP SDN BHD													
SUPER PILES SDN BHD													
SUPERB ALUMINIUM INDUSTRIES SDN BHD													
SYARIKAT LANRIC INDUSTRIES SDN BHD													
T.E.M. CASTING PRODUCTS SDN BHD													
T.J. POTTERY SDN BHD													
TAMPIN SIN YONG WAI INDUSTRY SDN BHD													
TAN TIMUR STAINLESS STEEL DAN COOPER SDN BHD													
TASEK CORPORATION BERHAD													
TEIKSHUN FOUNDRY SDN BHD													
TEONG HUAT CLAY PRODUCTS SDN BHD													
TIMES CERAMICA SDN BHD													
TOPLINE SAFETY GLASS (M) SDN BHD													
TROCELLEN S.E.A. SDN BHD													
TSK INDUSTRIES SDN BHD													
UAC BERHAD													
UNIQUE MIX (PENANG) SDN BHD													
UNIQUE STEEL & HARDWARE SDN BHD													

INDEKS PENGELUAR

	ALUMINIUM	CEMENT	CERAMIC PIPES AND PIPE FITTING	FIBRE CEMENT FLAT SHEET	GLASS	INSULATION MATERIALS	IRON AND STEEL PRODUCTS	PRECAST CONCRETE PILES	PRECAST CONCRETE PIPES	RADIANT BARRIER	READY MIX CONCRETE	SANITARYWARE	UNGLAZED / GLAZED CERAMIC TILES
UNITED G.I. PRODUCTS SDN BHD													
UNITED JAYA SDN BHD													
UNITED SEASONS SDN BHD													
VENUS CERAMIC INDUSTRY SDN.BHD													
VITALLY INDUSTRIES SDN BHD													
VPN (M) SDN BHD													
WEBFORGE (KL) SDN BHD													
WEI DAT STEEL WIRE SDN BHD													
WHITE HORSE CERAMIC INDUSTRIES SDN BHD													
WHITE HORSE CERAMIC INDUSTRIES SDN BHD													
WINABUMI SDN BHD													
WING WA GLASS SUPPLIER SDN BHD													
YANG AKTIF ENGINEERING WORKS SDN BHD													
YETTA STEEL INDUSTRIES SDN BHD													
YEW LEAN FOUNDRY & CO. SDN BHD													
YH LAMINATED PRODUCTS SDN BHD													
YI-LAI INDUSTRY BERHAD													
YUNG KONG METAL WORKS CO BHD													



SENARAI PENGELUAR
MENGIKUT KATEGORI

ALUMINIUM COMPANY OF MALAYSIA BERHAD

No. PPS : 1170524SL0184
No. CERT : A002094NO. 3, PERSIARAN WAJA, BUKIT RAJA INDUSTRIAL
ESTATE KLANG 41050 SELANGORTEL : 03-33412311
FAX : 03-33412793

TARIKH MULA	06-07-2018	TARIKH TAMAT	05-07-2019
JENIS / SAIZ	JENAMA	STANDARD	
Aluminium And Aluminium Alloys - Sheets And Coiled Sheets Model : Alloy Type = 1100, 3105 Rating : Temper Grade = H14, H26 Type : Coil and Sheet ; Size : Thickness(mm) = 0.5 - 3.0 ; Maximum Width(mm) = 1220 ; Maximum Sheet Length(mm) =2440	Aluminium Company of Malaysia Berhad	MS 2040:2007	

BP ALUMINIUM EXTRUSION SDN BHD

No. PPS : 1190424SB0358
No. CERT : A001632NO 15 & 16, JALAN 1C KKIP SELATAN,
INDUSTRIAL ZONE 2 (IZ2), KKIP 88460 SABAHTEL : 088-499111
FAX : 088-499222

TARIKH MULA	24-04-2019	TARIKH TAMAT	23-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Aluminium and Aluminium Alloy - Extruded Shapes Alloy 6063 - 13.48mm - 148.36mm, 6063 - 13.48 - 148.36mm	BP Aluminium Extrusion Sdn Bhd	MS 2289:2010	

EVERLAST ALUMINIUM (M) SDN BHD

No. PPS : 1180118SL0243
No. CERT : A002158LOT 1828, JALAN KPB 3 JALAN BALAKONG,
BUKIT BELIMBING SERI KEMBANGAN 43300 SELANGORTEL : 03-8961 5223
FAX : 03-8961 1112

TARIKH MULA	18-01-2019	TARIKH TAMAT	17-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Mobile Tower MODEL : SWAB, SWAAB & SWAAAAB, TYPE : SINGLE WIDTH PLATFORM, SIZE : WIDTH (MM) : 615, LENGTH (MM) : 1865, HEIGHT (MM) : 3540, 5820 & 8100	EVERLAS, PMB Quick Access & Qaccess	BS EN 1004:2004	
Mobile Tower MODEL : SWFAB, SWFAAB & SWFAAAB, TYPE : SINGLE WIDTH PLATFORM SIZE : WIDTH (MM) : 615 LENGTH (MM) : 2365 HEIGHT (MM) = 3255, 5250 & 7245	PMB Quick Access & Qaccess	BS EN 1004:2004	
Mobile Tower MODEL : DWFAB, DWFAAB & DWFAAAB, TYPE : DOUBLE WIDTH PLATFORM SIZE : WIDTH (MM) : 1230 LENGTH (MM) : 1865, 2365 HEIGHT (MM) : 3255, 5250, 7245			

Mobile Tower
 MODEL : DWAB, DWAAB & DWAAAB,
 TYPE : DOUBLE WIDTH PLATFORM
 SIZE : WIDTH (MM) : 1230
 LENGTH (MM) : 1865, 2365
 HEIGHT (MM) : 3540, 5820, 8100

Mobile Tower
 MODEL : MSAB, MSAAB & MSAAB,
 TYPE : MINISNAP WITH SINGLE WIDTH PLATFORM,
 SIZE : WIDTH (MM) : 615
 LENGTH (MM) : 1865
 HEIGHT (MM) : 1730, 3440, 5150

EVERPRESS ALUMINIUM INDUSTRIES SDN BHD

No. PPS : 1190107NS0339
 No. CERT : A002133

LOT 1282 & 1283, KAWASAN PERINDUSTRIAN TAMAN MELUR BATANG BENAR,
 MANTIN 71700 NEGERI SEMBILAN

TEL : +6067990309
 FAX : +6067996837

TARIKH MULA	07-01-2019	TARIKH TAMAT	06-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Aluminium and Aluminium Alloy - Extruded Shapes CIRCUMSCRIBING CIRCLE DIAMETER (CCD) = 19MM -133MM, 67MM -141MM		EVERPRESS ALUMINIUM INDUSTRIES SDN.BHD	MS 2289:2010

JS ALUMINIUM EXTRUDER SDN BHD

No. PPS : 1190115SL0343
 No. CERT : A002156

LOT 2261, JALAN HELANG, KAWASAN PERUSAHAAN KEBUN BARU,
 TELOK PANGLIMA GARANG 42500 SELANGOR

TEL : 03-31231996
 FAX : 03-31231997

TARIKH MULA	15-01-2019	TARIKH TAMAT	14-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Aluminium and Aluminium Alloy - Extruded Shapes ALLOY TYPE : 6063 TEMPER GRADE : T5, T6 SHAPE : HOLLOW CIRCUMSCRIBING CIRCLE DIAMETER (CCD) : 19.46 MM - 181.46 MM		JS ALUMINIUM EXTRUDER SDN.BHD.	MS 2289:2010
Aluminium and Aluminium Alloy - Extruded Shapes ALLOY TYPE : 6063 TEMPER GRADE : T5, T6 SHAPE : SOLID CIRCUMSCRIBING CIRCLE DIAMETER (CCD) : 19.46 MM -181.46 MM			

LB ALUMINIUM BERHAD

No. PPS : 1180925SL0305
No. CERT : A002113LOT 11, JALAN PERUSAHAAN 1, KAWASAN PERUSAHAAN
BERANANG SEMENYIH 43700 SELANGORTEL : 03-87258822
FAX : 03-87258828

TARIKH MULA	25-09-2018	TARIKH TAMAT	24-09-2019
JENIS / SAIZ	JENAMA	STANDARD	
Aluminium and Aluminium Alloy - Extruded Shapes Alloy Type = 6063 Temper Grade = T5, T6 Shape Hollow - Size CCD 52 - 113 Shape Solid - Size CCD 36 - 163	LB ALUMINIUM	MS 2289:2010	

PRESS METAL BERHAD

No. PPS : 1181113SL0322
No. CERT : A002133

LOT 6464 , BATU 5 3/4 , JALAN KAPAR , SEMENTA KLANG 42100 SELANGOR

TEL : 03-32913188
FAX : 03-32919133

TARIKH MULA	13-11-2018	TARIKH TAMAT	12-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
Aluminium and Aluminium Alloy - Extruded Shapes ALLOY TYPE = 6060, 6063 TEMPER GRADE = T5, T6 SHAPE = SOLID SIZE = CIRCUMSCRIBING CIRCLE DIAMETER (CCD) = 39 - 113 ALLOY TYPE = 6060, 6063 TEMPER GRADE = T5, T6 SHAPE = HOLLOW SIZE = CIRCUMSCRIBING CIRCLE DIAMETER (CCD) = 77 - 112	COMSASH, COMDOOR, COMWALL	MS 2289:2010	

SUPERB ALUMINIUM INDUSTRIES SDN BHD

No. PPS : 1181009SL0310
No. CERT : A002120LOT 1-22, JALAN PERINDUSTRIAN MAHKOTA 2
KAWASAN PERINDUSTRIAN MAHKOTA 43700 SELANGORTEL : 03-87232652
FAX : 03-87242622

TARIKH MULA	09-10-2018	TARIKH TAMAT	08-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Aluminium and Aluminium Alloy - Extruded Shapes ALLOY TYPE: 6061, A 6061 SS TEMPER GRADE: T6 DIAMETER: 250 MM MAX SHAPE: SOLID, HOLLOW ALLOY TYPE: 6063, A 6063 SS TEMPER GRADE: T5, T6 DIAMETER: 250 MM MAX SHAPE: SOLID, HOLLOW	SUPERB ALUMINIUM	MS 2289:2010	

VITALLY INDUSTRIES SDN BHD

No. PPS : 1190109JH0341
No. CERT : A004091

NO PTD3255, KAWASAN PERINDUSTRIAN BUKIT BAKRI BATU 8,
JALAN BAKRI, 84200 MUAR, JOHOR

TEL : 06-9860088
FAX : 06-9868800

TARIKH MULA	09-01-2019	TARIKH TAMAT	08-01-2020
JENIS / SAIZ	JENAMA		STANDARD
Flame Retardant Aluminium Composite Panel ALLOY DESIGNATION 3003 TEMPER GRADE H16 (TOTAL THICKNESS 4MM ALUMINIUM THICKNESS 0.5MM. MAX WIDTH 1250MM LENGTH 4880MM)	VITALLY		MS 2571:2017
ALLOY DESIGNATION 3003 TEMPER GRADE H16 (TOTAL THICKNESS 4MM ALUMINIUM THICKNESS 0.4MM. MAX WIDTH 1250MM LENGTH 4880MM)			

AALBORG PORTLAND MALAYSIA SDN BHD

No. PPS : 1150401PK0030
No. CERT : A001292LOT 75244, PINJI ESTATE, LAHAT
30750 KINTA PERAKTEL : 05 3218988
FAX : 05 3236070

TARIKH MULA	29-05-2018	TARIKH TAMAT	28-05-2019
JENIS / SAIZ	JENAMA	STANDARD	
White Portland Cement 52.5N	KNIGHT; AALBORG WHITE	MS 888:2011	
White Portland-Limestone Cement B-LL 32.5R	UNICORN; BONDCRETE	MS 888:2011	

ASSOCIATED PAN MALAYSIA CEMENT SDN BHD

No. PPS : 1160229PK0104
No. CERT : A003927KANTHAN PLANT, BATU 13 1/2, JALAN KUALA KANGSAR, 31200 CHEMOR,
PERAK DARUL RIDZUAN, 31200 KINTA PERAKTEL : 05-2011202
FAX : 05-2017259

TARIKH MULA	05-04-2019	TARIKH TAMAT	04-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Masonry Cement MC 12.5	WALCRETE (TIGER)	MS EN 413-1:2012	
Portland - Fly Ash Cement CEM II/A-V 52.5N, CEM II/B-V 42.5N	MASCRETE PRO, MASCRETE ECO	MS EN 197-1:2014	
Portland Cement PORTLAND CEMENT	CAP HARIMAU, CAP KUDA, CAP RUMAH, CAP BADAQ	MS EN 197-1:2014, MS EN 197-1 : 2007	
Portland-limestone Cement CEM II/B-LL 32.5R	PHOENIX, RUMAH	MS EN 197-1:2014	

ASSOCIATED PAN MALAYSIA CEMENT SDN BHD
(RAWANG)No. PPS : 1170120SL0162
No. CERT : A002140RAWANG PLANT JALAN CIKU RAWANG
48000 RAWANG SELANGORTEL : 03 60916711
FAX : 03 60919361

TARIKH MULA	20-01-2019	TARIKH TAMAT	19-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Portland - Fly Ash Cement CEM II/ B-V 32.5N	MASCRETE LH	MS EN 197-1:2014	
Portland - Fly Ash Cement CEM II/ B - V42.5N	MASCRETE ECO	MS EN 197-1:2014	
Portland - Composite Cement PHOENIX / CEM II/B-M (L-V)32.5R	PHOENIX	MS EN 197-1:2014	
Portland Cement CEM I 52.5N	CAP BADAQ,CAP HARIMAU, CAP KUDA , CAR RUMAH	MS EN 197-1:2014	
Masonry Cement MC 12.5	WALCRETE	MS EN 413-1:2012	

CEMENT INDUSTRIES (SABAH) SDN BHDNo. PPS : 1151006SB0049
No. CERT : A001623SEPANGAR INDUSTRIAL ESTATE MENGGATAL, 30KM NORTH OF KOTA KINABALU
88839 KOTA KINABALU SABAHTEL : 088411122
FAX : 088411133

TARIKH MULA	05-10-2018	TARIKH TAMAT	04-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Portland Cement PORTLAND CEMENT (RATING: CEM I 42.5N)		CAP GAJAH, CAP MERIAM, CAP BERUANG	MS EN 197-1:2014

CMS CEMENT INDUSTRIES SDN BHDNo. PPS : 1170612SR0195
No. CERT : A001684LOT 571, BLOCK 4, SENTAH SEGU L.D, JALAN MAMBONG,
OFF JALAN PUNCAK BORNEO, KUCHING 93250 SARAWAKTEL : 082-610229
FAX : 082-610227

TARIKH MULA	13-07-2018	TARIKH TAMAT	12-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Portland Cement 42.5N		CMS	MS EN 197-1:2014

CMS CEMENT SDN BHD (BINTULU PLANT)No. PPS : 1160815SR0139
No. CERT : A 001687LOT 766, BLOCK 20, KEMENA LAND DISTRICT KIDURONG INDUSTRIAL ESTATE
97007 BINTULU SARAWAKTEL : 086254727
FAX : 086254753

TARIKH MULA	23-08-2018	TARIKH TAMAT	22-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Portland Cement PORTLAND CEMENT		CMS	MS EN 197-1:2014

CMS CEMENT SDN BHD (KUCHING PLANT)No. PPS : 1160609SR0131
No. CERT : A 001682LOT 5985, JALAN SIMEN RAYA PENDING INDUSTRIAL ESTATE
93740 KUCHING SARAWAKTEL : 082332111
FAX : 082349601

TARIKH MULA	22-06-2018	TARIKH TAMAT	21-06-2019
JENIS / SAIZ		JENAMA	STANDARD
Portland Cement PORTLAND CEMENT		CMS	MS EN 197-1:2014

HOLCIM (MALAYSIA) SDN. BHDNo. PPS : 1150413JH0032
No. CERT : A 002890LOT 119, JALAN PUKAL 3
81700 PASIR GUDANG JOHORTEL : +607 251 3411
FAX : +607 2514417

TARIKH MULA	09-08-2018	TARIKH TAMAT	08-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Masonry Cement MC 12.5		HOLCIM EASY WALL (HEW)	MS EN 413-1:2012
Masonry Cement MC 12.5		WALCRETE	MS EN 413-1:2012
Portland - Fly Ash Cement CEM II / A-V 42.5N		HOLCIM READY FLOW (HRF)	MS EN 197-1:2014
Portland - Fly Ash Cement CEM II / A-V 42.5N		HOLCIM QUICK CAST (HQC)	MS EN 197-1:2014
Portland - Fly Ash Cement CEM II / B-V 42.5N		MASCRETE ECO (ME)	MS EN 197-1:2014
Portland Cement CEM I 52.5N		ORDINARY PORTLAND CEMENT (OPC)	MS EN 197-1:2014
Portland - Composite Cement CEM II / B-M 32.5N		HOLCIM TOP STANDARD (HTS)	MS EN 197-1:2014

HUME CEMENT SDN BHDNo. PPS : 1160307PK0106
No. CERT : A003925LOT 300254 JALAN GOPENG KOTA BAHRU
KOTA BAHRU GOPENG 31610 PERAKTEL : 0378669000
FAX :

TARIKH MULA	06-03-2019	TARIKH TAMAT	05-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Portland Cement CEM I 52.5N		PANDA	MS EN 197-1:2014
Portland - Composite Cement CEM II/B-M(S-L) 32.5R		PANDA	MS EN 197-1:2014
Masonry Cement MC 12.5		CAP ORANG KUAT	MS EN 413-1:2012

LAFARGE CEMENT SDN BHDNo. PPS : 1160614KD0134
No. CERT : A 001371LANGKAWI PLANT, TELUK EWA, MUKIM AYER HANGAT
07000 PULAU LANGKAWI KEDAHTEL : 04-9508000
FAX : 04-9591710

TARIKH MULA	30-08-2018	TARIKH TAMAT	29-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Masonry Cement MC 12,5		Walcrete	MS EN 413-1:2012

Portland Cement CEM I 42,5 N; CEM I 52,5 N	KUDA, HARIMAU, RUMAH	MS EN 197-1:2014
---	----------------------	------------------

LAFARGE CEMENT SDN BHD

No. PPS : 1150325JH0028
No. CERT : A004103

LOT 2, JALAN KONTENA KAWASAN PELABUHAN JOHOR
81700 PASIR GUDANG JOHOR

TEL : 072525022
FAX : 072526277

TARIKH MULA	05-04-2019	TARIKH TAMAT	04-04-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Pozzolanic Cement CEM IV/B (V) 32.5R	PHOENIX	MS EN 197-1:2014
Portland Cement CEM I 52.5N	LAFARGE CEMENT	MS EN 197-1:2014
Portland - Fly Ash Cement CEM II / B-V 42.5N	MASCRETE ECO	MS EN 197-1:2014
Portland - Fly Ash Cemen CEM II / B-V 42.5N - LH	MASCRETE LH	MS EN 197-1:2014

**NEGERI SEMBILAN CEMENT INDUSTRIES SDN BHD
- PERLIS PL**

No. PPS : 1151118PR0059
No. CERT : A001443

BUKIT KETRI, MUKIM CHUPING
KANGAR 02450 PERLIS

TEL : 049367100
FAX : 049367115

TARIKH MULA	20-09-2018	TARIKH TAMAT	19-09-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Portland Cement CEM I 42.5N & CEM I 52.5N	BLUE LION	MS EN 197-1:2014
Masonry Cement MASONRY CEMENT MC 12.5	BLUE LION	MS EN 413-1:2012
Portland - Composite Cement CEM II B/M (S-L) 32.5R	BLUE LION	MS EN 197-1:2014

PAHANG CEMENT SDN BHD

No. PPS : 1160127PH0091
No. CERT : A001500

P.O.BOX 232, BUKIT SAGU
25720 KUANTAN PAHANG

TEL : 09-5158208
FAX : 09-5133305

TARIKH MULA	17-01-2019	TARIKH TAMAT	16-01-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Masonry Cement MC 22.5X / 50 KG BAG	WALLCEM	MS EN 413-1:2012
Portland Cement CEM I 42.5 N; CEM I 52.5 N / BULK	CAP ORANG KUAT	MS EN 197-1:2014

Portland-limestone Cement CEM II/B-L 32.5N / 50KG BAG	CASTLE, DRAGON	MS EN 197-1:2014
--	----------------	------------------

PERAK HANJOONG SIMEN SDN BHD

No. PPS : 1160217PK0101
No. CERT : A003923

BATU 14, MUKIM KAMPUNG BUAIA
33700 KUALA KANGSAR PERAK

TEL : 057596000
FAX : 057774640

TARIKH MULA	17-03-2019	TARIKH TAMAT	16-03-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Portland Cement CEM I / 52.5N, CEM I / 42.5N	ORANG KUAT	MS EN 197-1:2014
Portland-limestone Cement CEM II / A-L 42.5N, CEM II / B-L 32.5N	CASTLE	MS EN 197-1:2014
Portland-limestone Cement CEM II / B-L 32.5N	DRAGON	MS EN 197-1:2014
Masonry Cement MASONRY CEMENT	WALLCEM	MS EN 413-1:2012

SLAG CEMENT (SOUTHERN) SDN BHD

No. PPS : 1150902JH0034
No. CERT : A 002892

LOT 3, OFF JALAN PUKAL, PASIR GUDANG
81707 PASIR GUDANG JOHOR

TEL : 07-2525355
FAX : 07-2512037

TARIKH MULA	20-08-2018	TARIKH TAMAT	19-08-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Portland - Composite Cement PORTLAND COMPOSITE CEMENT CEM II/B-M (S-V) 42.5N	DRAGON	MS EN 197-1:2014
Portland Cement PORTLAND CEMENT CEM I 42.5N	CAP RUMAH API, CAP ORANG KUAT	MS EN 197-1:2014
Portland Slag Cement PORTLAND SLAG CEMENT CEM II/B-S 42.5N	DRAGON, SLAGCEM	MS EN 197-1:2014
Blastfurnace Cement BLASTFURNACE CEMENT CEM III/A 32.5N, CEM III/B 32.5N	SLAGCEM	MS EN 197-1:2014
Portland-limestone Cement PORTLAND LIMESTONE CEMENT CEM II/B-L	CASTLE, WALLCEM, DRAGON	MS EN 197-1:2014

SLAG CEMENT SDN BHD

No. PPS : 1150902SL0035
No. CERT : A002114

LOT NO. 55709, DRY BULK TERMINAL 2, JALAN TERATAI 2, WESTPORT,
PULAU INDAH, PORT KLANG 42009 KLANG SELANGOR

TEL : 03-31011388
FAX : 03-31011377

TARIKH MULA	25-09-2018	TARIKH TAMAT	24-09-2019
JENIS / SAIZ	JENAMA		STANDARD
Portland Cement PORTLAND CEMENT CEM I 42.5N	KIJANG, CAP ORANG KUAT		MS EN 197-1:2014
Portland Slag Cement PORTLAND SLAG CEMENT CEM II/A-S 42.5N, CEM II/B-S 42.5N	SLAGCEM, DRAGON		MS EN 197-1:2014
Blastfurnace Cement BLASTFURNACE CEMENT CEM III/A 42.5N			
Blastfurnace Cement BLASTFURNACE CEMENT CEM III/B 32.5N	SLAGCEM, MARINECEM, SRC		MS EN 197-1:2014
Blastfurnace Cement SULFATE RESISTANCE BLASTFURNACE CEMENT CEM III/B 32.5N-LH/SR			
Blastfurnace Cement BLASTFURNACE CEMENT CEM III/A 42.5L	DRAGON, SLAGCEM		MS EN 197-1:2014
Portland - Fly Ash Cement PORTLAND FLY ASH CEMENT CEM II/B-V 32.5R, II/B-V 42.5N, II/A-V 42.5N	MASCEM, DRAGON		MS EN 197-1:2014
Portland - Composite Cement PORTLAND COMPOSITE CEMENT CEM II/A-M (S-V) 42.5N, II/B-M (S-V) 32.5R, II/B-M (S-V) 32.5N	DRAGON		MS EN 197-1:2014
Composite Cement COMPOSITE CEMENT CEM V/A (S-V) 32.5N			
Portland-Limestone Cement CEM II/B-L 32.5N	Castle, Dragon, Wallcem		MS EN 197-1:2014

TASEK CORPORATION BERHAD

No. PPS : 1150921PK0039
No. CERT : A003918

LOT 5, PERSIARAN TASEK, TASEK INDUSTRIAL ESTATE,
31400 KINTA PERAK

TEL : 05-291 1011
FAX : 05-291 9932

TARIKH MULA	27-11-2018	TARIKH TAMAT	26-11-2019
JENIS / SAIZ	JENAMA		STANDARD
Portland Cement PORTLAND CEMENT CEM I 42.5N	Buaya		MS EN 197-1:2014
Masonry Cement MASONRY CEMENT			
Portland - Fly Ash Cement PORTLAND-FLY ASH CEMENT	Green buaya		MS EN 197-1:2014
Portland-limestone Cement PORTLAND-LIMESTONE CEMENT	Cap Loceng		MS EN 197-1:2014

BAN SOONG HENG SDN BHDNo. PPS : 1171123PK0226
No. CERT : A003917PLOT 77, JALAN SERAMIK CHEPOR 11/1,
KAWASAN PERINDUSTRIAN SERAMIK ULU CHEPOR 31200 PERAKTEL : 052015594
FAX : 052017398

TARIKH MULA	23-11-2018	TARIKH TAMAT	22-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
Vitrified Clay Pipes And Fittings and Pipe Joint for Drains and Sewers DN100x0.9m, DN150x1m, DN150x1.5m, DN225x1m, DN225x1.75m, DN300x1m, DN300x1.75m and their respective fittings.	BSH	MS 1061:1999	

JPC-INTAN SDN BHDNo. PPS : 1190513JH0362
No. CERT : A 00122357TH MILE, JALAN JOHOR, AYER HITAM,
86100 KLUANG JOHORTEL : 07-7582537
FAX : 07-7582237

TARIKH MULA	13-05-2019	TARIKH TAMAT	12-05-2020
JENIS / SAIZ	JENAMA	STANDARD	
Vitrified Clay Pipes And Fittings and Pipe Joint for Drains and Sewers PIPE - FN 28,34 KN/M (UNGLAZED & GLAZED) JOINTS - JO - SLEEVE POLYPROPYLENE JOINTS - JO - LINK FIXED RUBBER RING PIPE - FN 34 KN/M (UNGLAZED & GLAZED) PIPE - CLASS 160 (UNGLAZED & GLAZED) FITTINGS - BEND 90O, BEND 45O, BEND 30O (UNGLAZED & GLAZED) FITTINGS - T JUNCTION 90O, Y JUNCTION 45O (UNGLAZED & GLAZED) JOINTS - JO - FLEX INTERFACING POLYURETHANE JOINTS - L RUBBER JOINT INTERFACING POLYURETHANE PIPE - CLASS 120 (UNGLAZED & GLAZED)	JPC-INTAN, CLAYTAN	MS 1061:1999	

JPC-INTAN SDN BHD

No. PPS : 1160314JH0107
No. CERT : A 001223

57TH MILE, JALAN JOHOR, AYER HITAM,
86100 KLUANG JOHOR

TEL : 07-7582537
FAX : 07-7582237

TARIKH MULA	09-05-2017	TARIKH TAMAT	08-05-2018
JENIS / SAIZ	JENAMA		STANDARD
Vitrified Clay Pipes And Fittings and Pipe Joint for Drains and Sewers PIPE - FN 28 KN/M (UNGLAZED & GLAZED) JOINTS - JO - SLEEVE POLYPROPYLENE JOINTS - JO - LINK FIXED RUBBER RING PIPE - FN 34 KN/M (UNGLAZED & GLAZED) PIPE - CLASS 160 (UNGLAZED & GLAZED) FITTINGS - BEND 90O, BEND 45O, BEND 30O (UNGLAZED & GLAZED) FITTINGS - T JUNCTION 90O, Y JUNCTION 45O (UNGLAZED & GLAZED) JOINTS - JO - FLEX INTERFACING POLYURETHANE JOINTS - L RUBBER JOINT INTERFACING POLYURETHANE PIPE - CLASS 120 (UNGLAZED & GLAZED) PIPE-CLASS 240 (UNGLAZED)	JPC-INTAN, CLAYTAN		MS 1061:1999

JPC-INTAN SDN BHD

No. PPS : 1180506JH0273
No. CERT : A 002874

57TH MILE, JALAN JOHOR, 86100 JOHOR

TEL : 07-7582537
FAX : 07-7582237

TARIKH MULA	09-05-2018	TARIKH TAMAT	08-05-2019
JENIS / SAIZ	JENAMA		STANDARD
Vitrified Clay Pipes And Fittings and Pipe Joint for Drains and Sewers PIPE - FN 28 KN/M (UNGLAZED & GLAZED) JOINTS - JO - SLEEVE POLYPROPYLENE JOINTS - JO - LINK FIXED RUBBER RING PIPE - FN 34 KN/M (UNGLAZED & GLAZED) PIPE - CLASS 160 (UNGLAZED & GLAZED) FITTINGS - BEND 90O, BEND 45O, BEND 30O (UNGLAZED & GLAZED) FITTINGS - T JUNCTION 90O, Y JUNCTION 45O (UNGLAZED & GLAZED)	JPC-INTAN, CLAYTAN		MS 1061:1999

JOINTS - JO - FLEX INTERFACING POLYURETHANE		
JOINTS - L RUBBER JOINT INTERFACING POLYURETHANE		
PIPE - CLASS 120 (UNGLAZED & GLAZED)		
PIPE-CLASS 240 (UNGLAZED)		

SUNWAY VCP SDN BHD

No. PPS : 1161104SL0150
No. CERT : A002160

LOT 6489 & 6490, OFF 6TH MILE
JLN KAPAR 42100 KLANG SELANGOR

TEL : 03-32915288
FAX : 03-32915388

TARIKH MULA	25-01-2019	TARIKH TAMAT	24-01-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Vitrified Clay Pipes With Flexible Mechanical Joints PIPE CLASS160 NOMINAL SIZE (DN)/ LENGTH 200MMX2.0M (GLAZED)	SUNWAY VCP	MS 1061:PART 1:1999
PIPE CLASS160/ NOMINAL SIZE (DN)/ LENGTH 225MMX1.75M (GLAZED)		
PIPE CLASS160/ NOMINAL SIZE (DN)/ LENGTH 225MMX2.0M (GLAZED)		
PIPE CLASS160/ NOMINAL SIZE (DN)/ LENGTH 250MMX2.0M (GLAZED)		
PIPE CLASS160/ NOMINAL SIZE (DN)/ LENGTH 300MMX2.0M (GLAZED)		
PIPE CLASS160/ NOMINAL SIZE (DN)/ LENGTH 450MMX2.0M (GLAZED)		
PIPE CLASS160/ NOMINAL SIZE (DN)/ LENGTH 600MMX2.0M (GLAZED)		
FITTINGS - BEND 45 DEGREE NOMINAL SIZE : DN 150 (GLAZED)		
PIPE - CRUSHING STRENGTH (FN)34KN/M / NOMINAL SIZE DN150 X1.5M (GLAZED), 150 X 1.75M(GLAZED)		
FITTINGS - BEND 90 DEGREE / NOMINAL SIZE : DN 225 (GLAZED)		
FITTINGS - JUNCTION 45 DEGREE / NOMINAL SIZE : DN 225/150 (GLAZED)		
FITTINGS - JUNCTION 90 DEGREE/ NOMINAL SIZE : DN 225/150 (GLAZED)		

TEONG HUAT CLAY PRODUCTS SDN BHD

No. PPS : 1180424PR0265
 No. CERT : A003929

PLOT 79 PUSAT INDUSTRI SERAMIK FASA 1 BATU 10
 JALAN JELAPANG -CHEPOR 31200 PERAK

TEL : 05-2011716
 FAX : 05-2011716

TARIKH MULA	25-04-2019	TARIKH TAMAT	24-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Vitrified Clay Pipes With Flexible Mechanical Joints 100MM X 1M; 150MM X 1M; 225MM X 1M; 300MM X 1M	TH	MS 1061:PART 1:1999	

UAC BERHAD

No. PPS : 1181015PK0312
 No. CERT : A001543

36, JALAN PORTLAND, TASEK INDUSTRIAL ESTATE
 31400 IPOH, PERAK

TEL : 603-77219393
 FAX : 603-77219300

TARIKH MULA	15-10-2018	TARIKH TAMAT	14-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Non Asbestos Fibre Cement Flat Sheets UCO SUPERFLEX, UCO FLEXABORD, UCO VISTABORD, UCO MULTIFLEX, UCO SMOOTH PLANK, UCO SEDARTEX WOODGRAIN, UCO PANEL WOODGRAIN, UCO FORRA PLUS, UCO CHEMERAH PLUS, UCO TIKA, UCO ANGKASA, UCO DURAVENT, UCO LATTICE, UCO SHINGLES / 2440X1220, 1220X1220, 1220X610, 2250X1220, 3660X230, 3600X225, 2250X600, 610X610 (THICKNESS 3.2, 3.5, 4.5, 6.0, 7.5, 9.0, 12.0, 15.0, 18.0, 19.0, 20.0, 22.0, 25.0)	UCO	MS 1296:2010	

A STAR GLASSTECH (M) SDN BHD

No. PPS : 1170621JH0200
No. CERT : A 002885

LOT 1365, JALAN SAWAH PEKAN NENAS,
PONTIAN 81500 JOHOR

TEL : 07-6996989
FAX : 07-6992988

TARIKH MULA	21-06-2018	TARIKH TAMAT	20-06-2019
JENIS / SAIZ	JENAMA		STANDARD
<p>Laminated Safety Glass In Building Rating : Class B Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Float Glass Thickness (MM) = 3,4,5 Interlayer Thickness (MM) = 0.38, 0.76, 1.14, 1.52 Total Thickness (MM) = 6.38 - 10.38</p> <p>Rating : Class A Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Float Glass Thickness (MM) = 5,6,8,10 Interlayer Thickness (MM) = 0.38, 0.76, 1.14, 1.52 Total Thickness (MM) = 10.76 - 21.52</p> <p>Rating : Class B Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Tempered Glass Thickness (MM) = 4,5 Interlayer Thickness (MM) = 0.38, 0.76, 1.14, 1.52 Total Thickness (MM) = 8.76 - 10.38</p> <p>Rating : Class A Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Tempered Glass Thickness (MM) = 5,6,8,10,12,15,19 Interlayer Thickness (MM) = 0.38 0.76, 1.14, 1.52 Total Thickness (MM) = 10.76 - 39.52</p> <p>Rating : Class A Type : Layers of Glass = 2 Interlayer = Ionoplast Polymer (SG) Size : Tempered Glass Thickness (MM) = 15 Interlayer Thickness (MM) = 1.78 Total Thickness (MM) = 31.78</p> <p>Rating : Class B Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Float Glass Thickness (MM) = 4,5 Interlayer Thickness (MM) = 0.38, 0.76, 1.14, 1.52 Tempered Glass Thickness (MM) = 4,5 Total Thickness (MM) = 8.76 - 10.38</p> <p>Rating : Class A Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Float Glass Thickness (MM) = 5,6,8,10,12 Interlayer Thickness (MM) = 0.38, 0.76, 1.14, 1.52 Tempered Glass Thickness (MM) = 5, 6,8,10, 12 Total Thickness (MM) = 10.76 - 25.52</p> <p>Rating : Class B Type : Layers of Glass = 2 Interlayer = Polyvinyl Butyral (PVB) Size : Heat Strengthen Glass Thickness (MM) = 4,5 Interlayer Thickness (MM) = 0.38, 0.76, 1.14, 1.52 Total Thickness (MM) = 8.76 - 10.38</p>	A STAR		MS 1498:2011

AGT SAFETY GLASS SDN BHD

No. PPS : 1180503SL0270
No. CERT : A003935NO.11, JALAN KESUMA 2/1, BANDAR TASIK KESUMA, 43700 BERANANG,
SELANGOR DARUL EHSAN.TEL : 03-8724 3561
FAX : 03-8724 3566

TARIKH MULA	03-05-2019	TARIKH TAMAT	02-05-2020
JENIS / SAIZ	JENAMA	STANDARD	
Tempered Safety Glass in Building CLASS A/ 4 MM, 5 MM, 6 MM, 8 MM, 11 MM, 12 MM, 15 MM, 19 MM CLASS A / FLOAT LAMINATED SAFETY GLASS 6.76 - 31.52, 9.52 - 25.52 CLASS B / FLOAT LAMINATED SAFETY GLASS 6.38 - 12.38	AGT SAFETY GLASS	MS 1498:2011	

AJIYA SAFETY GLASS SDN BHD

No. PPS : 1161129PP0154
No. CERT : A002812PLOT 248A, LENGKOK PERINDUSTRIAN BUKIT MINYAK 16, KAWASAN PERINDUSTRIAN
BUKIT MINYAK, BUKIT MERTAJAM 14100 BUKIT MERTAJAM PULAU PINANGTEL : 04-5-88777
FAX : 04-5071115

TARIKH MULA	28-12-2018	TARIKH TAMAT	27-12-2019
JENIS / SAIZ	JENAMA	STANDARD	
Tempered Safety Glass in Building 4MM, 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM	AJIYA	MS 1498:2011, MS 1498:2017	

AJIYA SAFETY GLASS SDN BHD

No. PPS : 1161207SL0155
No. CERT : A002139NO. 6, JALAN PPU 3, TAMAN PERINDUSTRIAN PUCHONG UTAMA,
PUCHONG 47100 PETALING SELANGORTEL : 603-80623939
FAX : 603-80621113

TARIKH MULA	24-12-2018	TARIKH TAMAT	23-12-2019
JENIS / SAIZ	JENAMA	STANDARD	
Tempered Safety Glass in Building 4MM, 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM Laminated Safety Glass In Building FLOAT LAMINATED SAFETY GLASS FLOAT GLASS THICKNESS (MM) = 3, 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 6.38 - 39.52 TEMPERED LAMINATED SAFETY GLASS TEMPERED GLASS THICKNESS (MM) = 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 8.76 - 39.52	AJIYA	MS 1498:2011, MS 1498:2017	

HEAT-STRENGTHENED LAMINATED SAFETY GLASS
 HEAT-STRENGTHENED GLASS THICKNESS (MM) = 4, 5, 6,
 8, 10
 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB)
 = 0.38, 0.76, 1.14, 1.52
 TOTAL THICKNESS (MM) = 8.76 - 21.52

AJIYA SAFETY GLASS SDN BHD

No. PPS : 1161207JH0156
 No. CERT : A004086

LOT 7025, JALAN KEMPAS LAMA, SEELONG JAYA
 81400 JOHOR BAHRU JOHOR

TEL : 607-5991733
 FAX : 607-5992733

TARIKH MULA	24-12-2018	TARIKH TAMAT	23-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building 4MM, 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM Laminated Safety Glass In Building FLOAT LAMINATED SAFETY GLASS FLOAT GLASS THICKNESS (MM) = 3, 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 6.38 - 39.52 TEMPERED LAMINATED SAFETY GLASS TEMPERED GLASS THICKNESS (MM) = 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 8.76 - 39.52 HEAT-STRENGTHENED LAMINATED SAFETY GLASS HEAT-STRENGTHENED GLASS THICKNESS (MM) = 4, 5, 6, 8, 10 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 8.76 - 21.52		AJIYA	MS 1498:2011, MS 1498:2017

AJIYA SAFETY GLASS SDN BHD

No. PPS : 1161207JH0157
 No. CERT : A004087

LOT 575, 1 KM, LEBUHRAYA SEGAMAT - KUANTAN SEGAMAT
 85000 SEGAMAT JOHOR

TEL : 07-9313133
 FAX : 07-9313142

TARIKH MULA	24-12-2018	TARIKH TAMAT	23-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Laminated Safety Glass In Building FLOAT LAMINATED SAFETY GLASS FLOAT GLASS THICKNESS (MM) = 3, 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 6.38 - 71.12 FLOAT LAMINATED SAFETY GLASS FLOAT GLASS THICKNESS (MM) = 3, 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = IONOPLAST POLYMER (SG) = 0.89, 1.52, 2.28, 3.04 TOTAL THICKNESS (MM) = 6.89 - 71.12		AJIYA	MS 1498:2011, MS 1498:2017

<p>TEMPERED LAMINATED SAFETY GLASS TEMPERED GLASS THICKNESS (MM) = 3, 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 6.76 - 71.12</p> <p>TEMPERED LAMINATED SAFETY GLASS TEMPERED GLASS THICKNESS (MM) = 3, 4, 5, 6, 8, 10, 12, 15, 19 INTERLAYER THICKNESS (MM) = IONOPLAST POLYMER (SG) = 0.89, 1.52, 2.28, 3.04 TOTAL THICKNESS (MM) = 6.89 - 71.12</p> <p>HEAT-STRENGTHENED LAMINATED SAFETY GLASS HEAT-STRENGTHENED GLASS THICKNESS (MM) = 4, 5, 6, 8, 10 INTERLAYER THICKNESS (MM) = POLYVINYL BUTYRAL (PVB) = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS (MM) = 8.76 - 44.56</p> <p>HEAT-STRENGTHENED LAMINATED SAFETY GLASS HEAT-STRENGTHENED GLASS THICKNESS (MM) = 4, 5, 6, 8, 10 INTERLAYER THICKNESS (MM) = IONOPLAST POLYMER (SG) = 0.89, 1.52, 2.28, 3.04 TOTAL THICKNESS (MM) = 8.89 - 49.12</p> <p>Tempered Safety Glass in Building 3MM, 4MM, 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM</p>		
--	--	--

ASIA TEMPERED GLASS SDN BHD

No. PPS : 1180104SL0237
No. CERT : A002175

NO 1, JALAN HI TECH 7, JALAN SG LALANG, KAWASAN PERINDUSTRIAN HI TECH,
JALAN SUNGAI LALANG, SEMENYIH 43500 SELANGOR

TEL : 03-87230032
FAX : 03-87230355

TARIKH MULA	05-04-2019	TARIKH TAMAT	04-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Laminated Safety Glass In Building FLOAT LAMINATED SAFETY GLASS CLASS B LAYER OF GLASS : 2 TOTAL THICKNESS : 6.38 mm - 10.38 mm	AT ASIA	MS 1498:2017	
FLOAT LAMINATED SAFETY GLASS CLASS A LAYER OF GLASS : 2 TOTAL THICKNESS : 16.38 mm , 16.76 mm			
TEMPERED LAMINATED SAFETY GLASS CLASS A LAYER OF GLASS : 2 TOTAL THICKNESS : 9.52 mm - 39.52 mm			

ASTEEL AJIYA SDN BHD

No. PPS : 1190405SR0275
No. CERT : A004175LOT 1268, BLOCK 8, JALAN BAKO, DEMAK LAUT
INDUSTRIAL ESTATE PHASE IV 93050 SARAWAKTEL : 082-433403
FAX : 082-433686

TARIKH MULA	05-04-2019	TARIKH TAMAT	04-04-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Tempered Safety Glass in Building NOMINAL THICKNESS (MM) =4, 5, 6, 8, 10, 12, 15, 19	AJIYA	MS 1498:2017

CS ECO GLASS (M) SDN BHD

No. PPS : 1180426NS0267
No. CERT : A001141LOT 635 & 660, KAWASAN PERINDUSTRIAN TUANKU JAAFAR SUNGAI
GADUT 71450 NEGERI SEMBILANTEL : 066789266
FAX : 066789266

TARIKH MULA	06-05-2019	TARIKH TAMAT	05-05-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Tempered Safety Glass in Building CLASS 1 / NOMINAL THICKNESS 4mm,5mm, 6mm, 8mm, 10mm, 12mm, 15mm, 19mm	CS ECO GLASS	MS 1498:2017
FLOAT LAMINATED SAFETY GLASS CLASS 2 TOTAL THICKNESS 6.38MM - 10.38MM		
FLOAT LAMINATED SAFETY GLASS CLASS 1 TOTAL THICKNESS 10.52MM, 13.90MM - 25.90MM, 8.76MM - 26.28MM		

GLIMEX INDUSTRIES SDN BHD

No. PPS : 1170607SB0193
No. CERT : A001618LOT 23, JALAN 1 H, KKIP SELATAN EOIZ PHASE II,
KOTA KINABALU INDUSTRIAL PARK KOTA KINABALU 88450 SABAHTEL : +6088-498770
FAX : +6088-494770

TARIKH MULA	07-06-2018	TARIKH TAMAT	06-06-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Tempered Safety Glass in Building Class A, Tempered 5mm, 6mm, 8mm, 10mm, 12mm, 15mm, 19mm	Glimex	MS 1498:2011
Float Laminated Safety Glass Class B Float Glass Thickness = 3, 4 and 5mm Polyvinyl Butyral (PVB) = 0.38mm Total Thickness = 6.38mm - 8.38mm		
Float Laminated Safety Glass Class A Float Glass Thickness = 3, 4, 5, 6, 8, 10 and 12mm Polyvinyl Butyral (PVB) = 0.38mm and 0.76mm Total Thickness = 8.76mm - 24.76mm		

Tempered Laminated Safety Glass Class A Glass Thickness = 5, 6, 8, 10 and 12mm Polyvinyl Butyral (PVB) = 1.52mm Total Thickness = 11.52mm - 25.52mm		
---	--	--

GOLDEN PHAROS GLASS SDN BHD

No. PPS : 1151218SL0071
No. CERT : A002164

LOT 7, JALAN PERAK, KAWASAN PERUSAHAAN, TELOK PANGLIMA GARANG,
42500 KUALA LANGAT SELANGOR

TEL : 03-31226115
FAX : 03-31226117

TARIKH MULA	01-03-2019	TARIKH TAMAT	29-02-2020
JENIS / SAIZ	JENAMA	STANDARD	
Tempered Safety Glass in Building Class A/ 3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm, 15mm, 19mm Laminated Safety Glass In Building FLOAT LAMINATED SAFETY GLASS RATING : CLASS A TOTAL THICKNESS (mm) : 12.38 - 39.52 LAYERS OF GLASS : 2 INTERLAYER : POLYVINYL BUTYRAL (PVB) FLOAT GLASS THICKNESS (mm) : 6,8,10,12,15,19 INTERLAYER THICKNESS (mm) : 0.38,0.76,1.14,1.52	GP GLASS	MS 1498:2011	

HENGLASS (M) SDN BHD

No. PPS : 1190315SL0355
No. CERT : A002171

2 1ST FLOOR JALAN BK 1/15 KINRARA INDUSTRIAL PARK BANDAR KINRARA
PUCHONG 47100 SELANGOR

TEL : 03-80708430
FAX : 03-80708194

TARIKH MULA	15-03-2019	TARIKH TAMAT	14-03-2020
JENIS / SAIZ	JENAMA	STANDARD	
Tempered Safety Glass in Building 4 MM, CLASS 1; 5 MM, CLASS 1; 6 MM, CLASS 1; 8 MM, CLASS 1; 10 MM, CLASS 1; 12 MM, CLASS 1; 15 MM, CLASS 1;	HENGLASS (M) SDN. BHD.	MS 1498:2017	

HINLIONG GLASS CO. SDN. BHD

No. PPS : 1170609SR0194
No. CERT : A001721

LOT 1772 JALAN PRUNUS 2 PIASAU INDUSTRIAL ESTATE
98000 MIRI SARAWAK (CAWANGAN MIRI)

TEL : 085-651772
FAX : 085-653864

TARIKH MULA	09-06-2018	TARIKH TAMAT	08-06-2019
JENIS / SAIZ	JENAMA	STANDARD	
Tempered Safety Glass in Building 5, 6, 8, 10, 12 (mm)	Company ID : Hinliong Glass Co. Sdn Bhd	MS 1498:2011	

INTAN KERAMAT SDN BHD

No. PPS : 1170814SL0211
No. CERT : A002095

LOT 14858, JALAN UDANG GANTUNG,
TELOK GONG PELABUHAN KLANG 42000 SELANGOR

TEL : 0331342809
FAX : 0331341609

TARIKH MULA	14-08-2018	TARIKH TAMAT	13-08-2019
JENIS / SAIZ	JENAMA	STANDARD	
<p>Tempered Safety Glass in Building CLASS A - NOMINAL THICKNESS (mm) = 4, 5, 6, 8, 10, 12, 15, 19</p> <p>CLASS B - FLOAT LAMINATED SAFETY GLASS (FLOAT GLASS THICKNESS mm = 3 INTERLAYER THICKNESS mm = 0.38 TOTAL THICKNESS mm = 6.38)</p> <p>CLASS A - FLOAT LAMINATED SAFETY GLASS (FLOAT GLASS THICKNESS mm = 4, 5, 6, 8, 10, 12,15 INTERLAYER THICKNESS mm = 0.38, 0.76, 1.14, 1.52 TOTAL THICKNESS mm = 8.38 - 30.76)</p> <p>CLASS A - TEMPERED LAMINATED SAFETY GLASS (FLOAT GLASS THICKNESS mm = 4, 5, 6, 8, 10, 12, 15, 19; INTERLAYER THICKNESS mm = 1.14, 1.52 TOTAL THICKNESS mm = 9.52 - 39.52)</p>	CRYSTAL	MS 1498:2011	

KIBING GROUP (M) SDN BHD

No. PPS : 1170808NS0207
No. CERT : A001131

LOT 635 & 660, KAWASAN PERINDUSTRIAN TUANKU JAAFAR 71450
SUNGAI GADUT NEGERI SEMBILAN 71450 NEGERI SEMBILAN

TEL : 606-6753907
FAX : 606-6753907

TARIKH MULA	30-08-2018	TARIKH TAMAT	29-08-2019
JENIS / SAIZ	JENAMA	STANDARD	
<p>Float Glass GRADE = QUALITY - Q1 COLOUR = CLEAR NOMINAL THICKNESS (MM) = 4, 5, 8, 10, 12 MAXIMUM SIZE = 3660 X 2440</p> <p>GRADE = QUALITY - Q1 COLOUR = CLEAR NOMINAL THICKNESS (MM) = 6 MAXIMUM SIZE = 4064 X 3050</p> <p>GRADE = QUALITY - Q2 COLOUR = CLEAR NOMINAL THICKNESS (MM) = 4 MAXIMUM SIZE = 3050 X 2134</p> <p>GRADE = QUALITY - Q2 COLOUR = CLEAR NOMINAL THICKNESS (MM) = 5, 6, 8, 10 MAXIMUM SIZE = 3660 X 2440</p>	KIBING GROUP (M) SDN BHD	MS 1135:2009	

KIEN SAFETY GLASS SDN BHD

No. PPS : 1180817SL0299
No. CERT : A002108LOT 1558, KAMPUNG JAYA INDUSTRIAL AREA, OFF JALAN HOSPITAL,
SUNGGAI BULOH 47000 KUALA SELANGOR SELANGORTEL : 03-6157 7425
FAX : 03-6157 7424

TARIKH MULA	17-08-2018	TARIKH TAMAT	16-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building Class A / Tempered 4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 12 mm, 15 mm, 19 mm		KSG	MS 1498:2011

LEADER SAFETY GLASS INTERNATIONAL
SDN BHDNo. PPS : 1170106PK0161
No. CERT : A003921PLOT 28, JALAN JOHAN 2/1 KAWASAN PERINDUSTRIAN PENGKALAN 2,
PUSING 31550 BATU GAJAH PERAKTEL : 053666288
FAX : 053660388

TARIKH MULA	06-01-2019	TARIKH TAMAT	05-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building NORMINAL THICKNESS (MM) = 4, 5, 6, 8, 10, 12, 15, 19		LEADER GLASS TEMPERED	MS 1498:2011

MALAYSIAN SHEET GLASS SDN BHD

No. PPS : 1141010JH0013
No. CERT : A004088PLO 435, JALAN KELULI 3, PASIR GUDANG, JOHOR,
MALAYSIA 81700 PASIR GUDANG JOHORTEL : 072513446
FAX : 072528351

TARIKH MULA	03-01-2019	TARIKH TAMAT	02-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Reflective Glass CEMG (EMERALD GREEN) / 5MM, 6MM (THICKNESS) CDHF (ARCTIC BLUE) / 5MM, 6MM (THICKNESS) CHF (BLUE) / 8MM (THICKNESS)		PILKINGTON	MS 2397:2011, MS 2397:2016
Float Glass FL (CLEAR) & GGN (LIGHT GREEN) / 2MM, 3MM, 4MM, 5MM, 6MM (THICKNESS), MAX. SIZE (4064X3048MM) EMG (EMERALD GREEN), DH (ARCTIC BLUE), HFL (LIGHT BLUE) / 4MM, 5MM, 6MM (THICKNESS), MAX. SIZE (4064X3048MM) FL (CLEAR) / 2MM, 3MM, 4MM, 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM (THICKNESS), MAX. SIZE (5080X3302MM) DGR (DARK GREY) / 3MM, 3.2MM, 5MM, 6MM (THICKNESS), MAX. SIZE (5080X3302MM) EMG (EMERALD GREEN) 4MM, 5MM, 6MM, 8MM (THICKNESS) MAX. SIZE (5080X3302MM)		PILKINGTON	MS 1135:2009

HFL (LIGHT BLUE) / 4MM, 5MM, 6MM, 8MM, 10MM, 12MM (THICKNESS) MAX. SIZE (5080X3302MM)		
BLACK / 3MM, 3.2MM, 5MM, 6MM (THICKNESS) MAX. SIZE (5080X3302MM)		
GGN (LIGHT GREEN) / 2MM, 3MM, 4MM, 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM (THICKNESS) MAX. SIZE (5080X3302MM)		
DH (ARCTIC BLUE) / 4MM, 5MM, 6MM, 8MM (THICKNESS) MAX. SIZE (5080X3302MM)		
GRY (GREY) / 5MM, 6MM, 8MM, 10MM, 12MM (THICKNESS) MAX. SIZE (4064X3048MM)		

NAM HENG SAFETY GLASS (J) SDN BHD

No. PPS : 1171120JH0225
No. CERT : A 004074

PTD 93890, JALAN SEELONG,
SENAI 81400 JOHOR

TEL : 607-5995101
FAX : 607-5996246

TARIKH MULA	20-11-2018	TARIKH TAMAT	19-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
Laminated Safety Glass In Building TEMPERED LAMINATED SAFETY GLASS	(COMPANY ID) NAM HENG SAFETY GLASS (J) SDN. BHD	MS 1498:2017	
HEAT STRENGTHENED LAMINATED SAFETY GLASS			
FLOAT LAMINATED SAFETY GLASS			
FLOAT LAMINATED SAFETY GLASS			
TEMPERED SAFETY GLASS			

ORO SAFETY GLASS SDN BHD

No. PPS : 1170730KD0206
No. CERT : A 001373

D137 PLOT 21 JALAN CENDANA 4/4 KAWASAN PERINDUSTRIAN
CENDANA 08000 KEDAH

TEL : 04-423 2323
FAX : 04-425 2525

TARIKH MULA	03-10-2018	TARIKH TAMAT	02-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Tempered Safety Glass in Building CLASS 1 / THICKNESS 5MM, 6MM, 8MM, 10MM, 12MM, 15MM, 19MM	ORO SAFETY GLASS	MS 1498:2017	

SHG SAFETY GLASS SDN BHD

No. PPS : 1180928WP0307
No. CERT : A001005NO 18, JALAN METRO PERDANA BARAT 9, BATU 7, SRI EDARAN LIGHT
INDUSTRIAL AREA, KEPONG 52100 WILAYAH PERSEKUTUANTEL : 05-3573888
FAX : 05-3573777

TARIKH MULA	28-09-2018	TARIKH TAMAT	27-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building RATING : CLASS 1 NOMINAL THICKNESS (mm) = 5, 6, 8, 10, 12		SHG	MS 1498:2017

SUBANG SAFETY GLASS SDN BHD

No. PPS : 1180104SL0238
No. CERT : A002148LOT 10244, JALAN SUBANG 6, TAMAN PERINDUSTRIAN SUBANG
SUBANG JAYA 47600 SELANGORTEL : 0123671708
FAX : 03-80815098

TARIKH MULA	04-01-2019	TARIKH TAMAT	03-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Laminated Safety Glass In Building FLOAT LAMINATED SAFETY GLASS GLASS THICKNESS (mm) = 3,4,5,6,8,10 INTERLAYER THICKNESS (mm) = 0.38, 0.76 TOTAL THICKNESS (mm) = 6.38 - 18.76 CLASSIFICATION OF SAFETY GLASS = CLASS B LAYERS OF GLASS = 2 INTERLAYER = POLYVINYL BUTYRAL (PVB)		SUBANG SAFETY GLASS	MS 1498:2011
FLOAT LAMINATED SAFETY GLASS GLASS THICKNESS (mm) = 10,12 INTERLAYER THICKNESS (mm) = 0.38, 0.76 TOTAL THICKNESS (mm) = 20.38-24.76			
CLASSIFICATION OF SAFETY GLASS = CLASS A LAYERS OF GLASS = 2 INTERLAYER = POLYVINYL BUTYRAL (PVB)			
TEMPERED LAMINATED SAFETY GLASS GLASS THICKNESS (mm) = 5,6,8,10,12 INTERLAYER THICKNESS (mm) = 1.52 TOTAL THICKNESS (mm) = 11.52-25.52 CLASSIFICATION OF SAFETY GLASS = CLASS A LAYERS OF GLASS = 2 INTERLAYER = POLYVINYL BUTYRAL (PVB)			
Tempered Safety Glass in Building NOMINAL THICKNESS (mm) = 5, 6, 8, 10, 12 CLASSIFICATION OF SAFETY GLASS - CLASS A			

TOPLINE SAFETY GLASS (M) SDN BHD

No. PPS : 1160105SL0079
No. CERT : A002162

1A, JALAN PERUSAHAAN UTAMA, TAMAN INDUSTRI SELESA JAYA,
OFF JALAN BALAKONG, 43300 SELANGOR 43300 HULU LANGAT SELANGOR

TEL : +60389614648
FAX : +60389614475

TARIKH MULA	01-03-2019	TARIKH TAMAT	29-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building Class A / Tempered 4 mm, 5 mm, 6 mm, 8 mm, 10 mm, 12 mm, 15 mm, 19 mm Laminated Safety Glass In Building Float Laminated Safety Glass / Polyvinyl Butyral (PVB) / Class B / 6.38 mm, 6.76 mm, 7.38 mm, 7.76 mm, 8.38 mm, 8.76 mm, 9.38 mm, 9.76 mm, 10.38 mm, 10.76 mm, 11.38 mm Float Laminated Safety Glass / Polyvinyl Butyral (PVB) / Class A / 7.52 mm, 7.90 mm, 9.14 mm, 9.52 mm, 10.52 mm, 11.14 mm, 11.52 mm - 39.52 mm Tempered Laminated Safety Glass / Polyvinyl Butyral (PVB) / Class A / 10.14 mm - 25.52 mm Float Laminated Safety Glass / Ionoplast Polymer / Class A / 17.78 mm, 25.78 mm Float Laminated Safety Glass / Polyvinyl Butyral (PVB) / Class A / 17.28 mm - 39.04 mm, 21.04 mm - 23.04 mm		TOPLINE SAFETY GLASS	MS 1498:2011

WING WA GLASS SUPPLIER SDN BHD

No. PPS : 1180718PP0292
No. CERT : A001349

NO 783, MUKIM 5, JALAN PERMATANG NIBONG PERMATANG NIBONG,
BUKIT MERTA JAM SEBERANG PERAI TENGAH 13500 PULAU PINANG

TEL : 0164188386
FAX : 6043904694

TARIKH MULA	18-07-2018	TARIKH TAMAT	17-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Tempered Safety Glass in Building CLASS 1 / TEMPERED / 6mm, 8mm, 10mm, 12mm		WWG Tempered	MS 1498:2017

PGF INSULATION SDN BHD

No. PPS : 1141209PP0017
No. CERT : A002811

2449, LORONG PERUSAHAAN 10, KAWASAN PERUSAHAAN PERAI, PERAI,
13600 SEBERANG PERAI TENGAH PULAU PINANG

TEL : 604-3908460
FAX : 604-3996197

TARIKH MULA	06-01-2019	TARIKH TAMAT	05-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
<p>Mineral Wool - Glass BROWNIE; 1. BATTS ; 0.6M (W) X 1.2M (L) THICKNESS = 50MM DENSITY RANGE : 8 - 48KG/M3 FIRE PROPAGATION INDEX : 6.1, 1.1, 2.0, 6.1, 1.7, 0.5 SURFACE SPREAD OF FLAME : CLASS ONE</p> <p>BROWNIE; 2. ROLL; 1.2M (W) X (7.5 -30)M (L) THICKNESS = 25 - 100MM DENSITY RANGE : 8 - 48KG/M3 FIRE PROPAGATION INDEX : 6.1, 1.1, 2.0, 6.1, 1.7, 0.5 SURFACE SPREAD OF FLAME : CLASS ONE</p>	ECOWOOL	MS 1020:2010, BS 476 : PART 6 : 1989 + A1 :2009, BS 476 : PART 7 : 1997	
<p>Mineral Wool - Glass ECOWOOL CLASSIC. ROLL DENSITY RANGE : (10 - 14)KG/M3, WIDTH : 1.2M LENGTH RANGE : (7.5 - 30)M, THICKNESS : 50MM FIRE PROPAGATION INDEX : 1.5, 2.7, 4.3, 3.4, 3.8, 7.3 SURFACE SPREAD OF FLAME : CLASS ONE FIRE CLASSIFICATION : CLASS O</p> <p>ECOWOOL CLASSIC. ROLL DENSITY RANGE : (14 - 48)KG/M3, WIDTH : 1.2M LENGTH RANGE : (7.5 - 30)M, THICKNESS RANGE : (25 - 50)MM FIRE PROPAGATION INDEX : 1.5, 2.7, 4.3, 3.4, 3.8, 7.3 SURFACE SPREAD OF FLAME : CLASS ONE FIRE CLASSIFICATION : CLASS O</p> <p>ECOWOOL CLASSIC. BOARD DENSITY RANGE : (24 - 96)KG/M3, WIDTH RANGE : (0.595 - 1.2)M LENGTH RANGE : (0.595 - 2.3)M THICKNESS RANGE : (13 - 50)MM FIRE PROPAGATION INDEX : 3.9, 6.8, 6.8, 7.1 SURFACE SPREAD OF FLAME : CLASS ONE FIRE CLASSIFICATION : CLASS O</p>	ECOWOOL	MS 1020:2010, BS 476 : PART 7 : 1997, BS 476 : PART 6 : 1989 + A1 :2009	
<p>Mineral Wool - Glass BROWNIE; 1. BATTS ; 0.6M (W) X 1.2M (L), THICKNESS = 50MM DENSITY RANGE : 8 - 48KG/M3 FIRE PROPAGATION INDEX : 6.1, 1.1, 2.0, 6.1, 1.7, 0.5 SURFACE SPREAD OF FLAME : CLASS ONE</p> <p>BROWNIE; 2. ROLL; 1.2M (W) X (7.5 -30)M (L) THICKNESS = 25 - 100MM DENSITY RANGE : 8 - 48KG/M3 FIRE PROPAGATION INDEX : 6.1, 1.1, 2.0, 6.1, 1.7, 0.5 SURFACE SPREAD OF FLAME : CLASS ONE</p>	SoundBlock	MS 1020:2010, BS 476 : PART 6 : 1989 + A1 :2009, BS 476 : PART 7 : 1997	
<p>Mineral Wool - Glass BROWNIE VENTLINER. ROLL DENSITY : 32KG/M3 Size : 25mm x 1.2m x 15m x 32kg/m3 FIRE PROPAGATION INDEX : 6.8 SURFACE SPREAD OF FLAME : CLASS ONE FIRE CLASSIFICATION : CLASS O</p>	ECOWOOL	MS 1020:2010	

<p>BROWNIE VENTLINER. ROLL DENSITY : 32KG/M3 Size : 50mm x 1.2m x 7.5m x 32kg/m3 FIRE PROPAGATION INDEX : 7.7 SURFACE SPREAD OF FLAME : CLASS ONE FIRE CLASSIFICATION : CLASS O</p> <p>ROLL; BROWNIE ROOFWHITE DENSITY : (16, 24, 32 & 48) KG/M3 FIRE PROPAGATION INDEX : 8.1, 7.5, 6.9, 5.9 SURFACE SPREAD OF FLAME : CLASS 1 FIRE CLASSIFICATION : CLASS O GLASSWOOL WITH FACING MATERIAL LENGTH : (5 - 15) M; WIDTH : 1.2 M THICKNESS : 50 MM DENSITY : (16, 24, 32 & 48) KG/M3 THICKNESS : (75 & 100) MM DENSITY : (16 & 24) KG/M3</p>		
---	--	--

ROCKWOOL MALAYSIA SDN BHD (BRJ)

No. PPS : 1160614SL0133
 No. CERT : A002103

LOT 4 SOLOK WAJA 1, BUKIT RAJA INDUSTRIAL ESTATE,
 41050 KLANG SELANGOR

TEL : 03-33413444
 FAX : 03-33427290

TARIKH MULA	11-08-2018	TARIKH TAMAT	10-08-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
<p>Mineral Wool MODEL : COOLBATTS TYPE: ROCKWOOL (BLANKET TYPE) DENSITY: 30KG/M3 - 100KG/M3 THICKNESS: 25MM - 100MM LENGTH: 2M - 10M; WIDTH: 0.6M - 1.2M</p> <p>MODEL : THERMALROCK B TYPE: ROCKWOOL (BLANKET TYPE) DENSITY: 30KG/M3 - 100KG/M3 THICKNESS: 25MM - 100MM LENGTH: 2M - 10M; WIDTH: 0.6M - 1.2M</p> <p>MODEL : PROROX BL TYPE: ROCKWOOL (BLANKET TYPE) DENSITY: 30KG/M3 - 100KG/M3 THICKNESS: 25MM - 100MM LENGTH: 2M - 10M; WIDTH: 0.6M - 1.2M</p> <p>MODEL : COOL 'N' COMFORT RL TYPE: ROCKWOOL (BLANKET TYPE) DENSITY: 30KG/M3 - 100KG/M3 THICKNESS: 25MM - 100MM LENGTH: 2M - 10M; WIDTH: 0.6M - 1.2</p> <p>MODEL : COOL 'N' COMFORT ECO TYPE: ROCKWOOL (BLANKET TYPE) DENSITY: 30KG/M3 - 100KG/M3 THICKNESS: 25MM - 100MM LENGTH: 2M - 10M; WIDTH: 0.6M - 1.2M</p> <p>MODEL : SAFE 'N' SILENT PRO TYPE: ROCKWOOL (SLAB TYPE) DENSITY: 40KG/M3 - 128KG/M3</p>	ROCKWOOL	MS 1020:2010

<p>THICKNESS: 25MM - 100MM LENGTH: 1.2M; WIDTH: 0.6M</p> <p>MODEL : THERMALROCK S TYPE: ROCKWOOL (SLAB TYPE) DENSITY: 40KG/M3 - 128KG/M3 THICKNESS: 25MM - 100MM LENGTH: 1.2M; WIDTH: 0.6M</p> <p>MODEL : COOL 'N' COMFORT SL TYPE: ROCKWOOL (SLAB TYPE) DENSITY: 40KG/M3 - 128KG/M3 THICKNESS: 25MM - 100MM LENGTH: 1.2M; WIDTH: 0.6M</p>		
--	--	--

ROCKWOOL MALAYSIA SDN BHD (MLK)

No. PPS : 1161017ML0146
No. CERT : A001174

175A&B KAWASAN PERINDUSTRIAN AYER KEROH, JALAN LINGKUNGAN USAHA,
75450 AYER KEROH MELAKA

TEL : 06-2332010
FAX : 06-2332012

TARIKH MULA	30-11-2018	TARIKH TAMAT	29-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
<p>Mineral Wool - Stone SLAB, CONLIT, CONROCK, CURTAINROCK, ROOFROCK, HARDROCK, SAFE'N'SILENT PRO, THERMALROCK S, COOL'N'COMFORT SL - Nominal density: 40-175kg/cu.m Reaction to Fire: Classification A1 Thickness: 25-100mm Length: 1.2m; Width: 0.6m</p> <p>BLANKET, COOLBATT, THERMALROCK B, COOL'N'COMFORT RL - Nominal density: 40-100kg/cu.m Reaction to Fire: Classification A1 Thickness: 25-100mm Length: 4-6m; Width:0.6-1.2m</p>	ROCKWOOL	MS 1020:2010	

A.S.STEEL INDUSTRIES SDN BHDNo. PPS : 1161117KD0153
No. CERT : A 001374NO.216, PT 35, JALAN GANGSA, MERGONG,
05150 ALOR SETAR KEDAHTEL : 04-7723260
FAX : 04-7718726

TARIKH MULA	30-11-2018	TARIKH TAMAT	29-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
Hot Rolled Steel Wire ForThe Reinforcement of Concrete Grade 250/ 6mm (remark -plain, decoiled) Grade 250/ 8mm (remark -plain, decoiled)	COMPANY ID=A.S.STEEL INDUSTRIES SDN BHD	MS 144:2014	
Hot Rolled Steel Wire ForThe Reinforcement of Concrete Grade 250/10mm (Plain & Decoiled)	A.S.STEEL INDUSTRIES SDN BHD	MS 144:2014	

ABLE STEEL PIPES SDN BHDNo. PPS : 1161017SL0147
No. CERT : A002170LOT 771, KAWASAN PERUSAHAAN TELOK MEGKUANG,
TELOK PANGLIMA GARANG 42500 KUALA LANGAT SELANGORTEL : 03-38507019
FAX : 1700-81-4164

TARIKH MULA	17-04-2019	TARIKH TAMAT	16-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Steel Pipes For Water And Sewerage OUTSIDE DIAMETER (MM) : 219.1, 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2235, 2337, 2438, 2540, 2642, 2743 STEEL NAME : L275 EXTERNAL COATING : BITUMEN INTERNAL LINING : CONCRETE LINING OUTSIDE DIAMETER (MM) : 60.3, 76.1, 88.9, 114.3, 139.7, 168.3, 219.1, 273, 323.9, 355.6, 406.4, 457 STEEL NAME : L275 EXTERNAL COATING : BITUMEN INTERNAL LINING : CONCRETE LINING TYPE : GUSSETED BENDS OUTSIDE DIAMETER (MM) : 219.1, 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2235, 2337, 2438, 2540, 2642, 2743 STEEL NAME : L275 EXTERNAL COATING : BITUMEN INTERNAL LINING : CONCRETE LINING TYPE : TEES OUTSIDE DIAMETER (MM) : 219.1, 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2235, 2337, 2438, 2540, 2642, 2743 STEEL NAME : L275 EXTERNAL COATING : BITUMEN INTERNAL LINING : CONCRETE LINING TYPE : GUSSETED BENDS OUTSIDE DIAMETER (MM) : 60.3, 76.1, 88.9, 114.3, 139.7, 168.3, 219.1, 273, 323.9, 355.6, 406.4, 457 STEEL NAME : L275 EXTERNAL COATING : BITUMEN INTERNAL LINING : CONCRETE LINING	ABLE	SPAN TS 21827: PART 1:2013	

TYPE : TEES OUTSIDE DIAMETER (MM) : 60.3, 76.1, 88.9, 114.3, 139.7, 168.3, 219.1, 273, 323.9, 355.6, 406.4, 457 STEEL NAME : L275 EXTERNAL COATING : BITUMEN INTERNAL LINING : CONCRETE LINING		
---	--	--

ALLIANCE STEEL (M) SDN BHD

No. PPS : 1180222PH0253
 No. CERT : A004021

KAWASAN INDUSTRI MALAYSIA-CHINA KUANTAN
 (MCKIP), JALAN GEBENG BY PASS, 26080 KUANTAN, PAHANG

TEL : 09-585 5999
 FAX :

TARIKH MULA	14-03-2019	TARIKH TAMAT	13-03-2020
JENIS / SAIZ	JENAMA	STANDARD	
General Purpose Wire Rod Grade C9D/5.5 mm, C9D/6.5 mm, C9D/8 mm, C9D/10 mm, C12D/5.5 mm, C12D/6.5 mm, C12D/ 7 mm, C12D/ 8 mm, C12D/9 mm, C12D/10 mm, C12D/6.5 mm, C12D/7.0 mm, C12D/11.0 mm	Alliance Steel (M) Sdn Bhd	MS ISO 16120-2:2008	
Hot Rolled Ribbed Weldable Reinforcing Steel Grade B500B/ 12 mm, B500B/ 10 mm, B500B/ 16 mm, B500B/ 20 mm, B500B/ 25 mm, B500B/ 32 mm, B500B/ 40 mm	Alliance Steel (M) Sdn Bhd	MS 146:2014	

ALLPIPES TECHNOLOGY SDN BHD

No. PPS : 1151029SL0053
 No. CERT : A002153

LOT 3757, BATU 29, JALAN IPOH- KL, SERENDAH
 48200 HULU SELANGOR SELANGOR

TEL : 03- 60813836
 FAX : 03- 60813844

TARIKH MULA	26-01-2019	TARIKH TAMAT	25-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Steel Pipe Fittings For Water and Sewerage GUSSETED BENDS, OUTSIDE DIAMETER (MM): 273, 323.9, 355.6, 406.4, 457, 508, 610, 711, 914, 1422, 1626, 2540 STEEL NAME: L275 EXTERNAL COATING: BITUMEN INTERNAL LINING: CONCRETE OUTSIDE DIAMETER (MM) : 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2540 STEEL NAME: L275 EXTERNAL COATING: BITUMEN INTERNAL LINING: CONCRETE MANUFACTURE PROCESS: SUBMERGED ARC WELDED (SAW) TEES, OUTSIDE DIAMETER (MM): 273, 323.9, 355.6, 406.4, 457, 508, 610, 914, 1016, 1422, 1626, 2540 STEEL NAME: L275 EXTERNAL COATING: BITUMEN INTERNAL LINING: CONCRETE	ALLPIPES	SPAN TS 21827: PART 1:2013	

ALPINE PIPE MANUFACTURING SDN BHD

No. PPS : 1180423SL0264
No. CERT : A002195

LOT 6085, JALAN HAJI ABDUL MANAN, BATU 5 1/2 ,
OFF JALAN MERU, 41050 KLANG SELANGOR

TEL : 03-33778669
FAX : 03-33778788

TARIKH MULA	24-04-2019	TARIKH TAMAT	23-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Hot Finished Structural Hollow Sections Of Non-Alloy Steels CIRCULAR STRUCTURAL STEEL = S275 DIAMETER (MM) X THICKNESS (MM) = 60.3X3.5 - 457.0X15.0 SQUARE STRUCTURAL STEEL = S275, S355 SIZE (MM) X THICKNESS (MM) = 50.0X4.0 - 350.0X16.0 RECTANGULAR STRUCTURAL STEEL = S275, S355 HEIGHT (MM) X WIDTH (MM) X THICKNESS (MM) = 50.0X75.0X3.5 - 300.0X400.0X16.0	ALPINE PIPE	BS EN 10210	
Steel Tubes OUTSIDE DIAMETER: 60.3MM - 457MM NOMINAL PIPE THICKNESS: 2.9MM - 5.0MM TYPE OF ENDS: BEVELLED ENDS STEEL GRADE - STEEL NAME : L275 STEEL NUMBER: 0260 Outside Diameter x Pipe Thickness: 323.9mm x 4.0mm	ALPINE PIPE	SPAN TS 21827: PART 2:2013	
Line pipe plain end at PSL1 & PSL2 MANUFACTURER OF LINE PIPE PLAIN END AT PSL 1 TYPE OF PIPE: HFW DELIVERY CONDITION: M HIGHEST GRADE: X70 MANUFACTURER OF LINE PIPE PLAIN END AT PSL 2 TYPE OF PIPE: HFW DELIVERY CONDITION: M HIGHEST GRADE: X70 SERVICE ANNEX: H, J	ALPINE PIPE	API SPEC 5L	
Electric-Welded Casing or Tubing Plain End MANUFACTURER OF ELECTRIC- WELDED CASING OR TUBING PLAIN END AT GROUP 1, H40/PSL 1, J55/PSL 1, K55/PSL 1	ALPINE PIPE	API 5CT	
Carbon Steel Tubes For General Structural Purposes STK 400, OUTSIDE DIAMETER (OD), OD <= 65MM, 100MM, 200MM STK 500, OUTSIDE DIAMETER (OD), OD <= 65MM, 200MM	ALPINE PIPE	JIS G 3444:2015	
Carbon Steel Pipes For Ordinary Piping Classification of zinc-coating: Black pipes: Not zinc-coated pipes Nominal Diameter: 150, 250, 300, 400, 450 Designation of grade: SGP	ALPINE PIPE	JIS G 3452 : 2014	
Non-Alloy Steel Tubes Suitable For Welding and Threading Welded Tube: Plain End Specified Outside Diameter (mm) 21.3, 26.9, 33.7, 42.4, 48.3, 60.3, 76.1, 88.9 & 114.3 Type: L2 Series Welded Tube: Plain End Specified Outside Diameter (mm) 21.3, 26.9, 33.7, 42.4, 48.3, 60.3, 76.1, 88.9, 114.3, 139.7 & 165.1 Type: Medium Series (M), Heavy Series (H)	ALPINE PIPE	BS EN 10255:2004	

Steel Tubes Outside Diameter x Pipe Thickness: 323.9mm x 4.0mm	ALPINE PIPE	SPAN TS 21827: PART 2:2013
Non-Alloy Steel Tubes Suitable For Welding and Threading Welded Tube : Plain Ends Specified Outside Diameter =21.3mm, 26.9mm, 33.7mm, 42.4mm, 48.3mm, 60.3mm, 76.1mm, 88.9mm, 114.3mm Wall Thickness = 2.0mm, 2.3mm, 2.6mm, 2.9mm, 3.2mm, 3.6mm Type: L2, Steel Name: S 195T Welded Tube: Plain Ends Specified Outside Diameter =21.3mm, 26.9mm, 33.7mm, 42.4mm, 48.3mm, 60.3mm, 76.1mm, 88.9mm, 114.3mm, 5.0mm Wall Thickness = 2.6mm, 3.2mm, 3.6mm, 4.0mm, 4.5mm, 5.0mm Type: M, Steel Name: S 195T Welded Tube: Plain Ends Specified Outside Diameter =21.3mm, 26.9mm, 33.7mm, 42.4mm, 48.3mm, 60.3mm, 76.1mm, 88.9mm, 114.3mm, 139.7mm, 165.1mm Wall Thickness =3.2mm, 4.0mm, 4.5mm, 5.0mm, 5.4mm Type: H, Steel Name: S 195T	ALPINE PIPE	MS 863: 2010
Steel Pipes For Water And Sewerage Submerged Arc Welded (SAW) Steel Name: L275 Outside Diameter: 323.9mm, 406.4mm, 457mm, External Coating: Bitumen Internal Lining: Concrete Lining	ALPINE PIPE	SPAN TS 21827: PART 1:2013
Cold Formed Welded Structural Hollow Sections CIRCULAR HOLLOW SECTION Outside Diameter (mm): 42.4 - 457.0 Thickness (mm): 2.5 - 16.0 Steel Name: S275 J0H, S275 J2H, S355 J0H, S355 J2H RECTANGULAR HOLLOW SECTION Side Dimension (mm): 20 x 40 - 300 x 400 Thickness (mm): 2.0 - 16.0 Steel Name: S275 J0H, S275 J2H, S355 J0H, S355 J2H SQUARE HOLLOW SECTION Side Dimension (mm): 40 x 40 - 350 x 350 Thickness (mm): 2.0 - 16.0 Steel Name: S275 J0H, S275 J2H, S355 J0H, S355 J2H	ALPINE PIPE	MS EN 10219-1:2015, MS EN 10219-2:2015

AMCAN COLOR COATING INDUSTRIES SDN BHD

No. PPS : 1170216SR0167
No. CERT : A001693

LOT 779, BLOCK 7, JALAN DEMAK LAUT 3 SEJINGKAT INDUSTRIAL PARK
93050 KUCHING SARAWAK

TEL : 082-432323
FAX : 082-432828

TARIKH MULA	16-02-2019	TARIKH TAMAT	15-02-2020
JENIS / SAIZ	JENAMA	STANDARD	
Prefinished Sheet Metal Products for Interior/Exterior Building Application BASE COATED METAL : HOT-DIP ALUMINIUM/ ZINC-COATED STEEL TO MS 1196: 2004 GRADE = G250, G300, G550 G01, SERIES = HPE. COATING DESIGNATION = AZ070, AZ090, AZ100 PRODUCT CATEGORY = C1, C2 GLOSS CATEGORY = TYPE 1, TYPE 2	AmcanColors	MS 2383:2011	

SIZE: BACKCOAT
 THICKNESS = 3-6UM,
 PRIMER THICKNESS = 2 - 6 UM
 TOPCOAT THICKNESS = 10 - 15 UM
 BASE METAL THICKNESS (MM) = 0.17 - 0.38
 WIDTH (MM) = MAXIMUM 1000

BASE COATED METAL : HOT-DIP ALUMINIUM/ ZINC-COATED
 STEEL TO MS 1196: 2004
 GRADE = G250, G300,G550, G01
 RATING; SERIES = HPE PREMIUM
 COATING DESIGNATION = AZ100, AZ150, AZ200
 PRODUCT CATEGORY = C1, C2, C3
 GLOSS CATEGORY = TYPE 1, TYPE 2
 BACKCOAT THICKNESS = 4 - 6(U)M
 PRIMER THICKNESS = 4 - 6 (U)M
 TOPCOAT THICKNESS = 17 - 19(U)M
 BASE METAL THICKNESS (MM) = 0.4 0.63
 WIDTH = MAXIMUM 1000

BASE COATED METAL : HOT-DIP ALUMINIUM/ ZINC-COATED
 STEEL TO MS 1196: 2004
 GRADE = G250, G300, G550, G01
 RATING; SERIES = DURATEX
 COATING DESIGNATION = AZ100, AZ150, AZ200
 PRODUCT CATEGORY = C1, C2, C3
 GLOSS CATEGORY = TYPE 1
 BACKCOAT THICKNESS = 4 - 6 (U)M
 PRIMER THICKNESS = 4 - 6 (U)M
 TOPCOAT THICKNESS = 19 - 21 (U)M
 BASE METAL THICKNESS (MM) = 0.40 - 0.63
 WIDTH (MM) = MAXIMUM 1000

BASE COATED METAL : HOT-DIP ALUMINIUM/ ZINC-COATED
 STEEL TO MS 1196: 2004
 GRADE = G250, G300, G550, G01
 RATING: SERIES = DURATHERM
 COATING DESIGNATION = AZ150, AZ200
 PRODUCT CATEGORY = C1, C2, C3, C4
 GLOSS CATEGORY = TYPE 1, TYPE 2
 BACKCOAT THICKNESS = 4 - 6 (U)M
 PRIMER THICKNESS = 4 - 6 (U)M
 TOPCOAT THICKNESS = 19 - 21 (U)M
 FINISH COAT = 0.50 - 1 (U)M
 BASE METAL THICKNESS(MM) = 0.42 - 0.63
 WIDTH (MM) = MAXIMUM 1000

BASE COATED METAL : HOT-DIP ALUMINIUM/ ZINC-COATED
 STEEL TO MS 1196: 2004
 GRADE = G250, G300, G550, G01
 RATING; SERIES = DURAFUOR
 COATING DESIGNATION = AZ150, AZ200
 PRODUCT CATEGORY = C1, C2, C3, C4
 GLOSS CATEGORY = TYPE 1, TYPE 2
 BACKCOAT THICKNESS = 4 - 6 (U)M
 PRIMER THICKNESS = 4 - 6 (U)M

WITH OR WITHOUT BARRIERCOAT = 19 - 21 (U)M
 TOPCOAT THICKNESS = 19 - 21 (U)M
 WITH OR WITHOUT FINISH COAT = 0.5 - 1 (U)M
 BASE METAL THICKNESS (MM) = 0.42 - 0.63
 WIDTH (MM) = MAXIMUM 1000

AMCAN SDN BHD

No. PPS : 1190117SR0344
No. CERT : A001694

LOT 779 BLOCK 7 JALAN DEMAK LAUT 3 MTLD SEJINGKAT INDUSTRIAL
PARK 93050 SARAWAK

TEL : 082-432323
FAX : 082-432828

TARIKH MULA	17-01-2019	TARIKH TAMAT	16-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Self-supporting Steel Roofing CLIP DECK W710, FLEXICLAD, POLYDECK, POLYORB, CLIPDECK 66, CLIPDECK 41, DECO ORB	AMCAN ROOFS	MS 2500:2012	

AMSTEEL MILLS SDN BHD

No. PPS : 1140626SL0005
No. CERT : A002084

LOT 6, SOLOK WAJA DUA, KAWASAN PERINDUSTRIAN BUKIT RAJA
41050 KLANG SELANGOR

TEL : 0333412323
FAX : 0333421923

TARIKH MULA	07-06-2018	TARIKH TAMAT	06-06-2019
JENIS / SAIZ	JENAMA	STANDARD	
Hot Rolled Plain Steel Bar For The Reinforcement of Concrete HOT ROLLED PLAIN STEEL BAR FOR THE REINFORCEMENT OF CONCRETE, PLAIN BAR IN STRAIGHT LENGTH, NOMINAL SIZE (MM) : 16, 20	A.S.M	MS 146:2006	
General Purpose Wire Rod PLAIN ROUND WIRE ROD IN COIL GRADE C9D, C12D, C10D, C15D NOMINAL DIAMETER (MM) : 5.5-16.0	AMSTEEL MILLS	MS ISO 16120-2:2008	
Hot Rolled Ribbed Weldable Reinforcing Steel PRODUCED IN STRAIGHT LENGTH BY HOT ROLLING, GRADE B500B NOMINAL SIZE (MM) : 10, 12, 16, 20, 25, 32, 40 PRODUCED IN COIL BY HOT ROLLING GRADE B500B NOMINAL SIZE (MM) : 10, 12, 16	A.S.M	MS 146:2014	
Hot Rolled Steel Wire ForThe Reinforcement of Concrete PLAIN; PRODUCED IN STRAIGHT LENGTH GRADE 250 NOMINAL SIZE (MM) : 5.5, 6, 8, 10, 12	AMSTEEL MILLS SDN. BHD.	MS 144:2014	
Hot Rolled Steel Wire ForThe Reinforcement of Concrete PLAIN; PRODUCED IN STRAIGHT LENGTH GRADE 250 NOMINAL SIZE (MM) : 7, 9 PLAIN; PRODUCED IN COIL FORM GRADE 250 NOMINAL SIZE (MM) : 5.5, 6, 8, 9, 10, 12 FLAT BARS, QUALITY DESIGNATION = JR DELIVERY CONDITION = +AR (AS-ROLLED) STEEL NAME : STRUCTURAL STEEL = S275, S355 SIZE (MM) : 32x4.5x1.130, 32x6.0x1.507, 32x9.0x2.260, 32x12.0x3.014, 38x4.5x1.342, 38x6.0x1.789, 38x9.0x2.684, 38x12.0x3.579, 50x4.5x1.766, 50x6.0x2.355, 50x9.0x3.532, 50x12.0x4.710, 65x6.0x3.061, 65x9.0x4.592, 65x12x6.123, 75x6.0x3.532, 75x9.0x5.298, 75x12.0x7.065, 100x6.0x4.710, 100x9.0x7.065, 100x12.0x9.420	AMSTEEL MILLS	MS EN 10025-2:2011	

Hot Rolled Steel Wire ForThe Reinforcement of Concrete PRODUCED IN STRAIGHT LENGTH BY HOT ROLLING, GRADE B500C NOMINAL SIZE (MM) : 10, 20, 32, 40	A.S.M	MS 144:2014
--	-------	-------------

ANN JOO STEEL BERHAD

No. PPS : 1150211SL0022
No. CERT : A002129

LOT 9, PERSIARAN PERUSAHAAN SECTION 23 SHAH ALAM
40300 PETALING SELANGOR

TEL : 603-55482088
FAX : 609-55485088

TARIKH MULA	07-11-2018	TARIKH TAMAT	06-11-2019
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Ribbed Weldable Reinforcing Steel GRADE B500B NOMINAL DIAMETER (MM): 20, 25, 32, 40		MYS	MS 146:2014

ANN JOO STEEL BERHAD

No. PPS : 1150211PP0024
No. CERT : A 001368

LOT 1236 PRAI INDUSTRIAL ESTATE PRAI
13600 SEBERANG PERAI TENGAH PULAU PINANG

TEL : 604-3907144
FAX : 604-3984459

TARIKH MULA	18-11-2018	TARIKH TAMAT	17-11-2019
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Ribbed Weldable Reinforcing Steel Grade B500B Nominal Diameter (MM): 10, 12, 16, 20, 25		MYS	MS 146:2014
Decoiled Plain- Grade 250 Nominal Size (MM): 6, 8, 10, 12			
Hot Rolled Plain Steel Bar For The Reinforcement of Concrete Grade 250 Nominal Size (MM): 16		MYS	MS 146:2006

ANN JOO STEEL BERHAD

No. PPS : 1180626KD0282
No. CERT : A 001380

LOT 8068, JALAN BEDONG KAWASAN PERINDUSTRIAN
GURUN BEDONG 08100 KEDAH

TEL : 604-3907144
FAX : 604-3984459

TARIKH MULA	26-06-2018	TARIKH TAMAT	25-06-2019
JENIS / SAIZ		JENAMA	STANDARD
General Purpose Wire Rod GRADE = C9D, C10D, C12D NOMINAL DIAMETER (mm) = 5.5		MYS	MS ISO 16120-2:2008
GRADE = C10D, C12D NOMINAL DIAMETER (mm) = 6.5			
GRADE = C12D NOMINAL DIAMETER (mm) = 6.0, 6.5, 7.0, 10.0, 9.0, 10.0, 11.0			

GRADE = C15D
NOMINAL DIAMETER (mm) = 9.0, 10.0, 11.0

ANTARA STEEL MILLS SDN BHD

No. PPS : 1150218JH0027
No. CERT : A 004101

PLO 277, JALAN GANGSA SATU, KAWASAN PERINDUSTRIAN PASIR GUDANG,
81700 PASIR GUDANG JOHOR

TEL : 07-258888
FAX : 07-2598994

TARIKH MULA	19-03-2019	TARIKH TAMAT	18-03-2020
JENIS / SAIZ	JENAMA		STANDARD
Hot Rolled Ribbed Weldable Reinforcing Steel 10MM, 12MM, 13MM, 16MM, 20MM, 25MM, 28MM, 32M, 40MM	ANTARA STEEL MILLS		MS 146:2014

ASAS ANGSANA SDN BHD

No. PPS : 1180531JH0281
No. CERT : A 004109

PLO 4, JALAN PERINDUSTRIAN 2, KAWASAN PERINDUSTRIAN PONTIAN,
82000 PONTIAN, JOHOR.

TEL : 07-6862396/97
FAX : 07-6862398

TARIKH MULA	31-05-2019	TARIKH TAMAT	30-05-2020
JENIS / SAIZ	JENAMA		STANDARD
Prefabricated Steel Frame Scaffolding (i) MODEL: ST101, ST101A (ii) RATING: COATING TYPE PAINTING HOT DIP GALVANIZING (iii) TYPE: COMPONENTS VERTICAL FRAME (iv) SIZE: 1219MM X 1700MM, 1219MM X 1930MM THICKNESS: 2.5MM (i) RATING: COATING TYPE PAINTING HOT DIP GALVANIZING (ii) TYPE: COMPONENTS CROSS BRACE (iii) SIZE: 1829MM X 1219MM, 1829MM X 610MM THICKNESS: 2.0M (i) RATING: COATING TYPE PAINTING HOT DIP GALVANIZING (ii) TYPE: COMPONENTS CATWALK (iii) SIZE: 1829MM X 500MM THICKNESS: 1.2MM (i) RATING: COATING TYPE PAINTING (ii) TYPE: COMPONENTS ADJUSTABLE U HEAD (iii) SIZE: 32MM X 600MM, 32MM X 900MM THICKNESS: 5.4MM (i) RATING: COATING TYPE PAINTING (ii) TYPE: COMPONENTS ADJUSTABLE BASE PLATE (iii) SIZE: 32MM X 600MM, 32MM X 900MM THICKNESS: 5.4MM (i) RATING: COATING TYPE PAINTING HOT DIP GALVANIZING (ii) TYPE: COMPONENTS JOINT PIN (iii) SIZE: 36MM X 220MM THICKNESS: 2.2MM	STPN		MS 1462-1:2012

ASIA ROOFING INDUSTRIES SDN BHD

No. PPS : 1180301SL0255
No. CERT : A002161

NO.4, JALAN SUNGAI PELUBUNG 32/149 SEKSYEN 32 40460, SHAH ALAM,
SELANGOR DARUL EHSAN, MALAYSIA 40460 SELANGOR

TEL : 03-51210011
FAX : 03-51210111

TARIKH MULA	01-03-2019	TARIKH TAMAT	29-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Self-supporting Steel Roofing Model = M CLAD, Type = Trapezoidal Profiled Sheet Cover Width = 800 mm Base Metal Thickness = 0.35 - 0.48 mm Model = MEGA RIB 30 Type = Trapezoidal Profiled Sheet Cover Width = 750 mm Base Metal Thickness = 0.35 - 0.48 m Model = AP RIB, Type = Trapezoidal Profiled Sheet Cover Width = 762mm Base Metal Thickness = 0.35 - 0.48 mm		Ajiya	MS 2500:2012

ASIA ROOFING INDUSTRIES SDN BHD

No. PPS : 1180522JH0278
No. CERT : A004115

LOT 142, KAWASAN PERINDUSTRIAN JALAN GENUANG 85000,
SEGAMAT, JOHOR DARUL TAKZIM

TEL : 07-943 4212
FAX : 07-943 5191

TARIKH MULA	22-05-2019	TARIKH TAMAT	21-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Self-supporting Steel Roofing AP RIB/ RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ090 & Z180 WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ100 TYPE: TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.35 - 0.48 COVER WIDTH = 762 mm JET RIB/ RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ090 & Z180 WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ100 TYPE: TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.35 - 0.48 COVER WIDTH = 720 mm MEGA RIB 30/ RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = GRADE 550 + MIN AZ090 & Z180 WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ100 TYPE: TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.35 - 0.48 COVER WIDTH = 750 mm		AJIYA	MS 2500:2012

MEGA RIB 35/ RATING: MATERIAL DESIGNATION:
WITH ORGANIC COATING = GRADE 550 + MIN AZ090 &
Z180
WITHOUT ORGANIC COATING = GRADE 550 + MIN AZ100
TYPE: TRAPEZOIDAL PROFILED SHEET SIZE:
BASE METAL THICKNESS (mm) = 0.35 - 0.48
COVER WIDTH = 723 mm

CLS 705/ RATING: MATERIAL DESIGNATION:
WITH ORGANIC COATING - GRADE 550 + MIN AZ090 &
Z180
WITHOUT ORGANIC COATING = GRADE 550 + MIN
AZ100
TYPE: CONCEALED FIX SHEET SIZE:
BASE METAL THICKNESS (mm) = 0.40 - 0.48
COVER WIDTH = 705 mm

CL 710/ RATING: MATERIAL DESIGNATION:
WITH ORGANIC COATING = GRADE 550 + MIN AZ090 &
Z180
WITHOUT ORGANIC COATING = GRADE 550 + MIN
AZ100
TYPE: CONCEALED FIX SHEET SIZE:
BASE METAL THICKNESS (mm) = 0.40 - 0.48
COVER WIDTH = 710 mm

ASIA WIRE STEEL MESH MANUFACTURERS SDN BHD

No. PPS : 1150922SL0043
No. CERT : A002157

LOT 975, BATU 3, JALAN KAPAR, P.O. BOX 75
41700 KLANG SELANGOR

TEL : 0333425433
FAX : 0333420797

TARIKH MULA	21-02-2019	TARIKH TAMAT	20-02-2020
JENIS / SAIZ	JENAMA	STANDARD	
Welded Steel Fabric for the Reinforcement Concrete MODEL : DESIGNATED FABRIC TYPE : SQUARE MESH SIZE : A98, A142, A193, A252, A318, A393, A475, A565 MODEL : DESIGNATED FABRIC TYPE : STRUCTURAL MESH SIZE : B196, B283, B385, B503, B785, B950, B1131 MODEL : DESIGNATED FABRIC TYPE : LONG MESH SIZE : C196, C283, C503, C636, C785, C950, C1131 MODEL : DESIGNATED FABRIC TYPE : WRAPPING MESH SIZE : D196, D283, D385, D503, D636, D785, D950, D1131	AS	MS 145:2014	

ASTEEL SDN BHD

No. PPS : 1170621SR0202
No. CERT : A001683

LOT 712, BLOCK 7, DEMAK LAUT INDUSTRIAL PARK
93050 SARAWAK

TEL : 082 433 888
FAX : 082 433 889

TARIKH MULA	13-07-2018	TARIKH TAMAT	12-07-2019
JENIS / SAIZ	JENAMA		STANDARD
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Product Category = C1, C2, C3 Gloss Category = Type 1, Type 2, Type 3 Base Metal Thickness (mm) : 0.35-0.48	EnvioPrime		MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Product Category = C1, C2, C3 Gloss Category = Type 1, Type 2, Type 3 Base Metal Thickness (mm) : 0.35-0.48	EnvioClean		MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Product Category = C1, C2, C3 Gloss Category = Type 1, Type 2, Type 3 Base Metal Thickness (mm) : 0.35-0.48	EnvioMatt		MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Product Category = C1, C2, C3 Gloss Category = Type 1, Type 2, Type 3 Base Metal Thickness (mm) : 0.28-0.30	EnvioKool		MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Product Category = C1, C2, C3 Gloss Category = Type 1, Type 2, Type 3 Base Metal Thickness (mm) : 0.18-0.25	Domina		MS 2383:2011

ASTINO (MALAYSIA) COLOUR STEEL SHEET
SDN BHD

No. PPS : 1180718SL0293
No. CERT : A002100

LOT 3, JALAN JASMINE 6 BUKIT BERUNTING INDUSTRIAL PARK MUKIM
SERENDAH, 48300 RAWANG, SELANGOR 48300 SERENDAH SELANGOR

TEL : 012-6643011
FAX : 03-60283882

TARIKH MULA	18-07-2018	TARIKH TAMAT	17-07-2019
JENIS / SAIZ	JENAMA		STANDARD
Self-supporting Steel Roofing MODEL : NEW SUNROOF TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS : 0.18-0.48 MM COVER WIDTH : 760 MM MODEL: HIGH RIB 30 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE BASE METAL THICKNESS : 0.23-0.48 MM COVER WIDTH : 750 MM MODEL: SPANDEC 680 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS : 0.26-0.48 MM	ASTINO		MS 2500:2012

COVER WIDTH : 680 MM		
MODEL: CLIP LOCK 672 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS : 0.40-0.48 MM COVER WIDTH : 672 MM		
MODEL: CLIP LOCK 710 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS : 0.40-0.48 MM COVER WIDTH : 710MM		

ASTINO (MALAYSIA) COLOUR STEEL SHEET SDN BHD

No. PPS : 1180712PP0286
No. CERT : A001347

1538, MK12, JALAN SERULING KAWASAN PERUSAHAAN VALDOR SUNGAI BAKAP,
PENANG 14200 SEBERANG PERAI SELATAN PULAU PINANG

TEL : 012-6643011
FAX : 03-60283882

TARIKH MULA	12-07-2018	TARIKH TAMAT	11-07-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
<p>Self-supporting Steel Roofing MODEL : NEW SUNROOF RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE: TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS (mm) = 0.18-0.48 COVER WIDTH = 760 mm</p> <p>MODEL : HIGH RIB 30 RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE: TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.23-0.48 COVER WIDTH = 750 mm</p> <p>MODEL : COOLDEC 260 RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100. TYPE: TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.18-0.48 COVER WIDTH = 762 mm</p> <p>MODEL : BENDEC RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE: TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS (mm) = 0.18-0.42 COVER WIDTH = 770 mm</p> <p>MODEL : CLIP LOCK 710 RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 550 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 550 + MIN</p>	ASTINO	MS 2500:2012

AZ100
 TYPE: TRAPEZOIDAL PROFILED SHEET
 SIZE : BASE METAL THICKNESS (mm) = 0.40-0.48
 COVER WIDTH = 710 mm

ASTINO SCAFFOLDING SDN BHD

No. PPS : 1170726PP0205
 No. CERT : A002802

LOT 1218 JALAN SERUNAI KAWASAN PERINDUSTRIAN VALDOR SUNGAI BAKAP
 14200 SEBERANG PERAI SELATAN PULAU PINANG

TEL : 04-582 0362
 FAX : 04-582 9836

TARIKH MULA	28-09-2018	TARIKH TAMAT	27-09-2019
JENIS / SAIZ	JENAMA		STANDARD
Prefabricated Steel Frame Scaffolding Main Frame (2.5mm x 1219mm x 1700mm)	ASTINO		MS 1462-1:2012
Cross Brace (1.8mm x 1219mm x 2198mm)			
Joint Pin (2.3mm x 221mm)			
Adjustable Jack Base (32mm x 600mm x 5.4mm)			
Adjustable U Head (32mm x 600mm x 5.4mm)			
Horizontal Frame (2.3mm x 500mm x 1829mm)			
Armlock (3.0mm x 507.5mm)			
Catwalk (1.1mm x 1829mm)			
Global Bracing System 2.3mm x 48.6mm x 6000mm ; 3.0mm			

ASTINO SOUTHERN SDN BHD

No. PPS : 1180704PH0283
 No. CERT : A001490

LOT 53, JALAN INDUSTRI 4, TMN. PERINDUSTRIAN TEMERLOH,
 MUKIM MENTAKAB, DAERAH TEMERLOH, 28400 MENTAKAB, PAHANG

TEL : 09-2773688
 FAX : 09-2776288

TARIKH MULA	04-07-2018	TARIKH TAMAT	03-07-2019
JENIS / SAIZ	JENAMA		STANDARD
Self-supporting Steel Roofing MODEL : NEW SUNROOF LONGRUN RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.18-0.42 COVER WIDTH = 762 mm	ASTINO		MS 2500:2012
MODEL : SUPERIOR RIB RATING : MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET			

SIZE : BASE METAL THICKNESS (mm) = 0.18-0.42
COVER WIDTH = 762 mm

ASTINO SOUTHERN SDN BHD

No. PPS : 1180808ML0297
No. CERT : A001170

LOT 719, JALAN SERI EMAS 28, TAMAN SERI EMAS
74560 MELAKA TENGAH MELAKA

TEL : 06-2617923
FAX : 06-2617926

TARIKH MULA

08-08-2018

TARIKH TAMAT

07-08-2019

JENIS / SAIZ	JENAMA	STANDARD
<p>Self-supporting Steel Roofing MODEL : NEW SUNROOF LONGRUN RATING: MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE: BASE METAL THICKNESS (mm) = 0.18-0.48 COVER WIDTH = 762 mm</p> <p>MODEL : SUPERIOR RIB RATING : MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS (mm) = 0.23-0.48 COVER WIDTH = 762 mm</p> <p>MODEL : HIGH RIB 30 RATING : MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS (mm) = 0.23-0.48 COVER WIDTH = 750 mm</p> <p>MODEL : SPANDEC 680 RATING : MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 280 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 280 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS (mm) = 0.23-0.48 COVER WIDTH = 680 mm</p> <p>MODEL : CLIP LOCK 710 RATING : MATERIAL DESIGNATION: WITH ORGANIC COATING = MIN GRADE 550 + MIN Z180 OR MIN AZ090 WITHOUT ORGANIC COATING = MIN GRADE 550 + MIN AZ100 TYPE : TRAPEZOIDAL PROFILED SHEET SIZE : BASE METAL THICKNESS (mm) = 0.36-0.48 COVER WIDTH = 710 mm</p>	ASTINO	MS 2500:2012

BEKALAN PIE SDN BHDNo. PPS : 1171124SL0227
No. CERT : A002150NO 1, LORONG SULAM 3 OFF JALAN KAMPUNG JAWA
41000 SELANGORTEL : 03-337221818
FAX : 03-33718818

TARIKH MULA	08-01-2019	TARIKH TAMAT	07-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Prefabricated Steel Frame Scaffolding Components: Vertical Frame Coating Type: Painting Hot Dip Galvanising Coating Thickness(µm): 25 Components: Adjustable U-Head Coating Type: Painting Hot Dip Galvanising Coating Thickness(µm): 25 Components: Adjustable Base Plate Coating Type: Painting Hot Dip Galvanising Coating Thickness(µm): 25 Components: Joint Pin Coating Type: Painting Hot Dip Galvanising; Coating Thickness(µm): 25 Components: Catwalk Coating Type: Painting Hot Dip Galvanising Coating Thickness(µm): 25	PIE	MS 1462-1:2012	

BESI ASIA ENGINEERING WORKS SDN BHDNo. PPS : 1170929SB0216
No. CERT : A001622LOT 11, SEDCO LIGHT INDUSTRIAL ESTATE, JALAN KOLOMBONG,
BATU 5 1/2, JALAN TUARAN, INANAM KOTA KINABALU 88450 SABAHTEL : 088-423903
FAX : 088-424557

TARIKH MULA	29-09-2018	TARIKH TAMAT	28-09-2019
JENIS / SAIZ	JENAMA	STANDARD	
Steel Pipes For Water And Sewerage 813MM, 914MM, 114.3MM, 168.3MM, 323.9MM, 355.6MM, 406.4MM, 457MM	BAE	SPAN TS 21827: PART 1:2013	

BOON & CHEAH STEEL PIPES SDN BHDNo. PPS : 1170824JH0213
No. CERT : A 004071LOT PLO 322, JALAN TEMBAGA SATU, PASIR GUDANG
INDUSTRIAL ESTATE PASIR GUDANG 81700 JOHORTEL : 07-2514050
FAX : 07-2514391

TARIKH MULA	02-10-2018	TARIKH TAMAT	01-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Steel Pipes For Water And Sewerage OUTSIDE DIAMETER (MM) : 60.3, 76.1, 88.9, 114.3, 139.7, 168.3, 219.1, 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2235, 2337, 2438, 2540, 2642, 2743	B&C	SPAN TS 21827: PART 1:2013	

<p>GUSSETED BENDS OUTSIDE DIAMETER (MM) : 60.3, 76.1, 88.9, 114.3, 139.7, 168.3, 219.1, 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2235, 2337, 2438, 2540, 2642, 2743</p> <p>TEES OUTSIDE DIAMETER (MM) : 60.3, 76.1, 88.9, 114.3, 139.7, 168.3, 219.1, 273, 323.9, 355.6, 406.4, 457, 508, 610, 660, 711, 762, 813, 864, 914, 1016, 1219, 1422, 1626, 1829, 2032, 2235, 2337, 2438, 2540, 2642, 2743</p>		
---	--	--

BRC INDUSTRIES SDN BHD

No. PPS : 1180704PP0284
No. CERT : A001345

740, LORONG 9, BUKIT MINYAK INDUSTRIAL PARK, SIMPANG AMPAT
14100 SEBERANG PERAI TENGAH PULAU PINANG

TEL : 04-508 3000
FAX : 04-508 3900

TARIKH MULA	04-07-2018	TARIKH TAMAT	03-07-2019
JENIS / SAIZ	JENAMA	STANDARD	
<p>Welded Steel Fabric for the Reinforcement Concrete SQUARE MESH/ A98, A142, A193, A252, A318, A393 BAR QUALITY=COLD WORKED RIBBED BAR GRADE B500A OF MS 146:2014</p> <p>STRUCTURAL MESH/ B196, B283, B385, B503, B636, B785, D196, D283, D385, D503, D636, D785 BAR QUALITY=COLD WORKED RIBBED BAR GRADE B500A OF MS 146:2014</p>	BRC INDUSTRIES SDN BHD	MS 145:2014	

BRC PREFAB HOLDINGS SDN BHD

No. PPS : 1170613JH0197
No. CERT : A004116

PTD 103251 JALAN IDAMAN 3/9 TAMAN PERINDUSTRIAN
DESA IDAMAN SENAI 81400 JOHOR

TEL : 07-5976888
FAX : 07-5980071

TARIKH MULA	13-06-2018	TARIKH TAMAT	12-06-2019
JENIS / SAIZ	JENAMA	STANDARD	
<p>Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC - SQUARE MESH / A142, A193, A252, A318, A393, A475, A565, A664</p> <p>DESIGNATED FABRIC - STRUCTURAL MESH / B283, B385, B503, B636, B785, B950, B1131, B1328</p> <p>DESIGNATED FABRIC - WRAPPING MESH / D283, D385, D503, D636, D785, D950, D1131, D1328;</p>	BRC	MS 145:2014	
<p>Cold Worked Ribbed Weldable Reinforcing Steel GRADE B500A - PRODUCED AS COILED AND DELIVERED DECOILED</p>	BRC	MS 146:2014	

BRILLIANT TRADING & SUPPLIES SDN BHD

No. PPS : 1190418SB0309
No. CERT : A001631LOT 133 , LOKKAWI INDUSTRIAL ESTATE 88100
KOTA KINABALU SABAH 88100 SABAHTEL : 088-755718
FAX : 088-754515

TARIKH MULA	18-04-2019	TARIKH TAMAT	17-04-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Self Supporting Steel Metal Roofing Sheet Base metal thickness (mm): 0.30-0.42; Cover width (mm): 760	BriLine	MS 2500:2012
Self Supporting Steel Metal Roofing Sheet Base metal thickness (mm): 0.30-0.42; Cover width (mm): 760	Clip Lock	MS 2500:2012

BW YEE SENG STEEL INDUSTRIES SDN BHD

No. PPS : 1161221PP0159
No. CERT : A002807MUKIM 12, KAWASAN PERINDUSTRIAN VALDOR KAWASAN PERINDUSTRIAN VALDOR,
MUKIM 12 SUNGAI BAKAP 14200 SEBERANG PERAI SELATAN PULAU PINANGTEL : 045859999
FAX : 045859988

TARIKH MULA	15-01-2019	TARIKH TAMAT	14-01-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Prefabricated Steel Frame Scaffolding VERTICAL FRAME, CROSS BRACE, CATWALK, JACK BASE, U-HEAD, JOINT PIN	BW Yee Seng	MS 1462-1:2012

CHOO BEE METAL INDUSTRIES BERHAD

No. PPS : 1150921PK0042
No. CERT : A001297LOT 65580 KAWASAN PERUSAHAAN PENGKALAN 1 LAHAT
31500 KINTA PERAKTEL : 053226228
FAX : 053227228

TARIKH MULA	02-09-2018	TARIKH TAMAT	01-09-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Carbon Steel Pipes For Ordinary Piping 175X5.30, 200X5.80, 250X6.60, 300X6.90, 350X7.90, 400X7.90, 450X7.90.	ChooBee	JIS G 3452 : 2014
Non-Alloy Steel Tubes Suitable For Welding and Threading TYPE L2- GRADE S195T/ 21.3~114.3MM/ 2.0~3.6MM TYPE M SERIES- GRADE S195T/21.3~165.1MM/ 2.6~5.0MM TYPE H SERIES- GRADE S195T/ 21.3~165.1MM/ 3.2~5.4MM	ChooBee	BS EN 10255:2004
Cold Formed Welded Structural Hollow Sections CIRCULAR- GRADE S235JRH/ 21.3~406.4MM/ 2.0~12.5MM S355J0H/ 21.3~406.4MM/ 2.0~12.5MM S355J2H/ 21.3~406.4MM/ 2.0~12.5MM RECTANGULAR- GRADE S355J0H/ 25X50~200X300MM/ 2.3~12.00MM S355J0H/ 25X25~300X300MM/ 2.3~12.00MM SQUARE- GRADE S275J0H/ 25X25~300X300MM/ 2.3~12.00MM S275J2H/ 25X25~300X300MM/ 2.3~12.00MM	ChooBee	MS EN 10219-1:2015, MS EN 10219-2:2015

S355J2H/ 25X25~300X300MM/2.3~12.00 MM CIRCULAR-GRADE S275J0H/21.3~406.4MM/2.0~12. 5MM S275J2H/21.3~406.4MM/2.0~12. 5MM		
Electric Welded (EW) Steel Tubes For Cement Lined Pipes PLAIN ENDS- GRADE L275/ 60.3~406.4MM/ 2.9~4.5MM	ChooBee	SPAN TS 21827: PART 2:2013
Cold Formed Carbon Steel Structural Tubing ROUND- GRADE B S275JR/ 21.3~406.4MM/ 1.5~12.7MM RECTANGULAR- GRADE A S235JR/ 25X50 ~ 200X300MM/ 1.5~12.7MM RECTANGULAR- GRADE B S275JR/ 25X50 ~ 200X300MM/ 1.5~12.7MM SQUARE- GRADE A S235JR/ 25X25 ~ 300X300MM/ 1.5~12.7MM SQUARE- GRADE B S275JR/ 25X25 ~ 300X300MM/ 1.5~12.7MM SQUARE-GRADE C S355JR/25X25~300X300/1.5~12.7MM RECTANGULAR-GRADE C S355JR/25X50~200X300MM/ 1.5~12.7MM ROUND- GRADE A S235JR/21.3~406.4MM/1.5~12.7MM ROUND- GRADE C S355JR/21.3~406.4MM/1.5~12.7M ROUND- GRADE D S275JR/21.3~406.4MM/1.5~12.7MM	ChooBee	ASTM A500/ A500M
Welded Steel Pipes TYPE L2- GRADE S195T/ 21.3~114.3MM/ 2.0~3.6MM TYPE SERIES M- GRADE S195T/ 21.3~165.1MM/ 2.6~5.0MM TYPE SERIES M- GRADE S195T/ 21.3~165.1MM/ 2.6~5.0MM TYPE SERIES H- GRADE S195T/ 21.3~165.1MM/ 3.2~5.4MM	ChooBee	MS 863: 2010
Carbon Steel Tubes For General ChooBee Structural Purposes STK 400 / Dia. 21.7~355.6 mm/ Thk. 2.0~12.7 mm STK 500/ Dia. 21.7~355.6 mm/ Thk. 2.0~12.7 mm	ChooBee	JIS G 3444:2015

CHRS SAMAWIRA MESH SB

No. PPS : 1151230NS0076
No. CERT : A001137

LOT7401, PT1888, JALAN ZAMRUD 1, KAW PERIND NILAI 2 NILAI
71800 SEREMBAN NEGERI SEMBILAN

TEL : 067995555
FAX : 67995488

TARIKH MULA	13-03-2019	TARIKH TAMAT	12-03-2020
JENIS / SAIZ	JENAMA	STANDARD	
Welded Steel Fabric for the Reinforcement Concrete SQUARE MESH / A98, A142, A193, A252, A318, A393, A475, A565 STRUCTURAL MESH B196, B283, B385, B503, B636, B785, B950, B1131	CH	MS 145:2014	

WRAPPING MESH D196, D283, D385, D503, D636, D785, D950, D1131		
Cold Worked Ribbed Weldable Reinforcing Steel PRODUCED AS COIL AND DELIVERED DECOILED / 7MM, 8MM, 9MM, 10MM, 12MM	CHRS SAMAWIRA MESH SDN. BHD.	MS 146:2014

CMS WIRES SDN BHD

No. PPS : 1160922SR0144
No. CERT : A001695

LOT 87, LORONG TENAGA 2 BINTAWA INDUSTRIAL ESTATE
93450 KUCHING SARAWAK

TEL : 082-334772
FAX : 082-486085

TARIKH MULA	13-02-2019	TARIKH TAMAT	12-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete A193, A252, A318, A393		SETRI	MS 145:2014

CSC STEEL SDN BHD

No. PPS : 1160908ML0143
No. CERT : A001173

180, KAWASAN INDUSTRI AYER KEROH
75450 AYER KEROH MELAKA

TEL : 06-2310169
FAX : 06-2310167

TARIKH MULA	28-12-2018	TARIKH TAMAT	27-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Hot Dip Zinc Coated Carbon Steel Sheet of Commercial and Drawing Qualities GRADE 01, 02/ BMT(MM) =0.176 - 2.0 MAX WIDTH(MM) = 1250		realzinc™	MS 2385:2011
Hot Dip Zinc Coated Carbon Steel Sheet of Structural Qualities GRADE 250,280,320,350,550/ BMT(MM)=0.176 - 2.00 MAX WIDTH(MM)=1250			
Prefinished Sheet Metal Products for Interior/ Exterior Building Application PRIMERO, THERMOSHIELD, THERMOSHIELD BRIO, SUPREME		realcolor®	MS 2383:2011

CUT & BEND SDN BHD

No. PPS : 1180713SB0287
No. CERT : A001620

88811 KOTA KINABALU SABAH

TEL : 088 426141/426142
FAX : 088 423301

TARIKH MULA	13-07-2018	TARIKH TAMAT	12-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Cold Worked Ribbed Weldable Reinforcing Steel GRADE = B500A NOMINAL DIAMETER (mm) = 6, 7, 8, 9, 10, 12		CUT & BEND SDN BHD	MS 146:2014

DAHEC MARKETING SDN BHD

No. PPS : 1180830SL0302
No. CERT : A002110NO. 2, JALAN TPP 10, TAMAN PERINDUSTRIAN PUTRA, LEBUHRAYA ELITE,
47130 PUCHONG, SELANGOR 47130 SEPANG SELANGORTEL : 0380691988
FAX : 0380665988

TARIKH MULA	30-08-2018	TARIKH TAMAT	29-08-2019
JENIS / SAIZ	JENAMA	STANDARD	
Modular System Scaffolding DMS JACK BASE 600MM, LENGTH (600MM) DMS JACK BASE 750MM, LENGTH (750MM) DMS JACK BASE 900MM, LENGTH (900MM) DMS HORIZONTAL MEMBER TUBE 0.7M, LENGTH (554MM) DMS HORIZONTAL MEMBER TUBE 1.0M, LENGTH (854MM) DMS HORIZONTAL MEMBER TUBE 1.5M (LENGTH 1354MM) DMS HORIZONTAL MEMBER TUBE 2.0M, LENGTH (1854MM) DMS HORIZONTAL MEMBER TUBE 2.5M, LENGTH (2354MM) DMS HORIZONTAL MEMBER TUBE 3.0M, LENGTH (2854MM) DMS VERTICAL STANDARD 0.5M, LENGTH (500MM) DMS VERTICAL STANDARD 2.0M, LENGTH (2000MM) DMS DIAGONAL BRACE H2.00M X L0.70M, LENGTH (2150MM) DMS DIAGONAL BRACE H2.00M X L1.00M, LENGTH (2256MM) DMS DIAGONAL BRACE H2.00M X L1.50M, LENGTH (2505MM) DMS DIAGONAL BRACE H2.00M X L2.00M, LENGTH (2824MM) DMS DIAGONAL BRACE H2.00M X L2.50M, LENGTH (3190MM) DMS DIAGONAL BRACE H2.00M X L3.00M, LENGTH (3589MM) DMS PANACIER 0.30M X 0.70M, WIDTH (300MM) X LENGTH (700MM) DMS PANACIER 0.30M X 1.00M, WIDTH (300MM) X LENGTH (1000MM) DMS PANACIER 0.30M X 1.50M, WIDTH (300MM) X LENGTH (1500MM) DMS PANACIER 0.30M X 2.00M, WIDTH (300MM) X LENGTH (2000MM) DMS PANACIER 0.30M X 2.50M, WIDTH (300MM) X LENGTH (2500MM) DMS PANACIER 0.30M X 3.00M, WIDTH (300MM) X LENGTH (3000MM) DMS PANACIER 0.20M X 0.70M, WIDTH (200MM) X LENGTH (700MM) DMS PANACIER 0.20M X 1.00M, WIDTH (200MM) X LENGTH (1000MM) DMS PANACIER 0.20M X 1.50M, WIDTH (200MM) X LENGTH (1500MM) DMS PANACIER 0.20M X 2.00M, WIDTH (200MM) X LENGTH (2000MM) DMS PANACIER 0.20M X 2.50M, WIDTH (200MM) X LENGTH (2500MM) DMS PANACIER 0.20M X 3.00M. WIDTH (200MM) X LENGTH (3000MM) DMS TOE BOARD 0.50M, LENGTH (437MM) DMS TOE BOARD 0.70M, LENGTH (637MM)	DAHEC	MS 1462-3-1:2011	

DMS TOE BOARD 1.00M, LENGTH (937MM) DMS TOE BOARD 1.50M, LENGTH (1437MM) DMS TOE BOARD 2.00M, LENGTH (1937MM) DMS TOE BOARD 2.50M, LENGTH (2437MM) DMS TOE BOARD 3.00M, LENGTH (2937MM) DMS TOE BOARD 4.00M, LENGTH (3937MM)		
DMS STAIR H2.0 X L2.0 X W0.7 DMS STAIR H2.0 X L1.5 X W0.7		

DURABON SDN BHD (JOHOR)

No. PPS : 1190430JH0359
No. CERT : A 004113

LOT 27, JALAN PERINDUSTRIAN 4, KAWASAN PERINDUSTRIAN SENAI,
FASA II SENAI 81400 JOHOR

TEL : 07-5992680
FAX : 07-5991700

TARIKH MULA	30-04-2019	TARIKH TAMAT	29-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Prestressing Steel - Steel Bar 7.10mm, 9.00mm, 10.70mm, 12.60mm	UBON	MS 1138 : PART 3 : 2007	

DVC MANUFACTURING SDN BHD

No. PPS : 1190310KD0353
No. CERT : A 001377

NO 513, KILANG SUSUR LENCONGAN TIMUR KANAN,
KAWASAN PERINDUSTRIAN CENDANA 2 SUNGAI PETANI 08000 KEDAH

TEL : 03-80231128
FAX :

TARIKH MULA	10-03-2019	TARIKH TAMAT	09-03-2020
JENIS / SAIZ	JENAMA	STANDARD	
Manhole Tops & Gully Class D400	DVC	BS EN 124:1994	

EAST COAST MANUFACTURING SDN BHD

No. PPS : 1151230PH0077
No. CERT : A001499

LOT 10769, JALAN GEBENG 1/2 KAWASAN PERINDUSTRIAN GEBENG
26080 KUANTAN PAHANG

TEL : 09-5839898
FAX : 09-5839897

TARIKH MULA	10-01-2019	TARIKH TAMAT	09-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Welded Steel Fabric for the Reinforcement Concrete A98, A142, A193, A252, A318, A393, A475, A565, B196, B283, B385, B503, B636, B785, B950, B1131	ECM	MS 145:2014	
Self-supporting Steel Roofing TRAPEZOIDAL PROFILED SHEET	EAST COAST MANUFACTURING SDN BHD	MS 2500:2012	

EASTEEL SERVICES (MALAYSIA) SDN BHD

No. PPS : 1180506JH0276
No. CERT : A 004102PTD 41363, JALAN IDAMAN 3/2 TAMAN DESA IDAMAN,
SEELONG, SENAI 81400 KULAIJAYA JOHORTEL : 07-5981481
FAX : 07-5986143

TARIKH MULA	06-05-2019	TARIKH TAMAT	05-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Cold Worked Ribbed Weldable Reinforcing Steel NOMINAL DIAMETER (mm) = 6,7,8,9,10,11,12,13		NatSteel	MS 146:2014
Welded Steel Fabric for the Reinforcement Concrete A142,A193,A252,A318,A393,A4 75,A565,A664 B283,B385,B503,B636,B785,B95 0,B1131,B1328 D283,D385,D503,D636,D785,D9 50,D1131,D1328		NATSTEEL	MS 145:2014

EC EXCEL WIRE SDN BHD

No. PPS : 1151228PH0075
No. CERT : A004020LOT 77A & 77B, LORONG GEBENG 1/7 GEBENG INDUSTRIAL ESTATE
26080 KUANTAN PAHANGTEL : 09-5837881
FAX : 09-5837882

TARIKH MULA	08-03-2019	TARIKH TAMAT	07-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete BRC A5, BRC A6, BRC A7, BRC A8, BRC A9, BRC A10 - DESIGNATED FABRIC (SQUARE MESH)		EC EXCEL WIRE	MS 145:2014

ECCO STEEL INDUSTRIES SDN BHD

No. PPS : 1190221JH0349
No. CERT : A 004097LOT 38, JALAN TAMBAN 1/2, SALENG, SENAI
81400 JOHORTEL : 07-5992800
FAX : 07-5997803

TARIKH MULA	21-02-2019	TARIKH TAMAT	20-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Cold Worked Steel Wire for the Reinforcement of Concrete STEEL WIRE/NOMINAL SIZE : 6MM, 7MM, 8MM, 9MM, 10MM, 11MM, 12MM		ecco STEEL	MS 144:2014
Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC/SQUARE MESH/ A63, A98, A142, A193, A252, A318, A393, A565, A664, B196, B283, B385, B503, B636, B785, B1131, B1328, D126, D196, D283, D385, D503, D636, D785, D1131, D1328 DESIGNATED FABRIC/ WRAPPING MESH D196, D283, D385, D503, D785, D1131, D1328 GRADE B500A / NOMINAL SIZE : 5MM, 6MM, 7MM, 8MM, 9MM, 10MM, 12MM, 13MM		ecco STEEL	MS 145:2014

ENG LIAN HUP MANUFACTURING SDN BHD

No. PPS : 1151216PP0067
No. CERT : A002801

1171, LORONG PERINDUSTRIAN BUKIT MINYAK 11, TAMAN PERINDUSTIRAN BUKIT MINYAK,
SIMPANG AMPAT 14100 SEBERANG PERAI TENGAH PULAU PINANG

TEL : 04- 505 7802
FAX : 04- 506 0522

TARIKH MULA	28-09-2018	TARIKH TAMAT	27-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete Square Mesh / A142, A193, A252, A318, A393 Rectangular Mesh / B283, B385, B385, B636, B785 Small Square Mesh / D283, D385, D503, D636, D785		E-Mesh	MS 145:2014

ENGLER MANUFACTURING SDN BHD

No. PPS : 1180209SB0248
No. CERT : A001629

LOT 5, INDUSTRIAL ZONE 7 PHASE 1 JALAN NOROWOT 2B,
KKIP KOTA KINABALU 88460 SABAH

TEL : 088497550 /
088498550
FAX : 088412550

TARIKH MULA	14-02-2019	TARIKH TAMAT	13-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete Square Mesh / A98, A142, A193, A252, A318, A393, A475, A565 Structural Mesh / B196, B283, B385, B503, B636, B785, B950, B1131		ENGLER MANUFACTURING SDN. BHD	MS 145:2014

ENGTEX DUCTILE IRON PIPE INDUSTRY SDN BHD

No. PPS : 1151027PH0051
No. CERT : A001494

LOT 68, JALAN GEBENG 1/6, GEBENG INDUSTRIAL ESTATE,
26080 KUANTAN PAHANG

TEL : 04- 505 7802
FAX : 04- 506 0522

TARIKH MULA	26-10-2018	TARIKH TAMAT	25-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Ductile Iron Pipes CLASS 25 : DN 700 - DN 800, CLASS 30 : DN 350 - DN 800, CLASS 40 : DN 80 - DN 800, CLASS 50 : DN 80 - DN 800, CLASS 64 : DN 80 - DN 800, CLASS 100 : DN 80 - DN 600		ENGTEX, EDIP, SUASA UNIK, LYE	MS 1919:2013
Ductile Iron Pipes CLASS 25 : DN 700 - DN 800, CLASS 30 : DN 350 - DN 800, CLASS 40 : DN 80 - DN 800, CLASS 50 : DN 80 - DN 800, CLASS 64 : DN 80 - DN 800, CLASS 100 : DN 80 - DN 600		ENGTEX, EDIP, SUASA UNIK, LYE	BS EN 545:2010
Ductile Iron Pipes C20 : DN 700 - DN 800; C25 : DN 350 - DN 800; C30 : DN 300 - DN 800; C40, C50, C64 : DN 80 - DN 800; C100 : DN 80 - DN 700		ENGTEX, EDIP, SUASA UNIK	ISO 2531:2009/ COR 1:2010
Ductile Iron Pipes DN 80 - DN 800		ENGTEX, EDIP, SUASA UNIK, LYE	BS EN 598: 2007 + A1:2009

ENGTEX METALS SDN BHD

No. PPS : 1151124SL0061
No. CERT : A002149LOT 443, OFF JALAN ABDUL AZIZ, BATU 30, JALAN KUALA SELANGOR,
IJOK 45600 KUALA SELANGOR SELANGORTEL : 03- 3279 1888
FAX : 03- 3279 316

TARIKH MULA	06-07-2018	TARIKH TAMAT	05-07-2019
JENIS / SAIZ	JENAMA		STANDARD
Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC TYPE: SQUARE MESH SIZE: A98, A142, A193, A252, A318, A393, A475, A565, BAR QUALITY: RIBBED BAR GRADE B500A OF MS 146 : 2014 DESIGNATED FABRIC TYPE: STRUCTURAL MESH SIZE: B196, B283, B385, B503, B636, B785, B950, B1131 BAR QUALITY: RIBBED BAR GRADE B500A OF MS 146 : 2014 DESIGNATED FABRIC TYPE: WRAPPING MESH SIZE: D196, D283, D385, D503, D636, D785, D950, D1131 BAR QUALITY: RIBBED BAR GRADE B500A OF MS 146 : 2014	ENGTEX		MS 145:2014
Cold Worked Steel Wire for the Reinforcement of Concrete GRADE 500 5MM, 6MM, 7MM, 8MM, 9MM, 10MM, 11MM, 12MM GRADE B500A 5MM, 6MM, 7MM, 8MM, 9MM, 10MM, 12MM	COMPANY ID = ENGTEX METALS SDN BHD		BS EN 598: 2007 + A1:2009

ENGTEX METALS SDN BHD

No. PPS : 1181107JH0320
No. CERT : A004078PLOT 24, JALAN TEKNOLOGI 5 TAMAN TEKNOLOGI JOHOR, SENAI
81400 KULAJAYA JOHORTEL : 07- 5995898
FAX : 07-5994899

TARIKH MULA	07-11-2018	TARIKH TAMAT	06-11-2019
JENIS / SAIZ	JENAMA		STANDARD
Cold Reduced Mild Steel Wire for the Reinforcement Concrete GRADE 500 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm	COMPANY ID = ENGTEX METALS SDN BHD		MS 144:2014
Cold Reduced Mild Steel Wire for the Reinforcement Concrete DESIGNATED FABRIC - A142, A193, A252, A318, A393, A475, A565, B196, B283, B385, B503, B636, B785, B950, B1131, D196, D283, D385, D503, D636, D785, D950, D1131	ENGTEX METALS SDN BHD		BS EN 598: 2007 + A1:2009

ENGTEX PIPE INDUSTRY SDN BHD

No. PPS : 1180124PH0245
No. CERT : A004018

LOT 2B KAWASAN PERINDUSTRIAN HARBOUR PARK
TANJUNG GELANG 260800 KUANTAN PAHANG

TEL : 0199838011
FAX :

TARIKH MULA	24-01-2019	TARIKH TAMAT	23-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Steel Pipes For Water And Sewerage 610, 660, 711, 762, 813, 864, 914,10,16,1219, 1422, 1626, 1829, 2032, 2235,233, 2438, 2540, 2642, 2743		EPI	SPAN TS 21827: PART 1:2013

ENGTEX STEEL INDUSTRIES SDN BHD

No. PPS : 1180201ML0247
No. CERT : A001179

LOT 1A, KAWASAN PERINDUSTRIAN MERLIMAU
77300 MELAKA

TEL : 062633069
FAX : 062633164

TARIKH MULA	26-02-2019	TARIKH TAMAT	25-02-2020
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Ribbed Weldable Reinforcing Steel NOMINAL DIAMETER : 12MM, 10MM		ENGTEX	MS 146:2014

ENGTEX STEEL PIPE SDN BHD

No. PPS : 1181204PH0330
No. CERT : A001496

LOT 67A, JALAN GEBENG 1/6, GEBENG INDUSTRIAL ESTATE,
KUANTAN, 26080 PAHANG

TEL : 062633069
FAX : 062633164

TARIKH MULA	04-12-2018	TARIKH TAMAT	03-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Electric Welded (EW) Steel Tubes For Cement Lined Pipes OD 114.3mm x 3.6mm, OD 139.7mm x 3.6mm, OD 168.3mm x 3.6mm, OD 219.1mm x 4.0mm, OD 273.0mm x 4.0mm		ESP	SPAN TS 21827: PART 2:2013
Non-Alloy Steel Tubes Suitable For Welding and Threading Type L2 - OD 21.3/26.9/33.7/42.4/48.3/60.3/76.1/ 88.9/114.3mm, Thickness 2.0/2.3/2.6/2.9/3.2/3.6mm		ESP	MS 863: 2010
M Series - OD 21.3/26.9/33.7/42.4/48.3/60.3/76.1/88.9/114.3/139.7/165.1mm, Thickness 2.6/3.2/3.6/4.0/4.5/ 5.0mm			
H Series - OD 21.3/26.9/33.7/42.4/48.3/60.3/76.1/88.9/114.3/139.7/165.1mm, Thickness 3.2/4.0/4.5/5.0/5.4mm			

ESTABLISHED METAL INDUSTRIES SDN BHD

No. PPS : 1160617SL0135
No. CERT : A002081

JALAN AZALEA 1/1 SECTION 20
48300 HULU SELANGOR SELANGOR

TEL : 03-60214163 /67/
68/69
FAX : 03-60217163

TARIKH MULA	03-07-2018	TARIKH TAMAT	02-07-2019
JENIS / SAIZ	JENAMA	STANDARD	
Hot Rolled Ribbed Weldable Reinforcing Steel NOMINAL SIZE (MM): 10, 12, 16, 20, 25 GRADE: B500B, PRODUCED IN STRAIGHT LENGTH BY HOT ROLLING	ESTABLISHED METAL INDUSTRIES SDN BHD	MS 146:2014	

EUROPEAN PROFILES (M) SDN BHD

No. PPS : 1180129SL0246
No. CERT : A002159

LOT 51, JALAN INDUSTRI 2/2 RAWANG INTEGRATED INDUSTRIAL PARK
48000 RAWANG SELANGOR

TEL : 03-60920355
FAX : 03-60920388

TARIKH MULA	29-01-2019	TARIKH TAMAT	28-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Self-supporting Steel Roofing ClipFix 672/41, PROFILE TYPE = CONCEALED FIX THICKNESS = 0.40 MM, COVER WIDTH = 672 MM MATERIAL DESIGNATION = WITH ORGANIC COATING = GRADE 550 + MIN Z180 EP MS 900/20, Profile Type = Sinusoidal Thickness = 0.42 mm, Cover Width = 900 mm Material Designation = Without Organic Coating = Grade 550 + Min AZ150 EP 900/40 Reversed, Profile Type = Trapezoidal Thickness = 1.0 mm, Cover Width = 900 mm Material Designation = With Organic Coating = Grade 250 + Min Z180 EP 1000/35, Profile Type = Trapezoidal Thickness = 0.42 mm, Cover Width = 1000 mm Material Designation = With Organic Coating = Grade 550 + Min AZ275 EP 762/25, Profile Type = Trapezoidal With Stiffed Valley Thickness = 0.35 mm, Cover Width = 762 mm Material Designation = With Organic Coating = Grade 250 + Min Z275 EP 900/35, Profile Type = Trapezoidal With Stiffed Valley Thickness = 0.60 mm, Cover Width = 900 mm Material Designation = With Organic Coating = Grade 550 + Min ZA350 EUROZIP 65, TYPE = CONCEALED FIX THICKNESS = 0.48MM, COVER WIDTH = 400MM MATERIAL DESIGNATION = WITH ORGANIC COATING = GRADE 300 + MIN Z275	EUROPEAN PROFILES (M) SDN. BHD.	MS 2500:2012	

EVERLAST ACCESS TECHNOLOGIES SDN BHD

No. PPS : 1180716SL0291
No. CERT : A002099

LOT 1828, JALAN KPB 3 JALAN BALAKONG, BUKIT BELIMBING
SERI KEMBANGAN 43300 SELANGOR

TEL : 03-8961 5223
FAX :

TARIKH MULA	16-07-2018	TARIKH TAMAT	15-07-2019
JENIS / SAIZ	JENAMA	STANDARD	
METAL SCAFFOLDING-PRE SCAFF-SPEC FOR STEEL & ALUM MODULAR SYSTEM SCAFF QAMSS - VERTICAL STANDARD 0.5M-LENGTH (500MM) STANDARD 1.0M-LENGTH (1000MM) STANDARD 1.5M - LENGTH (1500MM) STANDARD 2.0M - LENGTH (2000MM) STANDARD 2.5M - LENGTH (2500MM) STANDARD 3.0M - LENGTH (3000MM) QAMSS - HORIZONTAL BRACE 0.75M - LENGTH (683MM) BRACE 1.35M - LENGTH (1283MM) BRACE 2.00M - LENGTH (1933MM) BRACE 2.50M - LENGTH (2433MM) BRACE 3.00M - LENGTH (2933MM) QAMSS - DIAGONAL BRACE 0.75 X 2.00M - LENGTH (2038MM) 1.35 X 2.00M - LENGTH (2282MM) 2.00 X 2.00M - LENGTH (2674MM) 2.50 X 2.00M - LENGTH (3036MM) 3.00 X 2.00M - LENGTH (3431MM) QAMSS - LEVEL BRACE 0.75 X 2.00M - LENGTH (1927MM) 0.75 X 2.50M - LENGTH (2407MM) 0.75 X 3.00M - LENGTH (2893MM) 1.35 X 2.00M - LENGTH (2190MM) 1.35 X 2.50M - LENGTH (2623MM) 1.35 X 3.00M - LENGTH (3076MM) QAMSS - ADJUSTABLE BASE JACK - LENGTH (610MM) QAMSS - FIXED PLATFORM 2.0M - WIDTH (610MM) X LENGTH (2000MM) 2.5M - WIDTH (610MM) X LENGTH (2500MM) 3.0M - WIDTH (610MM) X LENGTH (3000MM) QAMSS - HATCH PLATFORM 2.0M - WIDTH (610MM) X LENGTH (2000MM) 2.5M - WIDTH (610MM) X LENGTH (2500MM) 3.0M - WIDTH (610MM) X LENGTH (3000MM) QAMSS - TOEBOARD 0.75M - LENGTH (574MM), 1.35M - LENGTH (1174MM) 2.00M - LENGTH (1993MM), 2.50M - LENGTH (2493MM) 3.00M - LENGTH (2993MM) QAMSS - STAIRWAY 2.0M, 2.5M, 3.0M QAMSS - INCLINE LADDER 1.0M - LENGTH (946MM), 1.5M - LENGTH (1478MM) 2.0M - LENGTH (2010MM), 2.5M - LENGTH (2548MM)	EVERLAST	MS 1462-4-1:2013, MS 1462-3-1:2011	

FIRST STATUS SDN BHD

No. PPS : 1190213SL0346
No. CERT : A00216312, JALAN KESUMA 2/1 BANDAR TASIK KESUMA BERANANG
43700 SELANGORTEL : 03-87242133
FAX : 03-87246133

TARIKH MULA	13-02-2019	TARIKH TAMAT	12-02-2020
JENIS / SAIZ	JENAMA	STANDARD	
Cold Worked Steel Wire for the Reinforcement of Concrete 6mm, 8mm, 10mm GRADE 250 PLAIN STEEL WIRE: PRODUCED IN COIL AND DELIVERED DECOILED	FIRST STATUS SDN BHD	MS 144:2014	

FIW STEEL SDN BHD

No. PPS : 1170301SL0171
No. CERT : A002091NO.3,JALAN KELULI SATU, KAWASAN PERINDUSTRIAN BUKIT RAJA SELATAN
SHAH ALAM 40000 KLANG SELANGORTEL : +60333431177
FAX : +60333426721

TARIKH MULA	02-07-2018	TARIKH TAMAT	01-07-2019
JENIS / SAIZ	JENAMA	STANDARD	
Hot Dip Zinc Coated Carbon Steel Sheet of Commercial and Drawing Qualities GRADE= G01 (COMMERCIAL QUALITY) COATING DESIGNATION=Z220 BASE METAL THICKNESS (mm) =0.50 MAXIMUM WIDTH (mm) =1219	GALMAXX,GALM AXX PREMIUM,GALMA XX ECO,GALMAXX ALPHA	MS 2385:2011	
Hot Dip Zinc Alloyed With Aluminium And Magnesium Steel Sheet And Strip STRUCTURAL GRADE= 250,280,300,320,350,400,450,550 COATING CLASS= ZA80,ZA120,ZA150,ZA180,ZA200,ZA220, ZA275,ZA350 BASE METAL THICKNESS (mm)=0.23-1.47 MAXIMUM WIDTH (mm)=1219	GALMAXX ALPHA,T-MAZ	MS 2657 : 2016	
Hot Dipped Zinc Coated Sheet And Strip G250/ BASE METAL THICKNESS (MM): 0.25 TO 1.55 MAX. WIDTH (MM): 1250 COATING CLASS (Z) = Z100, Z200, Z275, Z350, Z450 G300/, G350/, G450/, 500/, 550/ BASE METAL THICKNESS (MM): 0.25 TO 1.55 MAX. WIDTH (MM): 1250 COATING CLASS (Z) = Z100, Z200, Z275, Z350, Z450 COMMERCIAL GRADES = G1 BASE METAL THICKNESS (MM): 0.23 TO 1.55 MAX. WIDTH (MM): 1250 COATING CLASS (Z) = Z100, Z200, Z275, Z350, Z450	Galmaxx, Galmaxx Premium, Galmaxx Eco	AS 1397:2011	
Hot Dipped Zinc Coated Sheet And Strip G250/, G300/, G350/, G400/, G450/, G500/, G550/ BASE METAL THICKNESS (MM): 0.25 TO 1.55 MAX. WIDTH (MM): 1250 COATING CLASS (ZA) = ZA90,ZA135,ZA180,ZA225,ZA275,ZA350,ZA450 COMMERCIAL GRADES = G1 BASE METAL THICKNESS (MM): 0.23 TO 1.55 MAX WIDTH (MM): 1250	GalMaxx Alpha	AS 1397:2011	

COATING GLASS (ZA) = ZA90,ZA135,ZA180,ZA225,ZA275,ZA350,ZA450		
<p>Prefinished Sheet Metal Products for Interior/Exterior Building Application</p> <p>COATED BASE METAL: HOT-DIP ZINC COATED CARBON STEEL OF STRUCTURAL QUALITIES CERTIFIED TO MS 2384</p> <p>GRADE=220,250,280,320, 350,380,550</p> <p>NOMINAL PRIMER THICKNESS(μm)=5-10</p> <p>NOMINAL TOPCOAT THICKNESS(μm)=10-20</p> <p>NOMINAL BACKCOAT THICKNESS(μm)=5-15</p> <p>NOMINAL BASE THICKNESS(mm)=0.196-0.45</p> <p>MAXIMUM WIDTH(mm)=1219</p>	COLOURMAXX	MS 2383:2011
<p>Prefinished Sheet Metal Products for Interior/Exterior Building Application</p> <p>COATED BASE METAL: HOT-DIP ZINC ALLOYED WITH ALUMINIUM AND MAGNESIUM STEEL CERTIFIED TO MS 2657: GRADE=250,280,300,320,350,400,450,550</p> <p>NOMINAL PRIMER THICKNESS(μm) =5-10</p> <p>NOMINAL TOPCOAT THICKNESS(μm) =10-20</p> <p>NOMINAL BACKCOAT THICKNESS(μm) =5-15</p> <p>NOMINAL BASE METAL THICKNESS(mm) =0.196-0.45</p> <p>MAXIMUM WIDTH(mm)=1219</p>	COLOURMAXX ALPHA	MS 2383:2011

GALVACO INDUSTRIES SDN BHD

No. PPS : 1181123SL0326
No. CERT : A002137

LOT 16, PERSIARAN SABAK BERNAM, HICOM INDUSTRIAL ESTATE,
SECTION 26, SHAH ALAM 40000 SELANGOR

TEL : 0351914216
FAX : 0351914217

TARIKH MULA	23-11-2018	TARIKH TAMAT	22-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
<p>Corrugated Sheet Steel Beam For Highway Guardrail</p> <p>MODEL : GALVACO G3, G4</p> <p>SHAPE : W-BEAM</p> <p>CLASS A</p> <p>BASE METAL NOMINAL THICKNESS : 2.67 MM</p>	GALVACO INDUSTRIES SDN BHD	AASHTO M 180:2012	

HIAP HIN CHAN TRADING CO SDN BHD

No. PPS : 1160204SL0097
No. CERT : A002096

LOT 6494, 5 3/4 MILES, JALAN KAPAR, 42100 KLANG,
SELANGOR D.E. 42100 KLANG SELANGOR

TEL : 03-3291 9999
FAX : 03-3291 5026

TARIKH MULA	04-08-2018	TARIKH TAMAT	03-08-2019
JENIS / SAIZ	JENAMA	STANDARD	
<p>Hot Rolled Deformed Steel Bar for the Reinforcement of Concrete</p> <p>NOMINAL SIZE (MM) : 10, 12</p> <p>GRADE B500B</p>	HHC	MS 146:2014	

HOTO STAINLESS STEEL INDUSTRIES SDN BHD

No. PPS : 1170327SL0177
No. CERT : A002174LOT 3 SOLOK SULTAN HISHAMUDDIN 8 KAWASAN PERUSAHAAN SELAT KLANG UTARA
42000 KLANG SELANGORTEL : 03 - 3176 1768
FAX : 03 - 3176 4735

TARIKH MULA	17-04-2019	TARIKH TAMAT	16-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Welded Stainless Steel Tube For The Conveyance Of Aqueous Liquid Including Water For Human Consumption AUSTENITIC STAINLESS STEEL X5CRNI18-10.TUBE SERIES 1 SPECIFIED OUTSIDE DIAMETER: 15, 22, 28, 35, 42, 54	HOTO	BS EN 10312:2002	
Light Gauge Stainless Steel Tube for Ordinary Piping SUS304TPD. DESIGNATION=13SU, 30SU, 40SU, 50SU, 60SU	HOTO	JIS G 3448:2004	
Welded Stainless Steel Mechanical Tubing Welded Austenitic Stainless Steel Grade: MT-304, MT-304L Tube shape: Round Outside Dimension: 1/2 in to 4 in Thickness: 0.024 in to 0.158 in (0.6mm to 4.0mm) Grade: MT-304, MT304L Tube Shape: Square Outside Dimension; 1/2"x1/2" to 3"x3" Thickness 0.024" to 0.158"(0.6mm to 4.0mm) Grade: MT-304, MT304L Tube Shape: Rectangular Outside Dimension; 3/8"x3/4" to 2"x4" Thickness 0.024" to 0.158"(0.6mm to 4.0mm) Grade: MT-316, MT-316L Tube Shape: Round Outside Dimension: 1/2" to 4" Thickness 0.024" to 0.158"(0.6mm to 4.0mm) Grade: MT-316, MT-316L Tube Shape: Square Outside Dimension 1/2" x 1/2" to 3"x3" Thickness 0.024" to 0.158"(0.6mm to 4.0mm) Grade: MT-316, MT-316L Tube Shape:Rectangular Outside Dimension 3/8"x3/4" to 2"x4"; Thickness 0.024" to 0.158"(0.6mm to 4.0mm)	HOTO	ASTM A554-13	

HUATRACO SCAFFOLD SDN BHD

No. PPS : 1161107SL0151
No. CERT : A002135LOT 6088, JALAN HAJI ABDUL MANAN, BATU 5 1/2,
OFF JALAN MERU 41050 KLANG SELANGORTEL : 60333778999
FAX : 60333778988

TARIKH MULA	07-11-2018	TARIKH TAMAT	06-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
Prefabricated Steel Frame Scaffolding VERTICAL FRAME, CROSS BRACE, JOINT PIN, U-HEAD, JACK BASE, WALL TIE	Huatraco	MS 1462-1:2012	

Modular System Scaffolding C25 STANDARD, C25 LEDGER, C25 BASE JACK, C25 U-HEAD, C25 PLATFORM UNIT, C25 DIAGONAL BRACE, C25 STAIRWAY	HUATRACO	MS 1462-3-1:2011
--	----------	------------------

INTERGATE STEEL MILL SDN BHD

No. PPS : 1160108PH0085
No. CERT : A004017

LOT 147 KAWASAN PERINDUSTRIAN SEMAMBU
25350 KUANTAN PAHANG

TEL : 095678219
FAX : 095686415

TARIKH MULA	07-01-2019	TARIKH TAMAT	06-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Hot Rolled Ribbed Weldable Reinforcing Steel Y10, Y12, Y16, Y20, Y25, Y32	INTERGATE STEEL MILL	MS 146:2014	

JAPMAS STEEL SDN BHD

No. PPS : 1190103JH0338
No. CERT : A004089

PLO 55, JALAN RUMBIA 2 KAWASAN PERINDUSTRIAN TANJUNG LANGSAT
81700 JOHOR

TEL : 07-3537312
FAX : 07-3537310

TARIKH MULA	03-01-2019	TARIKH TAMAT	02-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Cold Formed Welded Structural Hollow Sections CFRHS=COLD FORMED SQUARE HOLLOW HEIGHT (MM) X WID TH(MM) =19X19-200X200 THICKNESS(MM)=1.2-9.0 MAXIMUM LENGTH (MM)=12000 CFRHS=COLD FORMED RECTANGULAR HOLLOW HEIGHT (MM) X WID TH (MM) =38X19-150X250 THICKNESS (MM)=1.2-9.0 MAXIMUM LENGTH(MM)=12000 CFRHS=COLD FORMED CIRCULAR HOLLOW SECTION DIAMETER (MM) =21.40-273 THICKNESS (MM) =1.2-9.0 MAXIMUM LENGTH (MM)=12000	COMPANY ID=JAPMAS STEEL	MS EN 10219-1:2015	

JAPMAS STEEL SDN BHD

No. PPS : 1190314JH0354
No. CERT : A004099

PLO 55, JALAN RUMBIA 2 KAWASAN PERINDUSTRIAN TANJUNG LANGSAT
81700 JOHOR

TEL : 07-3537312
FAX : 07-3537310

TARIKH MULA	14-03-2019	TARIKH TAMAT	13-03-2020
JENIS / SAIZ	JENAMA	STANDARD	
Cold Worked Ribbed Weldable Reinforcing Steel Bar 6mm x 2200 MS 146 Grade B500A Bar 6mm x 6000 MS 146 Grade B500A Bar 7mm x 2200 MS 146 Grade B500A	COMPANY ID=JAPMAS STEEL	MS 146:2014	

Bar 8mm x 2200 MS 146 Grade B500A Bar 8mm x 6000 MS 146 Grade B500A		
Welded Steel Fabric for the Reinforcement Concrete A142, A193, A252	JAPmesh	MS 145:2014
Cold Worked Steel Wire for the Reinforcement of Concrete 8mm Grade 500, 10mm Grade 500, 12mm Grade 500	COMPANY ID= JAPMAS STEEL	MS 144:2014

JI KANG DIMENSI SDN BHD

No. PPS : 1171006PH0217
No. CERT : A001493

LOT 69-71, KAWASAN PERINDUSTRIAN GEBENG,
26100 KUANTAN PAHANG

TEL : 095839881
FAX : 095834451

TARIKH MULA	06-10-2018	TARIKH TAMAT	05-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Structural Steel THICKNESS: 6-75MM; 6-65MM MAXIMUM WIDTH: 2438MM MAXIMUM LENGTH: 12192MM	S275JR/JO/J2	MS EN 10025-5:2011, MS 2247:2009,AS 2041:1977, AASHTO M 180:2012	

KAMEN STEEL INDUSTRIES SDN BHD

No. PPS : 1151211PP0065
No. CERT : A002808

873, JALAN PERINDUSTRIAN BKT MINYAK, KAWASAN PERINDUSTIRAN BUKIT MINYAK,
14000 SEBERANG PERAI TENGAH PULAU PINANG

TEL : 045070911
FAX : 045079146

TARIKH MULA	15-01-2019	TARIKH TAMAT	14-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Cold Worked Ribbed Weldable Reinforcing Steel Wire Grade B500A Norminal Size: 4mm, 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm	KM	MS 146:2014	
Cold Reduced Mild Steel Wire for the Reinforcement Concrete Ribbed Wire Grade 500 Norminal Size: 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm Plain Wire Grade 500, 250/ Norminal Size: 6mm, 8mm, 10mm, 12mm	KM	MS 144:2014	
Welded Steel Fabric for the Reinforcement Concrete Square Mesh A98, A142, A193, A252, A318, A393, A475, A565, B196, B283, B385, B503, B636, B785, B950, B1131, D196, D283, D385, D503, D636, D785, D950, D1131 Wrapping Mesh D196, D283, D385, D503, D636, D785, D950, D1131	KM	MS 145:2014	

KANZEN TETSU SDN BHD

No. PPS : 1170202SL0166
No. CERT : A002179

LOT 6109, JALAN HAJI SALLEH, OFF JALAN MERU 5-1/2 MILES,
41050 KLANG SELANGOR

TEL : 03-3392 7273
FAX : 03-3392 6261

TARIKH MULA	16-04-2019	TARIKH TAMAT	15-04-2020
JENIS / SAIZ	JENAMA		STANDARD
Welded Stainless Steel Mechanical Tubing GRADE : MT-304, MT-304L TUBE SHAPE (ROUND) OUTSIDE DIMENSION : 3/8 IN. (9.5MM) TO 4 IN. (101.6MM) THICKNESS (MM) : 0.039 IN. (1.0MM) TO 0.118 IN. (3MM) GRADE : MT-304, MT-304L TUBE SHAPE (SQUARE): 1/2 IN. X 1/2 IN. (12.7MM X 12.7MM) TO 2 IN. X 2 IN. (50.8MM X 50.8MM) THICKNESS (MM): 0.039 IN. (1.0MM) TO 0.118 IN. (3MM) GRADE : MT-304, MT-304L TUBE SHAPE (RECTANGULAR): 1/2 IN. X 1 IN. (12.7MM - 25.4MM) TO 1IN. X 2 IN. (25.4MM X 50.8MM) THICKNESS (MM): 0.039 IN. (1.0MM) TO 0.118IN. (3MM) GRADE : MT-316, MT-316L TUBE SHAPE (ROUND) OUTSIDE DIMENSION : 3/8 IN.(9.5MM) TO 4 IN. (101.6MM) THICKNESS (MM) : 0.039 IN.(1.0MM) TO 0.118 IN. (3MM) GRADE : MT-316, MT-316L TUBE SHAPE (SQUARE): 1 IN. X 1 IN. (25.4MM X 25.4MM) TO 2 IN. X 2 IN. (50.8MM X 50.8MM) THICKNESS (MM): 0.039 IN. (1.0MM) TO 0.118 IN. (3MM)	KANZEN TETSU		ASTM A554-13

KANZEN TETSU SDN BHD (NILAI PLANT)

No. PPS : 1170310NS0174
No. CERT : A001140

LOT 5823, MUKIM SENTUL, KAWASAN INDUSTRI NILAI
71800 NILAI NEGERI SEMBILAN

TEL : 0333927273
FAX : 0333926261

TARIKH MULA	15-04-2019	TARIKH TAMAT	14-04-2020
JENIS / SAIZ	JENAMA		STANDARD
Welded Stainless Steel Pipes Grade TP304 / 21.34mm - 323.85 mm Grade TP304L / 21.34 mm - 323.85 mm Grade TP316 / 21.34 mm - 323.85 mm Grade TP316L / 21.34 mm - 323.85 mm mm	KANZEN TETSU		ASTM A312 A312M-17

KCSS WIREMESH SDN BHDNo. PPS : 1160721PK0138
No. CERT : A003930PT 132711, OFF PERSIARAN KLEDANG UTARA 1/5
KAWASAN PERINDUSTRIAN NEGARA JAYA MENGLEMBU 31450 KINTA PERAKTEL : 05-2817312
FAX : 05-2817311

TARIKH MULA	04-04-2019	TARIKH TAMAT	03-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Welded Steel Fabric for the Reinforcement Concrete Designated Fabric Square Mesh Deformed Bar A98, A142, A193, A252, A318, A393, A475, A565	KCSS WIREMESH SDN. BHD	MS 145:2014	
Cold Worked Ribbed Weldable Reinforcing Steel B500A Nominal Diameter (mm) = 5,6,7,8,9,10,11,12	KCSS WIREMESH SDN. BHD	MS 146:2014	

KIN KEE STEEL PIPE MANUFACTURING SDN BHDNo. PPS : 1180814SL0298
No. CERT : A002105LOT 743, JALAN KAPAR 4 1/2 MILES 41400, KLANG SELANGOR,
MALAYSIA 41400 SELANGORTEL : 03-32903223
FAX : 03-32906271

TARIKH MULA	14-08-2018	TARIKH TAMAT	13-08-2019
JENIS / SAIZ	JENAMA	STANDARD	
Cold Formed Carbon Steel Structural Tubing SHAPE = SQUARE; GRADE A OUTSIDE FLAT DIMENSION (mm) = 19.0 - 100.0 WALL THICKNESS (mm) = 1.5 - 6.0 RECTANGULAR; GRADE A WIDTH OUTSIDE FLAT DIMENSION (mm) = 50.0 - 100.0 HEIGHT OUTSIDE FLAT DIMENSION (mm) = 25.0 - 75.0 WALL THICKNESS (mm) = 1.5 - 6.0	KIN KEE STEEL PIPE MANUFACTURING SDN BHD	ASTM A500/ A500M	

KING HONG STEEL SDN BHDNo. PPS : 1151005SR0122
No. CERT : A004172LOT 2981 BLK 7 MTL D, DEMAK LAUT INDUSTRIAL PARK
93050 SARAWAKTEL : 082-433388
FAX : 082-433389

TARIKH MULA	13-03-2019	TARIKH TAMAT	12-03-2020
JENIS / SAIZ	JENAMA	STANDARD	
Hot Rolled Ribbed Weldable Reinforcing Steel 10MM, 12MM, 16MM, 20MM, 25MM, 32MM Hot Rolled Steel Wire For The Reinforcement of Concrete 10MM, 12MM	KHS	MS 146:2014	

KISWIRE SDN BHD (PC FACTORY)No. PPS : 1180522JH0279
No. CERT : A 002877PLO 475, JALAN TENGAR, KAWASAN PERINDUSTRIAN TANJUNG LANGSAT,
81700 JOHORTEL : 072549478
FAX :

TARIKH MULA	22-05-2018	TARIKH TAMAT	21-05-2019
JENIS / SAIZ		JENAMA	STANDARD
Prestressing Steel - Cold-drawn Wire Grade 1860- Low Relaxation, 12.7mm, 15.24mm, 15.7mm		Kiswire	MS 1138 : PART 2 : 2007

KLANG VALLEY WIRE SDN BHDNo. PPS : 1181207PH0331
No. CERT : A001497LOT 77B, LORONG GEBENG 1/7 GEBENG INDUSTRIAL ESTATE KUANTAN
26080 PAHANGTEL : 09-5837881
FAX : 09-5837882

TARIKH MULA	07-12-2018	TARIKH TAMAT	06-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete Square Mesh A98, A142, A193, A252, A318, A393, B283, B385, B503, B785		KLANG VALLEY WIRE	MS 145:2014

KUANTAN WIRE PRODUCTS SDN BHDNo. PPS : 1151223SL0073
No. CERT : A002147LOT 46, JALAN JASMINE 3 BUKIT BERUNTUNG
48300 HULU SELANGOR SELANGORTEL : 0360284751
FAX : 360284757

TARIKH MULA	26-01-2019	TARIKH TAMAT	25-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC TYPE: SQUARE MESH SIZE: A98 (A5), A142 (A6), A193 (A7), A252 (A8), A318 (A9), A393 (A10), A475 (A11), A565 (A12) BAR QUALITY: RIBBED BAR GRADE 500A OF MS 146:2014 DESIGNATED FABRIC TYPE: STRUCTURAL MESH SIZE: B196 (B5), B283 (B6), B385 (B7), B503 (B8), B636 (B9), B785 (B10) BAR QUALITY: RIBBED BAR GRADE 500A OF MS 146:2014 DESIGNATED FABRIC TYPE: WRAPPING MESH SIZE: D283 (D6), D385 (D7), D503 (D8), D636 (D9), D785 (D10) BAR QUALITY: RIBBED BAR GRADE 500A OF MS146:2014		KWP	MS 145:2014

LE NAM MEGASHEET (M) SDN BHD

No. PPS : 1190221PP0350
No. CERT : A002817

768, LORONG PERUSAHAAN BUKIT MINYAK 9, KAWASAN PERINDUSTRIAN BUKIT MINYAK,
MK13, SEBERANG PERAI TENGAH. 14100 PULAU PINANG

TEL : 04-5016133
FAX : 04-5016122

TARIKH MULA	21-02-2019	TARIKH TAMAT	20-02-2020
JENIS / SAIZ	JENAMA		STANDARD
Self-supporting Steel Roofing Trapezoidal Grade G300 (Without Organic Coating) Coating Grade =AZ150 Thickness = 0.25mm to 0.48mm Length = Maximum 2500mm Maximum Load (Single Span) = 81kN/m Maximum Load (Double Span) = 54kN/m Maximum Load (Triple Span) = 59kN/m Grade G550 (Without Organic Coating) Coating Grade = AZ100 Thickness = 0.25mm to 0.48mm Length = Maximum 2500mm Maximum Load (Single Span) = 81kN/m Maximum Load (Double Span) = 54kN/m Maximum Load (Triple Span) = 59kN/m Maximum Grade G550 (Without Organic Coating) Coating Grade = AZ150 Thickness = 0.25mm to 0.48mm Length = Maximum 2500mm Maximum Load (Single Span) = 81kN/m Maximum Load (Double Span) = 54kN/m Maximum Load (Triple Span) = 59kN/m	LEDEX		MS 2500:2012

LEADER STEEL SDN BHD

No. PPS : 1170202SR0165
No. CERT : A004179

LOT 841, BLOCK 7, MTLD JALAN DEMAK 3 DEMAK LAUT INDUSTRIAL PARK
93050 KUCHING SARAWAK

TEL : 082-439393
FAX : 082-439025

TARIKH MULA	02-02-2019	TARIKH TAMAT	01-02-2020
JENIS / SAIZ	JENAMA		STANDARD
Cold Formed Welded Structural Hollow Sections THICKNESS RANGE: 1.4MM - 4MM APPLICABLE TO CIRCULAR HOLLOW SECTIONS, SQUARE HOLLOW SECTIONS, RECTANGULAR HOLLOW SECTIONS	Leader Steel		BS EN 10219-1:2006
Hot Rolled Deformed Steel Bar for the Reinforcement of Concrete NOMINAL DIAMETER (mm) =10, 16, 12, 20, 25	LEADER STEEL		MS 146:2014

LEADER STEEL SERVICE CENTRE SDN BHDNo. PPS : 1181130PP0329
No. CERT : A002805LOT 393, MUKIM 12, KAWASAN PERUSAHAAN VALDOR
SUNGAI BAKAP SEBERANG PRAI SELATAN 14200 PULAU PINANGTEL : 045071515
FAX : 045079527

TARIKH MULA	30-11-2018	TARIKH TAMAT	29-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
Cold Formed Welded Structural LHollow Sections COLD FORMED SQUARE HOLLOW SECTION S235, JR, J0 HEIGHT & WIDTH (MM) = 75 - 150 THICKNESS (MM) = 2.1 - 6.0 MAXIMUM LENGTH (MM) =6000	EADER STEEL	MS EN 10219-1:2015	
COLD FORMED SQUARE HOLLOW SECTION S275, JR, J0 HEIGHT & WIDTH (MM) = 75 - 150 THICKNESS (MM) = 2.1 - 6.0 MAXIMUM LENGTH (MM) = 6000			
COLD FORMED RECTANGULAR HOLLOW SECTION S235, JR, J0 HEIGHT & WIDTH (MM) = 50 -200 THICKNESS (MM) = 2.1 - 6.0 MAXIMUM LENGTH (MM) = 6000			
COLD FORMED RECTANGULAR HOLLOW SECTION S275, JR, J0 HEIGHT & WIDTH (MM) = 50 - 200 THICKNESS (MM) = 2.1 - 6.0 MAXIMUM LENGTH (MM) = 6000			

**LEE CHUAN GUAN STEEL SDN BHD
(SCAFFOLD DIVISION)**No. PPS : 1180820JH0300
No. CERT : A 002895NO. 48, BATU 34, JALAN JOHOR
82000 PONTIAN JOHORTEL : 07-6862522
FAX : 07-6862522

TARIKH MULA	20-08-2018	TARIKH TAMAT	19-08-2019
JENIS / SAIZ	JENAMA	STANDARD	
Prefabricated Steel Frame Scaffolding 1930 x 1219 x 2.5 mm, 1700 x 1219 x 2.5 mm, 1524 x 1219 x 2.5 mm, 914 x 1210 x 2.5 mm, 2198 mm, 1724 mm, 2045 mm, 1928 mm, 1363 mm, 1850 mm, 1829 x 500 mm, 36 x 225 x 1.8, 32 x 600 mm, 32 x 600 mm	BestFIX	MS 1462-1:2012	

LEFORM SDN BHDNo. PPS : 1180524SL0280
No. CERT : A002180LOT 4306-4312, JALAN KG. MOHD TAIB, KAWASAN PERINDUSTRIAN SUNGAI CHOHO,
RAWANG 48000 SELANGORTEL : 03-60990666
FAX : 03-60990600

TARIKH MULA	24-05-2019	TARIKH TAMAT	23-05-2020
JENIS / SAIZ	JENAMA	STANDARD	
Carbon Steel Tubes For General Structural Purposes	LEFORM SDN BHD	JIS G 3444:2015	

STK 500 STEEL TUBE OD48.6MM X T2.5MM
 STK 500 STEEL TUBE OD42.7MM X T2.5MM
 STK 400 STEEL TUBE OD27.2MM X T2.0MM
 STK 500 STEEL TUBE OD48.6MM X T2.5MM
 COATED STEEL

LF ENGINEERING SDN BHD

No. PPS : 1190319SL0271
 No. CERT : A002172

LOT 4306-4312, JALAN KG. MOHD TAIB, KAWASAN PERINDUSTRIAN SUNGAI CHOHO,
 RAWANG 48000 SELANGOR

TEL : 03-60990666
 FAX : 03-60990600

TARIKH MULA	24-05-2019	TARIKH TAMAT	23-05-2020
JENIS / SAIZ	JENAMA	STANDARD	
Corrugated Sheet Steel Beam For Highway Guardrail MODEL : SHAPE= W-BEAM RATING : CLASS A SIZE : BASE METAL NOMINAL THICKNESS (MM) : 2.67	LF ENGINEERING SDN. BHD.	AASHTO M 180:2012	

LYE MANUFACTURING SDN BHD

No. PPS : 1151223SL0072
 No. CERT : A002104

LOT 1844, JALAN KPB 8, KAMPUNG BARU BALAKONG, KAJANG
 43300 HULU LANGAT SELANGOR

TEL : 03- 89611623
 FAX : 03- 89611092

TARIKH MULA	25-08-2018	TARIKH TAMAT	24-08-2019
JENIS / SAIZ	JENAMA	STANDARD	
Manhole Tops & Gully CLASS : D400 TYPE : MANHOLE COVERS & FRAMES CLEAR OPENING : 600 MM DIAMETER MATERIAL GRADE : 500/7	LYE	BS EN 124:1994	
Ductile Iron Pipes, Fittings, Accessories TYPE: FLANGED SPIGOTS NOMINAL SIZE (DN): 80, 100, 125, 150, 200, 250, 300, 350, 400, 450, 500, 600, 700, 800 TYPE: DOUBLE FLANGED TAPERS NOMINAL SIZE (DN X dn): 100 X 80, 125 X 100, 150 X 125, 200 X 150, 250 X 200, 300 X 250, 350 X 300, 400 X 300, 400 X 350, 450 X 400, 500 X 400, 600 X 500, 700 X 600, 800 X 700 TYPE: ALL FLANGED TEES NOMINAL SIZE (DN X dn): 80 X 80, 100 X 80, 100 X 100, 125 X 80, 125 X 100, 125 X 125, 150 X 80, 150 X 100, 150 X 125, 150 X 150, 200 X 80, 200 X 100, 200 X 125, 200 X 150, 200 X 200, 250 X 80, 250 X 100, 250 X 150, 250 X 200, 250 X 250, 300 X 80, 300 X 100, 300 X 150, 300 X 200, 300 X 250, 300 X 300, 350 X 80, 350 X 100, 350 X 150, 350 X 200, 350 X 250, 350 X 250, 350 X 350, 400 X 80, 400 X 100, 400 X 150, 400 X 200, 400 X 250, 400 X 300, 400 X 400, 450 X 100, 450 X 150, 450 X 200, 450 X 250, 450 X 300, 450 X 400, 450 X 450, 500 X 100, 500 X 200, 500 X 400, 500 X 500, 600 X 200, 600 X 400, 600 X 600, 700 X 200, 700 X 400, 700 X 700, 800 X 200, 800 X 400, 800 X 600, 800 X 800	LYE	BS EN 598:2007 + A1:2009	
Ductile Iron Pipes, Fittings, Accessories TYPE: DOUBLE FLANGED DUCKFOOT 90° (1/4) BENDS	LYE	MS 1919:2013	

NOMINAL SIZE (DN): 80, 100, 125, 150, 200, 250, 300, 350, 400, 450, 500, 600, 700, 800
 NOMINAL PRESSURE: PN 16

TYPE: DOUBLE FLANGED 90° (1/4), 45° (1/8) BENDS
 NOMINAL SIZE (DN): 80, 100, 125, 150, 200, 250, 300, 350, 400, 450, 500, 600, 700, 800,
 NOMINAL PRESSURE: PN 16

TYPE: DOUBLE FLANGED 22°30' (1/16), 11°15' (1/32) BENDS
 NOMINAL SIZE (DN): 80, 100, 125, 150, 200, 250, 300, 350, 400
 NOMINAL PRESSURE: PN 16

TYPE: ALL FLANGED TEES
 NOMINAL SIZE (DN): 80 x 80, 100 x 80, 100 x 100, 125 x 80, 125 x 100, 125 x 125, 150 x 80, 150 x 100, 150 x 125, 150 x 150, 200 x 80, 200 x 100, 200 x 125, 200 x 150, 200 x 200, 250 x 80, 250 x 100, 250 x 150, 250 x 200, 250 x 250, 300 x 60, 300 x 80, 300 x 100, 300 x 150, 300 x 200, 300 x 250, 300 x 300, 350 x 80, 350 x 100, 350 x 150, 350 x 200, 350 x 250, 350 x 350, 400 x 80, 400 x 100, 400 x 150, 400 x 200, 400 x 250, 400 x 300, 400 x 400, 450 x 100, 450 x 150, 450 x 200, 450 x 250, 450 x 300, 450 x 400, 450 x 450, 500 x 100, 500 x 200, 500 x 400, 500 x 500, 600 x 200, 600 x 400, 600 x 600, 700 x 200, 700 x 400, 700 x 700, 800 x 200, 800 x 400, 800 x 600, 800 x 800
 NOMINAL PRESSURE: PN 16

TYPE: DOUBLE FLANGED TAPERS
 NOMINAL SIZE (DN): 100 x 80, 125 x 100, 150 x 125, 200 x 150, 250 x 200, 300 x 250, 350 x 300, 400 x 300, 400 x 350, 450 x 400, 500 x 400, 600 x 500, 700 x 600, 800 x 700
 NOMINAL PRESSURE: PN 16

TYPE: BLANK FLANGES
 NOMINAL SIZE (DN): 80, 100, 125, 150, 200, 250, 300, 350, 400, 450, 500, 600, 700, 800
 NOMINAL PRESSURE: PN 16

TYPE: REDUCING FLANGES
 NOMINAL SIZE (DN): 200 x 80, 200 x 100, 200 x 125, 350 x 250, 400 x 250, 400 x 300, 700 x 500
 NOMINAL PRESSURE: PN 16

LYSAGHT CORRUGATED PIPE SDN BHD

No. PPS : 1150921PK0040
 No. CERT : A003919

LOT226181, JALAN JOHAN 1/7 KAWASAN PERINDUSTRIAN PENGKALAN 2, FASA 2,
 OFF JALAN PUSING, PUSING, PERAK 31550 PERAK TENGAH PERAK

TEL : 05-3663136
 FAX : 05-3662136

TARIKH MULA	03-01-2019	TARIKH TAMAT	02-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Corrugated Steel Pipe CLASS 1 AND CLASS 2		LYCORPIPE	AS 2041:1977
Corrugated Sheet Steel Beam For Highway Guardrail CLASS A TYPE 2		LYCORPIPE	AASHTO M 180:2012

MALAYSIA STEEL WORKS (KL) BERHAD

No. PPS : 1190111SL0342
No. CERT : A002152LOT 13039, JALAN WAJA BUKIT RAJA INDUSTRIAL ESTATE KLANG
41050 SELANGORTEL : 03-33445163
FAX : 03-33445157

TARIKH MULA	11-01-2019	TARIKH TAMAT	10-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Deformed Steel Bar for the Reinforcement of Concrete NOMINAL SIZE (MM) : 10, 12, 16 GRADE B500B, PRODUCED IN STRAIGHT LENGTH BY HOT ROLLING		MALAYSIA STEEL WORKS (KL) BHD	MS 146:2014

MALAYSIA STEEL WORKS (KL) BHD

No. PPS : 1151218SL0069
No. CERT : A00216829C, OFF JALAN TANDANG, SECTION 51,
46050 PETALING SELANGORTEL : 0377811611
FAX : 0377815811

TARIKH MULA	29-03-2019	TARIKH TAMAT	28-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Hot Rolled Deformed Steel Bar for the Reinforcement of Concrete Grade B500B Nominal size 10mm, 12mm, 16mm, 20mm, 25mm, 32mm, 40mm		MSW	MS 146:2014

MAPEL HARMONY SDN BHD

No. PPS : 1170811SL0210
No. CERT : A002173LOT 2794, JALAN SRI GAMBUT OFF JALAN KEBUN, SEKSYEN 32
40460 KLANG SELANGORTEL : 03-5162 8458
FAX : 03- 5162 8346

TARIKH MULA	11-08-2018	TARIKH TAMAT	10-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Prefabricated Steel Frame Scaffolding Components: Vertical Frame Coating Type: Painting, Hot Dip Galvanising Coating Thickness(µm): 25 Components: Cross Brace Coating Type: Painting, Hot Dip Galvanising Coating Thickness(µm): 25 Components: Catwalk Coating Type: Painting, Hot Dip Galvanising Coating Thickness(µm): 25 Components: Joint Pin Coating Type: Painting, Hot Dip Galvanising Coating Thickness(µm): 25 Components: Adjustable U-Head Coating Type: Painting, Hot Dip Galvanising		MHSB	MS 1462-1:2012

<p>Coating Thickness(µm): 25</p> <p>Components: Adjustable Base Plate Coating Type: Painting, Hot Dip Galvanising Coating Thickness(µm): 25</p> <p>Components: Arm Lock Coating Type: Painting, Hot Dip Galvanising Coating Thickness(µm): 25</p> <p>Components: Toe Board Coating Type: Painting, Hot Dip Galvanising Coating Thickness(µm): 25</p>		
<p>Metal Deck for Turbular Scaffolds (without hook)</p> <p>Metal Deck 1.0mm x 210mm x 1500mm</p> <p>Metal Deck 1.0mm x 210mm x 2000mm</p> <p>Metal Deck 1.0mm x 210mm x 3000mm</p> <p>Metal Deck 1.2mm x 210mm x 1000mm</p> <p>Metal Deck 1.2mm x 210mm x 1500mm</p> <p>Metal Deck 1.2mm x 210mm x 2000mm</p> <p>Metal Deck 1.2mm x 210mm x 3000mm</p>	MHSB	MS 1462-4-1:2013

MELEWAR STEEL TUBE SDN BHD

No. PPS : 1160609SL0129
No. CERT : A002089

LOT 49, JALAN UTAS 15/17 SEKSYEN 15
40200 SHAH ALAM SELANGOR

TEL : 03-55196499
FAX : 03-55104299

TARIKH MULA	27-06-2018	TARIKH TAMAT	26-06-2019
JENIS / SAIZ	JENAMA	STANDARD	
Steel Pipes For Water And Sewerage L275/100,125,150,200	MIG-MELEWAR	SPAN TS 21827: PART 2:2013	
Welded Steel Pipes LIGHT PIPES/15-100; BLACK AND GALVANISED MEDIUM PIPES/15-150; BLACK AND GALVANISED HEAVY PIPES/15-150; BLACKAND GALVANISED	MIG-MELEWAR	MS 863: 2010	
Steel Conduit for Electrical Wiring CLASS A PLAIN/3/4",1",1 1/4",1 1/2",2"; CLASS B SCREWED/3/4",1",1 1/4",1 1/2",2"	AURORA CONDUIT	BS 31:1940	
Rigid Steel Conduit For Cable Management NOMINAL DIAMETER = 20MM, 25MM	AURORA CONDUIT	MS 61386-21:2010	
Steel Tube For Metal Scaffolding ROUND STEEL TUBE TUBE CONDITION = HOT DIP GALVANISED TO EN 10240 QUALITY B2; TYPE 3 TUBE MANUFACTURE = WELDED OUTSIDE DIAMETER (MM) = 48.3 WALL THICKNESS (MM) = 3.2, LENGTH (M) = 6	MIG-MELEWAR	MS 1462-2-1:2010	
ROUND STEEL TUBE TUBE CONDITION = BARE; TYPE 3 TUBE MANUFACTURE = WELDED OUTSIDE DIAMETER (MM) = 48.3 WALL THICKNESS (MM) = 3.2, LENGTH (M) = 6			
ROUND STEEL TUBE TUBE CONDITION = HOT DIP GALVANISED TO EN 10240 QUALITY B2; TYPE 4; TUBE MANUFACTURE = WELDED; OUTSIDE DIAMETER (MM) = 48.3 WALL THICKNESS (MM) = 4.0, LENGTH (M) = 6			

ROUND STEEL TUBE
TUBE CONDITION = BARE; TYPE 4;
TUBE MANUFACTURE = WELDED
OUTSIDE DIAMETER (MM) = 48.3
WALL THICKNESS (MM) = 4.0, LENGTH (M) = 6

MELEWAR STEEL TUBE SDN BHD

No. PPS : 1160609SL0130
No. CERT : A002188

LOT 10, PERSIARAN SELANGOR 40200 SHAH ALAM
SELANGOR

TEL : 03-55112371
FAX : 03-55193352

TARIKH MULA	27-06-2018	TARIKH TAMAT	26-06-2019
JENIS / SAIZ	JENAMA	STANDARD	
Carbon Steel Pipes For Ordinary Piping NOMINAL SIZE (MM): 175,200, 250, 300, 350	MIG-MELEWAR	JIS G 3452	
Cold Formed Structural Steel Hollow Section S275JOH & S275J2H, SQUARE (MM): 65 X 65 - 250 X 250, THICKNESS: 2-10MM; S275JOH & S275J2H, RECTANGULAR (MM): 50 X 75 - 200 X 300, THICKNESS: 2-9MM	MIG-MELEWAR	EN 10219-1:2006	

MELEWAR STEEL TUBE SDN BHD

No. PPS : 1160609SL0132
No. CERT : A002087

LOT 53 PERSIARAN SELANGOR
40200 SHAH ALAM SELANGOR

TEL : 03-55193804
FAX : 03-55109733

TARIKH MULA	27-06-2018	TARIKH TAMAT	26-06-2019
JENIS / SAIZ	JENAMA	STANDARD	
Light Gauge Steel For General Purpose SIZE(MM): 125 X 50 X 20 THICKNESS = 2.3MM LENGTH = 6.0METER, GRADE: SSC400 TYPE: LIP CHANNEL STEEL	MIG-MELEWAR	JIS G 3350:2009	

METEX STEEL SDN BHD

No. PPS : 1150105NS0018
No. CERT : A001134

NO. 2, 2A & 6, JALAN INTAN, PHASE NU 3A1, NILAI UTAMA ENTERPRISE PARK,
NILAI 71800 SEREMBAN NEGERI SEMBILAN

TEL : 06-7998525
FAX : 06-7998530

TARIKH MULA	05-01-2019	TARIKH TAMAT	04-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Welded Steel Fabric for the Reinforcement Concrete DESIGNATED FABRIC / RIBBED BAR GRADE B500A OF MS 146 : 2014 / A142, 2014 / A193, 2014 / A252, 2014 / A318, 2014 / A393, 2014 / A475, 2014 / A565, 2014 / B385, 2014 / B503, 2014 / B636, 2014 / B785, 2014 / B950, 2014 / B1131, 2014 / D283, 2014 / D385, 2014 / D503, 2014 / D785, 2014 / D950, 2014 / D1131	METEX STEEL SDN BHD	MS 145:2014	

Cold Reduced Mild Steel Wire for the Reinforcement Concrete GRADE=500 / PLAIN WIRE PRODUCED IN COIL AND STRAIGHT LENGTH / 6MM, 7MM, 8MM, 9MM, 10MM, 11MM, 12MM GRADE=500 / RIBBED WIRE PRODUCED IN COIL AND STRAIGHT LENGTH / 6MM, 7MM, 8MM, 9MM, 10MM, 11MM, 12MM	METEX STEEL SDN BHD	MS 144:2014
Cold Worked Ribbed Weldable Reinforcing Steel GRADE = B500A / PRODUCED AS COIL AND DELIVERED DECOILED / 6 MM, 7MM, 8MM, 9MM, 10MM, 11MM, 12MM	METEX STEEL SDN BHD	MS 146:2014

MODULAR CONSTRUCTION SERVICES (M) SDN BHD

No. PPS : 1181012SL0311
No. CERT : A004171

LOT T, NO 2168 13TH MILES, JALAN SUBANG SUNGAI BULOH
47000 SELANGOR

TEL : 0392851551
FAX :

TARIKH MULA	12-10-2018	TARIKH TAMAT	11-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Modular Scaffolding 2.5M STANDARD, 2.3M STANDARD, 2.0M STANDARD, 1.8M STANDARD, 1.5M STANDARD, 1.3M STANDARD, 1.0M STANDARD, 1.8M LEDGER, 1.6M LEDGER, 1.3M LEDGER, 1.2M LEDGER, 1.0M LEDGER, BORAL U JACK, ADJUSTABLE FORKHEAD, ADJUSTABLE JACK BASE, SPIGOT, 1.8M STEEL BOARD, 1.2M STEEL BOARD	MC	MS 1462-3-2:2012	

NS BLUESCOPE MALAYSIA SDN BHD

No. PPS : 1140902SL0010
No. CERT : A002115

LOT 1551, JALAN BUKIT KAPAR KAPAR, KLANG
42200 KLANG SELANGOR

TEL : 03-33616888
FAX : 03-33616889

TARIKH MULA	28-09-2018	TARIKH TAMAT	27-09-2019
JENIS / SAIZ	JENAMA	STANDARD	
Aluminium-zinc Alloy-coated Steel Sheet In Coil Structural Quality Grade = G300 & G550 Coating Designation = AZ150, AZ200 Nominal Base Metal Thickness (mm) = 0.2-1.20 Maximum Width (mm) = 1219	ZINCALUME®	MS 1196:2004	
Aluminium-zinc Alloy-coated Steel Sheet In Coil Structural Quality Grade = G550 Coating Designation = AZ150 Nominal Base Metal Thickness (mm) = 0.2-1.20 Maximum Width (mm) = 1219	TRUECORE®	MS 1196:2004	
Aluminium-zinc Alloy-coated Steel Sheet In Coil Structural Quality Grade = G300 Coating Designation = AZ70, AZ90, AZ100 Nominal Base Metal Thickness (mm) = 0.2-1.20 Maximum Width(mm) = 1219	ZACS®	MS 1196:2004	
Aluminium-zinc Alloy-coated Steel Sheet In Coil Structural Quality Grade = G300 & G550	BLUESCOPE ZACS	MS 1196:2004	

Coating Designation = AZ90, AZ100 Nominal Base Metal Thickness (mm) = 0.2-1.20 Maximum Width (mm) = 1219		
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ150 Product Category = C3 Gloss Category = Type 2 Nominal Thickness (mm) = 0.20-0.90 Width (mm) = 610-1219	CLEAN COLORBOND®	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ150 Product Category = C3 Gloss Category = Type 1 Nominal Thickness (mm) = 0.20-0.90 Width (mm) = 610-1219	CAPERO®	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ100 Product Category = C3 Gloss Category = Type 2 Nominal Thickness (mm) = 0.20-0.90 Width (mm) = 610-1219	PRIMAMAJU-R™	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ90 Product Category = C2, Gloss Category = Type 2, Nominal Thickness (mm) = 0.20-0.90, Width (mm) = 610-1219	COOLZAL® PLUS	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ90 Product Category = C2 Gloss Category = Type 2 Nominal Thickness (mm) = 0.20-0.90 Width (mm) = 610-1219	BLUESCOPE ZACS	MS 2383:2011
Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ100 Product Category = C3 Gloss Category = Type 1 Nominal Thickness (mm) = 0.20-0.90 Width (mm) = 610-1219	ELEMENTS®	MS 2383:2011

Prefinished Sheet Metal Products for Interior/ Exterior Building Application Base Coated Metal: Hot Dip Aluminium Zinc-Coated Steel Certified to MS 1196 (Licence No. = PC000316) Coating Designation = AZ200 Product Category = C4 Gloss Category = Type 1 Nominal Thickness (mm) = 0.20-0.90 Width (mm) = 610-1219	CLEAN COLORBOND®	MS 2383:2011
---	------------------	--------------

OOI JOO KEE & BROTHERS SDN BHD

No. PPS : 1180716PP0289
 No. CERT : A001348

LOT 1218, JALAN SERUNAI, KAWASAN PERUSAHAAN VALDOR,
 SUNGAI BAKAP, 14200 SEBERANG PERAI SELATAN PULAU PINANG

TEL : 04-5829988
 FAX : 04-5820366

TARIKH MULA	16-07-2018	TARIKH TAMAT	15-07-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Self-supporting Steel Roofing New Sunroof Longrun Size Base Metal Thickness 0.18-0.48mm Cover Width 765mm Trapezoidal Profiled Sheet, Material Designation With Organic Coating= Min Grade 280 + Min Z180 Or Min AZ090 Without Organic Coating = Min Grade 280 + Min AZ100 High Rib 30 Size Base Metal Thickness 0.23-0.48mm Cover Width 760mm, Trapezoidal Profiled Sheet, Material Designation With Organic Coating= Min Grade 280 + Min Z180 Or Min AZ090 Without Organic Coating= Min Grade 280 + MinAZ100 Bendec Size Base Metal Thickness 0.18-0.42mm Cover Width 780mm Trapezoidal Profiled Sheet, Material Designation With Organic Coating= Min Grade 280 + Min Z180 Or Min AZ090 Without Organic Coating= Min Grade 280 + Min AZ100 Thickness 0.18-0.30 Cover Width 772mm; Base Metal Thickness 0.35-0.48mm Cover Width 762mm Trapezoidal Profiled Sheet Material Designation With Organic Coating= Min Grade 280 + Min Z180 Or Min Z090 Without Organic Coating= Min Grade 280 + Min AZ100 Superior Rib Size Base Metal Thickness 0.23-0.48mm Cover Width 762mm Trapezoidal Profiled Sheet, Material Designation With Organic Coating= Min Grade 280 + Min Z180 Or Min AZ090 Without Organic Coating= Min Grade 280 + AZ100 Clip Lock 672 Size Base Metal Thickness 0.40-0.48mm Cover Width 672mm Trapezoidal Profiled Sheet, Material Designation With Organic Coating= Min Grade 550 + Min Z180 Or Min AZ090 Without Organic Coating= Min Grade 550 + AZ100	Astino	MS 2500:2012

ORIENTAL STEEL PIPE SDN BHDNo. PPS : 1181004JH0285
No. CERT : A 004072PTD 3393, BT. 2 JALAN GELANG PATAH-TANJUN KUPANG
TAMAN INDUSTRI PERINTIS 79200 ISKANDAR PUTERI 79200 JOHORTEL : 03-3101 3423
FAX : 03-3101 3426

TARIKH MULA	28-09-2018	TARIKH TAMAT	27-09-2019
JENIS / SAIZ	JENAMA	STANDARD	
Steel Pipes For Water And Sewerage OD 660 mm, OD 813 mm, OD 914 mm, OD 1219 mm	Oriental Steel Pipe	SPAN TS 21827: PART 1:2013	

ORIENTAL STEEL PIPE SDN BHDNo. PPS : 1181121SL0325
No. CERT : A002136LOT 3, LORONG SG CHANDONG TAMAN PERINDUSTRIAN PULAU INDAH PELABUHAN
KLANG SELANGOR 42009 SELANGORTEL : 03 - 3101 3423
FAX : 03 - 3101 3426

TARIKH MULA	21-11-2018	TARIKH TAMAT	20-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
Cold Formed Welded Structural Hollow Sections MODEL : CFCHS = COLD FORMED CIRCULAR HOLLOW SECTION, S355J0+H OUTER DIAMETER (MM) : 620 - 1200 THICKNESS (MM) : 10 - 20 LENGTH (MM) : MAX. 35500	ORIENTAL STEEL PIPE SDN. BHD.	BS EN 10219-1:2006	

PANTECH STAINLESS & ALLOY INDUSTRIES SDN BHDNo. PPS : 1181112JH0321
No. CERT : A 004079PTD 204334, JLN PLATINUM UTAMA, KAWASAN PERINDUSTRIAN PASIR GUDANG,
ZON 12B, PASIR GUDANG, JOHOR, MALAYSIA 81700 JOHORTEL : 07-2518888
FAX : 07-2519999

TARIKH MULA	12-11-2018	TARIKH TAMAT	11-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
Welded Stainless Steel Pipes 1/2", 3/4", 1", 1 1/4", 1 1/2", 2", 2 1/2", 3", 3 1/2", 4", 5", 6", 8", 10", 12", 14", 16"	PANTECH STAINLESS STEEL & ALLOY	ASTM A312-13A	

PAU TATT WATER PIPE SDN BHDNo. PPS : 1181016SL0313
No. CERT : A002126LOT PT35343, BATU 1 1/2, JALAN BANGI LAMA, SEMENYIH
SELANGOR DARUL EHSAN. 43500 SELANGORTEL : 03-8724 6228 /
6229 / 6233 / 6223
FAX : 07-2519999

TARIKH MULA	16-10-2018	TARIKH TAMAT	15-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Steel Pipes For Water And Sewerage 355.6MM, 406.4MM, 457.0MM, 508.0MM, 610.0MM,	PAU TATT	SPAN TS 21827: PART 1:2013	

660.0MM, 711.0MM, 762.0MM, 813.0MM, 914.0MM, 1016.0MM, 1219.0MM, SUBMERGED ARC WELDED		
88.9MM, 114.3MM, 168.3MM, 219.1MM, 273.0MM, 323.9MM, 88.9MM, 114.3MM, 168.3MM, 219.1MM, 273.0MM, 323.9MM, GUSSETED BENDS, FABRICATED FROMV ELECTRIC WELDED TUBES		
114.3MM, 168.3MM, 219.1MM, 273MM, 323.9MM ELECTRIC WELDED		
355.6MM, 406.4MM, 457.0MM, 508.0MM, 610.0MM, 711.0MM, 762.0MM, 813.0MM, 914.0MM, 1016.0MM, 1219.0MM GUSSETED BENDS, FABRICATED FROM SUBMERGED ARC WELDED TUBES		
355.6MM, 406.4MM, 457.0MM, 508.0MM, 610.0MM, 711.0MM, 762.0MM, 813.0MM, 914.0MM, 1016.0MM, 1219.0MM TEES, FABRICATED FROM SUBMERGED ARC WELDED TUBES		

PERFECT CHANNEL SDN BHD

No. PPS : 1160608KD0128
No. CERT : A 001376

KAWASAN PERINDUSTRIAN GURUN PO BOX 25,
BEDONG, KEDAH 08100 KUALA MUDA KEDAH

TEL : 604-4688466
FAX : 604-4688541

TARIKH MULA	30-11-2018	TARIKH TAMAT	29-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
Hot Rolled Ribbed Weldable Reinforcing Steel GRADE B500B - SIZE 10MM, 12MM,16MM, 20MM, 25MM, 32MM, 40MM	Perfect Channel Sdn Bhd	MS 146:2014	
Hot Rolled Steel Wire ForThe Reinforcement of Concrete GRADE 250 - SIZE 5.5MM, 6MM, 7MM, 8MM, 9MM, 10MM	PERFECT CHANNEL SDN BHD	MS 144:2014	
General Purpose Wire Rod Grade C9D - Size 5.5mm, Grade C10D - Size 5.5mm, Grade C10D - Size 6.0mm, Grade C10D - Size 6.5mm, Grade C12D - Size 5.5mm, Grade C12D - Size 6.0mm, Grade C12D - Size 6.5mm, Grade C12D - Size 7.0mm, Grade C12D - Size 8.0mm, Grade C12D - Size 9.0mm, Grade C12D - Size 10.0mm, Grade C12D - Size 11.0mm, Grade C15D - Size 9.0mm, Grade C15D - Size 10.0mm, Grade C15D - Size 11.0mm	PERFECT CHANNEL	MS ISO 16120-2:2008	

PERNIAGAAN LOGAM XING FA SDN BHD

No. PPS : 1170412NS0181
No. CERT : A001138

PT3340 & 3341 JLN PERMATA 1/2 ARAB MALAYSIAN INDUSTRIAL PARK NEGERI SEMBILAN
71800 NILAI NEGERI SEMBILAN

TEL : 06-7997161
FAX : 06-7997025

TARIKH MULA	12-04-2019	TARIKH TAMAT	11-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Manhole Tops & Gully ROUND DESIGN / 840MM X 840MM X 100MM(H) CLASS D 400 CLEAR OPENING: 600MM	PLXF	BS EN 124:1994	

PIPEFAB INDUSTRIES SDN BHD

No. PPS : 1180927SL0306
No. CERT : A002116LOT 822 & 842 JALAN SUBANG 7 SG PENAGA INDUSTRIAL PARK SUBANG JAYA
47500 PETALING SELANGORTEL : 0380231033
FAX : 0380231022

TARIKH MULA	27-09-2018	TARIKH TAMAT	26-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Steel Pipes For Water And Sewerage 323.9 mm, 406.4 mm, 457 mm, 508 mm, 610 mm, 711 mm, 762 mm, 813 mm, 914 mm, 1016 mm		PLXF	BS EN 124:1994

PROGRESS WELDED MESH SDN BHD

No. PPS : 1151216JH0068
No. CERT : A 004083106, JALAN CYBER 5, SENAI INDUSTRIAL ESTATE III,
81400 KULAIJAYA JOHORTEL : +6075991800
FAX : +6075993366

TARIKH MULA	20-12-2018	TARIKH TAMAT	19-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete SQUARE MESH - A63,A80,A98, A119, A142, A166, A193, A221, A252, A284, A318, A354, A393, A433, A475, A519, A565, A614, A664; STRUCTURAL MESH - B196, B238, B283, B332, B385, B442, B503, B568, B636, B708, B785, B866, B950, B1038, B1131, B1228, B1328; WRAPPING MESH - D126, D160,D196, D238, D283, D332, D385, D442, D503, D568, D636, D708, D785, D866, D950, D1038, D1131, D1228, D1328; MEDIUM SQUARE MESH - RE84, RE106, RE131, RE158, RE188, RE221, RE253, RE295, RE335, RE378, RE424, RE473, RE523, RE577, RE634, RE692, RE754, RE818, RE885, RE257, R6/25		PROGRESS WELDED	MS 145:2014
Cold Worked Ribbed Weldable Reinforcing Steel NOMINAL SIZE (MM) - 4.4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13		PROGRESS WELDED MESH	MS 146:2014
Welded Steel Fabric for the Reinforcement Concrete 5. PURPOSE MADE FABRIC - PWM10.5/10-100/300, PWM10/10-125/200		PROGRESS WELDED	MS 145:2014

RM WIRE INDUSTRIES SDN BHD

No. PPS : 1151223JH0074
No. CERT : A 0028889, JALAN BELATI 2, KAWASAN PERINDUSTRIAN MAJU JAYA,
81300 JOHOR BAHRU JOHORTEL : 07-5576078 / 9
FAX : 07-5576082

TARIKH MULA	24-08-2018	TARIKH TAMAT	23-08-2019
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete Square Mesh/ A98, A142, A193, A252, A318, A393; Structural Mesh/ B196, B283, B385, B503, B636, B785; Designated Fabric/ D196, D283, D385, D503, D636, D785		RM WIRE INDUSTRIES SDN. BHD.	MS 145:2014

SABAH WIREMESH & FENCING SDN BHD

No. PPS : 1161107SB0152
No. CERT : A001627MILE 5, JALAN TUARAN
88811 KOTA KINABALU SABAHTEL : 088426140
FAX : 088423301

TARIKH MULA	08-11-2018	TARIKH TAMAT	07-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
Welded Steel Fabric for the Reinforcement Concrete A142 / 6MM, A193 / 7MM, A252 / 8MM, A318 / 9MM, A393 / 10MM, A475 / 11MM, A565 / 12MM, B283 / 6MM, B385 / 7MM, B503 / 8MM, B636 / 9MM, B785 / 10MM, B950 / 11MM, B1131 / 12MM	SWM	MS 145:2014	

SCAFFOLDS BUILDER SDN BHD

No. PPS : 1190507NS0360
No. CERT : A001142PT 3268 JALAN PERMATA 2/1 ARAB MALAYSIA
INDUSTRIAL PARK NILAI 71800 NEGERI SEMBILANTEL : 03-79845529
FAX : 03-79845534

TARIKH MULA	07-05-2019	TARIKH TAMAT	06-05-2020
JENIS / SAIZ	JENAMA	STANDARD	
Prefabricated Steel Frame Scaffolding VERTICAL FRAME 1219 x 1700mm, CROSS BRACE, JOINT PIN, ADJUSTABLE U HEAD, ADJUSTABLE BASE PLATE	SCAFFOLDS BUILDER SDN BHD	MS 1462-1:2012	

SOUTHERN CONCRETE SDN BHD

No. PPS : 1180716PK0290
No. CERT : A001142PT 1097 2 1/2 KM, OFF JALAN PENGKALAN, MUKIM SG RAYA KG.
KEPAYANG 31300 PERAKTEL : 05-3574948
FAX : 05-3573035

TARIKH MULA	16-07-2018	TARIKH TAMAT	15-07-2019
JENIS / SAIZ	JENAMA	STANDARD	
Manhole Tops & Gully A15	SOUTHERN CONCRETE SDN BHD	BS EN 124:1994	

SOUTHERN PC STEEL SDN BHD (55573-U)

No. PPS : 1190109SL0340
No. CERT : A002151NO.5, JALAN UTAS 15/7, SEKSYEN 15, 40200 SHAH ALAM,
SELANGOR, MALAYSIA 40200 SHAH ALAM SELANGORTEL : 03-55105166
FAX : 03-55199702

TARIKH MULA	09-01-2019	TARIKH TAMAT	08-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Steel Strand, Uncoated Seven-Wire For Prestressed Concrete NOMINAL TENSILE STRENGTH (N/MM2)=1860	SOUTHERN PC STEEL	MS 1138 : PART 4 : 2007	

NOMINAL STRAND DIAMETER (MM)=9.5, 12.7, 15.2, 12.7 RELAXATION CLASS=RELAX 2 (LOW)		
Prestressing Steel - Steel Bar GRADE 1420 / 9.0 MM RELAXATION CLASS = RELAX 2 (LOW) SURFACE CONFIGURATION = G (GROOVED)	SOUTHERN PC STEEL SDN BHD	MS 1138 : PART 3 : 2007
Prestressing Steel - Cold-drawn Wire NOMINAL TENSILE STRENGTH=1670 N/MM2 / 4 MM WIRE SURFACE : P(PLAIN) RELAXATION CLASS = RELAX 2 (LOW)		
Prestressing Steel - Cold-drawn Wire NOMINAL TENSILE STRENGTH=1770 N/MM2 / 4 MM, MM2 / 5 MM WIRE SURFACE : I (CHEVRON) RELAXATION CLASS = RELAX 2 (LOW)		
Prestressing Steel - Cold-drawn Wire NOMINAL TENSILE STRENGTH=1670 N/MM2 / 5MM WIRE SURFACE : I (OVAL) RELAXATION CLASS = RELAX 2 (LOW) 1570 N/MM2 / 7 MM WIRE SURFACE : P (PLAIN) RELAXATION CLASS = RELAX 2 (LOW)		

SOUTHERN PIPE INDUSTRY (M) SDN BHD

No. PPS : 1150909PP0038
No. CERT : A002815

4577, MK15, OFF JALAN CHAIN FERRY, SEBERANG PERAI TENGAH
12100 BUTTERWORTH PULAU PINANG

TEL : 04-3317393
FAX : 04-3232640

TARIKH MULA	22-03-2019	TARIKH TAMAT	21-03-2020
JENIS / SAIZ	JENAMA	STANDARD	
Steel Conduit for Electrical Wiring Class B (Finishing: Class 3); rating 3/4	SMARTUBE	BS 31:1940	
Steel Conduit For Electrical Installation Screwed Type Steel Conduit Type Of Protection = Class 3 Medium Heavy Protection, Inside As Class 2 Outside As Class 4 Nominal Size (mm) = 25	SMARTUBE	BS 4568 : PART 1:1970	
Rigid Steel Conduit For Cable Management Classification Code 441611403410 Nominal Diameter 20mm	SMARTUBE	MS 61386-21:2010	
Welded Steel Pipes L2; BARE; WELDED(W); PLAIN; OD=33.7MM; LENGTH=6M L2; Bare; Welded(W); Plain; OD=42.4mm; Length=6m L2; Bare; Welded(W); Plain; OD=48.3mm; Length=6m L2; Bare; Welded(W); Plain; OD=60.3mm; Length=6m L2; Bare; Welded(W); Plain; OD=76.1mm; Length=6m L2; Bare; Welded(W); Plain; OD=88.9mm; Length=6m L2; Bare; Welded(W); Plain; OD=114.3mm; Length=6m M; Bare; Welded(W); Plain OD=33.7mm; Length=6m; OD=42.4mm; Length=6m OD=48.3mm; Length=6m; OD=60.3mm; Length=6m OD=76.1mm; Length=6m; OD=88.9mm; Length=6m OD=114.3mm; Length=6m; OD=165.1mm; Length=6m H; Bare; Welded(W); Plain OD=33.7mm; Length=6m; OD=42.4mm; Length=6m	Southern Pipe Industry (Malaysia) Sdn. Bhd.	MS 863: 2010	

<p>OD=48.3mm; Length=6m; OD=60.3mm; Length=6m OD=76.1mm; Length=6m; OD=88.9mm; Length=6m OD=114.3mm; Length=6m; OD=165.1mm; Length=6m</p> <p>L2; Galvanised; Welded(W); Plain OD=33.7mm; Length=6m; OD=42.4mm; Length=6m OD=48.3mm; Length=6m; OD=60.3mm; Length=6m OD=76.1mm; Length=6m; OD=88.9mm; Length=6m OD=114.3mm; Length=6m</p> <p>M; Galvanised; Welded(W); Plain OD=33.7mm; Length=6m; OD=42.4mm; Length=6m OD=48.3mm; Length=6m; OD=60.3mm; Length=6m OD=76.1mm; Length=6m; OD=88.9mm; Length=6m OD=114.3mm; Length=6m; OD=165.1mm; Length=6m</p> <p>H; Galvanised; Welded(W); Plain OD=33.7mm; Length=6m; OD=42.4mm; Length=6m OD=48.3mm; Length=6m; OD=60.3mm; Length=6m OD=76.1mm; Length=6m; OD=88.9mm; Length=6m OD=114.3mm; Length=6m; OD=165.1mm; Length=6m</p>		
<p>Cold Formed Welded Structural Hollow Sections Cold Formed Square Hollow Section Quality Designation=J0 Delivery Condition=H(Hollow Section) Steel Name:Structural Steel=S275 Width(mm) x Height(mm) 38X38 - 150X150 Thickness(mm) 2.3 - 6 Maximum Length (mm) 6000 Steel=S275 Width(mm) x Height(mm) 50X25 - 200X100 Thickness(mm) 2.3 - 6 Maximum Length(mm) 6000</p>	<p>Southern Pipe Industry (Malaysia) Sdn Bhd</p>	<p>MS EN 10219-1:2015</p>

SOUTHERN STEEL BERHAD

No. PPS : 1140522PP0003
No. CERT : A002806

2723, LORONG PERUSAHAAN 12, PRAI INDUSTRIAL ESTATE
13600 SEBERANG PERAI TENGAH PULAU PINANG

TEL : 04-3852830
FAX : 04-3852874

TARIKH MULA	22-01-2019	TARIKH TAMAT	21-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
<p>Hot Rolled Plain Steel Bar For The Reinforcement of Concrete GRADE 250 NOMINAL SIZE(MM) : 16,20</p> <p>GRADE B500B NOMINAL SIZE(MM) : 10MM, 12MM, 16MM, 20MM, 25MM, 32MM, 40MM</p> <p>GRADE B500C NOMINAL SIZE(MM) : 10MM, 12MM, 16MM, 20MM, 25MM, 32MM, 40MM</p> <p>GRADE 250 / NOMINAL SIZE(MM) : 10MM, 12MM, 6MM, 8MM, 10MM</p>	<p>Southern Steel</p>	<p>MS 146:2006</p>	

SOUTHERN STEEL MESH SDN BHD

No. PPS : 1140912SL0012
No. CERT : A0020865 1/2 MILES, JALAN KAPAR, 42100 KLANG
SELANGORTEL : 0332912116/
2117/2118
FAX : 0332913050

TARIKH MULA	25-06-2018	TARIKH TAMAT	24-06-2019
JENIS / SAIZ		JENAMA	STANDARD
Welded Steel Fabric for the Reinforcement Concrete MODEL : DESIGNATED FABRIC TYPE : SQUARE MESH SIZE : A98, A142, A193, A252, A318, A393, A475, A565 MODEL : DESIGNATED FABRIC TYPE : STRUCTURAL MESH SIZE : B196, B283, B385, B503, B636, B785, B950, B1131 MODEL : DESIGNATED FABRIC TYPE : LONG MESH SIZE : C196, C283, C385, C503, C636, C1131 MODEL : DESIGNATED FABRIC TYPE : WRAPPING MESH SIZE : D196, D283, D385, D503, D636, D785, D950, D1131		SSM	MS 145:2014

SOUTHERN STEEL MESH SDN BHD

No. PPS : 1180313PP0259
No. CERT : A0028182489, LORONG PERUSAHAAN 12, PRAI INDUSTRIAL ESTATE 13600 PRAI,
PENANG 13600 PULAU PINANGTEL : 04-3998266
FAX : 04-3901827

TARIKH MULA	13-03-2019	TARIKH TAMAT	12-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Cold Worked Ribbed Weldable SSM Reinforcing Steel Grade: B500A Nominal Diameter: 5mm, 6mm, 7mm, 8mm, 9mm, 10mm, 11mm, 12mm Welded Steel Fabric for the Reinforcement Concrete Square Mesh / A98, A142, A193, A252, A318, A393, A475, A565, B196, B283, B385, B503, B636, B785, B950, B1131; Long Mesh / C196, C283, C385, C503, C636, C785, C950, C1131 Wrapping Mesh / D196, D283, D385, D503, D636, D785, D950, D1131		SSM	MS 146:2014

SOUTHERN STEEL ROD SDN BHD

No. PPS : 1160127PP0093
No. CERT : A001344

2723 LORONG PERUSAHAAN 12 PRAI INDUSTRIAL ESTATE PRAI,
13600 SEBERANG PERAI TENGAH PULAU PINANG

TEL : +604 390 6540
FAX : 04 385 2874

TARIKH MULA	03-07-2018	TARIKH TAMAT	02-07-2019
JENIS / SAIZ	JENAMA		STANDARD
General Purpose Wire Rod C7D / 5.5mm-14mm, C9D / 5.5mm-14mm, C10D / 5.5mm-14mm, C12D / 5.5mm-14mm, C15D / 5.5mm-14mm, C18D / 5.5mm-14mm, C50D / 5.5mm-14mm, C52D / 5.5mm-14mm, C60D / 5.5mm-14mm, C62D / 5.5mm-14mm, C70D / 5.5mm-14mm, C72D / 5.5mm-14mm, C76D / 5.5mm-14mm, C78D / 5.5mm-14mm, C80D / 5.5mm-14mm, C82D / 5.5mm-14mm	SOUTHERN STEEL		MS ISO 16120-2:2008
Steel Wire Rod C4D1 / NOMINAL SIZE : 5.5mm - 14.0mm, C8D2 / 5.5mm-14mm, C10D2 / 5.5mm-14mm, C12D2 / 5.5mm-14mm, C15D2 / 5.5mm-14mm, C20D2 / 5.5mm-14mm, C42D2 / 5.5mm-14mm, C46D2 / 5.5mm-14mm, C48D2 / 5.5mm-14mm, C50D2 / 5.5mm-14mm, C52D2 / 5.5mm-14mm, C58D2 / 5.5mm-14mm, C60D2 / 5.5mm-14mm, C62D2 / 5.5mm-14mm, C66D2 / 5.5mm-14mm, C68D2 / 5.5mm-14mm, C70D2 / 5.5mm-14mm, C72D2 / 5.5mm-14mm, C76D2 / 5.5mm-14mm, C78D2 / 5.5mm-14mm, C80D2 / 5.5mm-14mm, C82D2 / 5.5mm-14mm	SOUTHERN STEEL		MS ISO 16120: PART 1, MS ISO 16120: PART3, MS ISO 16120: PART 4
Hot Rolled Steel Wire ForThe Reinforcement of Concrete GRADE 250 NOMINAL SIZE(MM) : 6MM - 12MM Hot Rolled Deformed Steel Bar for the Reinforcement of Concrete B500B / 10mm, B500B / 12mm	Southern Steel		MS 144:2014

ST STEEL INDUSTRIES SDN BHD

No. PPS : 1180122PP0244
No. CERT : A002814

LOT 710, MUKIM 13 JALAN TOK KANGAR SIMPANG AMPAT
14100 PULAU PINANG

TEL : 017-533 7223
FAX : 04-5077 898

TARIKH MULA	31-01-2019	TARIKH TAMAT	30-01-2020
JENIS / SAIZ	JENAMA		STANDARD
Cold Worked Steel Wire for the Reinforcement of Concrete Decoiled Plain Steel Wire - 10mm, 8mm, 6mm GRADE 250	ST STEEL INDUSTRIES		MS 144:2014

STEEL INDUSTRIES (SABAH) SDN BHDNo. PPS : 1151029SB0052
No. CERT : A001628MILE 7 1/2, JALAN TUARAN, INANAM INDUSTRIAL ESTATE,
LOCKED BAG 87 88992 KOTA KINABALU SABAHTEL : 088-427111
FAX : 088-420111

TARIKH MULA	19-01-2019	TARIKH TAMAT	18-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Hot Rolled Steel Wire ForThe Reinforcement of Concrete 10 mm, 12mm	Grade 250 SISB	MS 144:2014	
Hot Rolled Ribbed Weldable Reinforcing Steel 10mm, 12mm, 16mm, 20mm, 25mm, 32mm	Grade B500B SISB	MS 146:2014	

SYARIKAT LANRIC INDUSTRIES SDN BHDNo. PPS : 1171220PK0233
No. CERT : A003926PLOT 171, HALA PERUSAHAAN MENGLEMBU 1,
30200 FALIM, IPOH 30200 PERAKTEL : 052822361
FAX : 052822363

TARIKH MULA	08-03-2019	TARIKH TAMAT	07-03-2020
JENIS / SAIZ	JENAMA	STANDARD	
Steel Conduit For Electrical Installation 20mm & 25mm	LanRic	BS 4568 : PART 1:1970	

T.E.M. CASTING PRODUCTS SDN BHDNo. PPS : 1180727PK0294
No. CERT : A001296LOT 7274 LORONG PERUSAHAAN 2 KAWASAN PERINDSUTRIAN KRIAN
PARIT BUNTAR 34200 PERAKTEL : 057169945
FAX : 057169948

TARIKH MULA	27-07-2018	TARIKH TAMAT	26-07-2019
JENIS / SAIZ	JENAMA	STANDARD	
Manhole Tops & Gully 600, 620mm Diameter	tem	BS EN 124:1994	

TAMPIN SIN YONG WAI INDUSTRY SDN BHDNo. PPS : 1151211NS0063
No. CERT : A001136LOT 367, KAWASAN INDUSTRI KECIL, TAMAN GUNUNG MAS,
73000 TAMPIN NEGERI SEMBILANTEL : 06-4417450
FAX : 06-4412335

TARIKH MULA	22-02-2019	TARIKH TAMAT	21-02-2020
JENIS / SAIZ	JENAMA	STANDARD	
Welded Steel Fabric for the Reinforcement Concrete SQUARE MESH A142, A193, A252, A318, A393, A475, A565, A664	SY	MS 145:2014	

STRUCTURAL MESH
B283, B385, B503, B636, B785, B950, B1131, B1328

WRAPPING MESH
D283, D385, D503, D636, D785

TAN TIMUR STAINLESS STEEL DAN COOPER SDN BHD

No. PPS : 1190219PP0348
No. CERT : A002816

PLOT 397, LORONG PERUSAHAAN 8, PRAI INDUSTRIAL ESTATE.
13600 PULAU PINANG

TEL : 04-3800883
FAX : 04-3800882

TARIKH MULA	19-02-2019	TARIKH TAMAT	18-02-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
<p>Welded Austenitic Stainless Steel Pipes TP304 1/2" SCH10, TP304 3/4" SCH10, TP304 3/8" SCH10, TP304 1" SCH10, TP304 1-1/4" SCH10, TP304 1-1/2" SCH10, TP304 2" SCH10, TP304 2-1/2" SCH10, TP304 3" SCH10, TP304 4" SCH10, TP304 5" SCH10, TP304 6" SCH10, TP304 8" SCH10, TP304/304L 1/2" SCH10, TP304/304L 3/4" SCH10, TP304/304L 3/8" SCH10, TP304/304L 1" SCH10, TP304/304L 1-1/4" SCH10, TP304/304L 1-1/2" SCH10, TP304/304L 2" SCH10, TP304/304L 2-1/2" SCH10, TP304/304L 3" SCH10, TP304/304L 4" SCH10, TP304/304L 5" SCH10, TP304/304L 5" SCH10, TP304/304L 8" SCH10, TP304 1/2" SCH40, TP304 3/4" SCH40, TP304 3/8" SCH40, TP304 1" SCH40, TP304 1-1/4" SCH40, TP304 1-1/2" SCH40, TP304 2" SCH40, TP304 2-1/2" SCH40, TP304 3" SCH40, TP304 4" SCH40, TP304 6" SCH40, TP304/304L 1/2" SCH40, TP304/304L 3/4" SCH40, TP304/304L 3/8" SCH40, TP304/304L 1" SCH40, TP304/304L 1-1/4" SCH40, TP304/304L 1-1/2" SCH40, TP304/304L 2" SCH40, TP304/304L 2-1/2" SCH40, TP304/304L 3" SCH40, TP304/304L 4" SCH40, TP304/304L 6" SCH40, TP316/316L 1/2" SCH10, TP316/316L 3/4" SCH10, TP316/316L 1" SCH10, TP316/316L 1-1/4" SCH10, TP316/316L 1-1/2" SCH10, TP316/316L 2" SCH10, TP316/316L 2-1/2" SCH10, TP316/316L 3" SCH10, TP316/316L 4" SCH10, TP316/316L 1/2" SCH40, TP316/316L 3/4" SCH40, TP316/316L 1" SCH40, TP316/316L 1-1/4" SCH40, TP316/316L 1-1/2" SCH40, TP316/316L 2" SCH40</p>	TT	ASTM A312/A 312M-2014B

TEIKSHUN FOUNDRY SDN BHD

No. PPS : 1190424PP0357
No. CERT : A002821

2, LORONG IKS SIMPANG EMPAT I, TAMAN IKS SIMPANG EMPAT SEBERANG PERAI
SELATAN 14100 PULAU PINANG

TEL : 04-5885545
FAX : 04-5881545

TARIKH MULA	24-04-2019	TARIKH TAMAT	23-04-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Manhole Covers MODEL: ROUND DESIGN COVER	TS	BS EN 124:1994

RATING: GROUP 4
 CLASS D400 , CLEAR OPENING = MINIMUM 600MM
 TYPE : MATERIAL =DUCTILE IRON
 SIZE : 840MM X 840MM X 100MM (H)
 DESCRIPTION : 840 MANHOLE TOP FOR VEHICULAR AND PEDESTRIAN AREA

MODEL: ROUND DESIGN COVER
 RATING: GROUP 3; CLASS C250
 CLEAR OPENING = MINIMUM 600MM
 TYPE : MATERIAL = DUCTILE IRON
 SIZE : 710MM X 710MM X 50MM (H) ,
 DESCRIPTION : 710 MANHOLE TOP FOR VEHICULAR AND PEDESTRIAN AREA

MODEL: SQUARE DESIGN COVER
 RATING: GROUP 4; CLASS D400
 CLEAR OPENING = MINIMUM 600MM
 TYPE : MATERIAL = DUCTILE IRON
 SIZE : 755MM X 755MM X 95MM (H)
 DESCRIPTION : MC3 MANHOLE TOP FOR VEHICULAR AND PEDESTRIAN AREA

MODEL: SQUARE DESIGN COVER
 RATING: GROUP 4; CLASS D400
 CLEAR OPENING = MINIMUM 600MM
 TYPE : MATERIAL = DUCTILE IRON
 SIZE : 847MM X 847MM X 150MM (H)
 DESCRIPTION : 3E MANHOLE TOP FOR VEHICULAR AND PEDESTRIAN AREA

MODEL:RECTANGULAR DESIGN COVER
 RATING: GROUP 4; CLASS D400
 CLEAR OPENING = MINIMUM 600MM
 TYPE : MATERIAL = DUCTILE IRON
 SIZE : 955MM X 653MM X 85MM (H)
 DESCRIPTION : 18X30(JB30) MANHOLE TOP FOR VEHICULAR AND PEDESTRIAN AREA

MODEL:RECTANGULAR DESIGN COVER
 RATING: GROUP 4; CLASS D400
 CLEAR OPENING = MINIMUM 600MM
 TYPE : MATERIAL = DUCTILE IRON
 SIZE : 1150MM X 875MM X 150MM(H)
 DESCRIPTION : 7E MANHOLE TOP FOR VEHICULAR AND PEDESTRIAN AREA

TSK INDUSTRIES SDN BHD

No. PPS : 1181220JH0332
 No. CERT : A004085

NO. 1, JALAN NIP 2/2, TAMAN PERINDUSTRIAN NUSAJAYA 1,
 BANDAR NUSAJAYA 79200 JOHOR

TEL : 075321632
 FAX : 075321363

TARIKH MULA	20-12-2018	TARIKH TAMAT	19-12-2019
JENIS / SAIZ	JENAMA		STANDARD
Prefabricated Steel Frame Scaffolding ST 101 / VERTICAL FRAME ST 101 / CROSS BRACE ST 101 / JOINT PIN ST 101 / ADJUSTABLE BASE PLATE ST 101 / ADJUSTABLE U HEAD	TSK INDUSTRIES SDN BHD		MS 1462-1:2012

UNIQUE STEEL & HARDWARE SDN BHD

No. PPS : 1170606SL0189
No. CERT : A002184LOT 59210, JALAN KARBURETOR 34/21, SEKSYEN 34
SHAH ALAM 40470 SELANGORTEL : 03 - 5525 2333
FAX : 03 - 5525 2888

TARIKH MULA	06-06-2019	TARIKH TAMAT	05-06-2020
JENIS / SAIZ		JENAMA	STANDARD
Prefabricated Steel Frame Scaffolding US 101 VERTICAL FRAME, CROSS BRACE, JOINT PIN, U-HEAD, JACK BASE, CATWALK		UNIQUE STEEL & HARDWARE SDN. BHD	MS 1462-1:2012

UNITED G.I. PRODUCTS SDN BHD

No. PPS : 1180903SR0303
No. CERT : A001688LOT 835, BLOCK 7, JALAN DEMAK LAUT 3, DEMAK LAUT
INDUSTRIAL PARK, KUCHING 93050 SARAWAKTEL : 082-439257
FAX : 082-439259

TARIKH MULA	03-09-2018	TARIKH TAMAT	02-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Self-supporting Steel Roofing UNILOK 672, UNIDEK 762		UNILOK	MS 2500:2012

UNITED JAYA SDN BHD

No. PPS : 1170703SL0203
No. CERT : A002186LOT 11946, JALAN PERAJURIT 1 TELOK GONG,
42000 KLANG SELANGORTEL : 0331342900
FAX : 0331341800

TARIKH MULA	03-07-2019	TARIKH TAMAT	02-07-2020
JENIS / SAIZ		JENAMA	STANDARD
Prefabricated Steel Frame Scaffolding UJ (MF) 101 - VERTICAL FRAME UJ (MF) 101 - CROSS BRACE UJ (MF) 101 - CATWALK UJ (MF) 101 - JOINT PIN UJ (MF) 101 - ADJUSTABLE U-HEAD UJ (MF) 101 - ADJUSTABLE BASE PLATE UJ (MF) 101 - TOE BOARD		UJSB	MS 1462-1:2012

UNITED JAYA SDN BHD

No. PPS : 1180924NS0304
No. CERT : A001132LOT 36, JALAN BUNGA TANJUNG 3, SENAWANG IND. PARK,
70400 SEREMBAN NEGERI SEMBILANTEL : 06-6796995
FAX : 06-6796994

TARIKH MULA	24-09-2018	TARIKH TAMAT	23-09-2019
JENIS / SAIZ		JENAMA	STANDARD
Self-supporting Steel Roofing		KAWA	MS 2500:2012

KAWA KZ400, BASE METAL THICKNESS (mm) = 0.48-0.60 COVER WIDTH(mm) = 400		
KAWA R650 TYPE I, BASE METAL THICKNESS (mm) = 0.48-0.75 COVER WIDTH(mm) = 650		
KAWA R650 TYPE II, BASE METAL THICKNESS (mm) = 0.48-0.75 COVER WIDTH(mm) = 650		
KAWA R600, BASE METAL THICKNESS (mm) = 0.42-0.75 COVER WIDTH(mm) = 600		
KAWA R670, BASE METAL THICKNESS (mm) = 0.42-0.60 COVER WIDTH(mm) = 670		
KAWA R715, BASE METAL THICKNESS (mm) = 0.35-0.75 COVER WIDTH(mm) = 715		
KAWA R760, BASE METAL THICKNESS (mm) = 0.35-0.60 COVER WIDTH(mm) = 760		
KAWA R700, BASE METAL THICKNESS (mm) = 0.42-0.60 COVER WIDTH(mm) = 700		

VPN (M) SDN BHD

No. PPS : 1181118SL0324
No. CERT : A002183

NO. 6 JALAN TIAJ 2/7 TAMAN INDUSTRI ALAM JAYA
BANDAR PUNCAK ALAM 42300 SELANGOR

TEL : 03-60386622
FAX : 03-60383399

TARIKH MULA	18-11-2018	TARIKH TAMAT	17-11-2019
JENIS / SAIZ	JENAMA	STANDARD	
Metal Deck for Turbular Scaffolds (without hook) THK (1.0MM) X WT (210MM) X LT (3000MM)	VPN (M) Sdn Bhd	MS 1462-4-1:2013	
Corrugated Sheet Steel Beam For Highway Guardrail MODEL : SHAPE = 2 W-BEAM, 3 W-BEAM RATING : CLASS A SIZE : BASE METAL NOMINAL THICKNESS (mm) = 2.67	VPN MARKETING (M) SDN BHD	AASHTO M 180:2012	

WEBFORGE (KL) SDN BHD

No. PPS : 1180402SL0261
No. CERT : A002176

LOT 3, JALAN GUDANG 16/9 SEKSYEN 16 SHAH ALAM
40200 SELANGOR

TEL : 0355190652
FAX : 0355190749

TARIKH MULA	11-04-2019	TARIKH TAMAT	10-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Corrugated Sheet Steel Beam For Highway Guardrail SHAPE : W-BEAM CLASS A; TYPE II-ZINC COATED BASE METAL NOMINAL THICKNESS (MM) : 2.67	INGAL GUARDRAIL & EZY-GUARD	AASHTO M 180:2012	

WEI DAT STEEL WIRE SDN BHD

No. PPS : 1150105PK0019
No. CERT : A003936PLOT 21, LORONG BEMBAN 2, KAWASAN PERINDUSTRIAN BEMBAN,
31000 BATU GAJAH, PERAK 31000 KINTA PERAKTEL : +605-3666220
FAX : +605-3665220

TARIKH MULA	19-04-2019	TARIKH TAMAT	18-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Welded Steel Fabric for the Reinforcement Concrete Square Mesh/ A98, A252	WDW	MS 145:2014	
Prestressing Steel - Cold-drawn Wire 5.00mm	WEIDATPC	MS 1138 : PART 2 : 2007	
Steel Strand, Uncoated Seven-Wire For Prestressed Concrete 12.90mm, 15.20mm	WEIDATPC	MS 1138 : PART 4 : 2007	

YANG AKTIF ENGINEERING WORKS SDN BHD

No. PPS : 1180803SB0295
No. CERT : A001621MILE 6.5, TUARAN ROAD, P.O. BOX 21764
LUYANG KOTA KINABALU 88775 SABAHTEL : 088-420529,
420537, 427681
FAX : 088-423188

TARIKH MULA	03-08-2018	TARIKH TAMAT	02-08-2019
JENIS / SAIZ	JENAMA	STANDARD	
Welded Steel Fabric for the Reinforcement Concrete A142, A193, A252, A318, A393, B283, B385, B503, B636, B785	Yang Aktif Engineering Works Sdn Bhd	MS 145:2014	

YETTA STEEL INDUSTRIES SDN BHD

No. PPS : 1160113KD0089
No. CERT : A001379LOT 113 JALAN PKNK 2/1 KAWASAN PERUSAHAAN
SUNGAI PETANI KEDAH 08000 KUALA MUDA KEDAHTEL : 04-4424242
FAX : 04-4414141

TARIKH MULA	25-04-2019	TARIKH TAMAT	24-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Welded Steel Fabric for the Reinforcement Concrete Square Mesh A5, A6, A7, A8, A9, A10, A12 Rectangular Mesh B5, B6, B7, B8, B9, B10, B12 Small Square Mesh D5, D6, D7, D8, 9D, 10D, 12D, DA5, DA6, DA7, DA8, DA9, DA10, DA12	YET TA	MS 145:2014	

YEW LEAN FOUNDRY & CO. SDN BHD

No. PPS : 1161104PP0148
No. CERT : A0028092432, TINGKAT PERUSAHAAN 6, PRAI INDUSTRIAL ESTATE,
13600 PERAI PULAU PINANGTEL : 04-3907480
FAX : 04-3994819

TARIKH MULA	14-12-2018	TARIKH TAMAT	13-12-2019
JENIS / SAIZ	JENAMA	STANDARD	
Ductile Iron Pipes For Water Supply DN100, DN150, DN200, DN250, DN300, DN350, DN400, DN450, DN500, DN600, DN700	YL	MS 1919:2013	
Ductile Iron Pipes For Sewerage Applications DN100, DN150, DN200, DN250, DN300, DN350, DN400, DN450, DN500, DN600, DN700	YL	BS EN 598: 2007 + A1:2009	

YUNG KONG METAL WORKS CO BHD

No. PPS : 1141119SR0015
No. CERT : A004178LOT 1144, JALAN KEMAJUAN PENDING INDUSTRIAL ESTATE
93450 KUCHING SARAWAKTEL : 082-484327
FAX : 082-337177

TARIKH MULA	02-04-2019	TARIKH TAMAT	01-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Welded Steel Fabric for the Reinforcement Concrete SQUARE MESH/A142, A193, A252, A318, A393 STRUCTURAL MESH/B283, B385, B503, B636, B785 WRAPPING MESH/D503, D636, D785	YMC	MS 145:2014	
Cold Worked Steel Wire for the Reinforcement of Concrete NOMINAL SIZE (MM)=5, 6, 7, 8, 9, 10			

ALLIANCE PRECAST INDUSTRIES SDN BHD

No. PPS : 1160608SL0127
No. CERT : A002122

LOT 9022, JALAN SUNGAI BUAYA, KG KOSKAN
48200 HULU SELANGOR SELANGOR

TEL : 036028 4088
FAX : 036028 4018

TARIKH MULA	09-10-2018	TARIKH TAMAT	08-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Reinforced Concrete Square Piles 250MM X 250MM, 200MM X 200MM, 300MM X 300MM, 350MM X 350MM, 400MM X 400MM, 450MM X 450MM Class: PCS-1, Size: 125 mm x 125 mm x 3 m Class: PCS-1, Size: 125 mm x 125 mm x 6 m Size: 150 mm x 150 mm x 3 m Size: 150 mm x 150 mm x 6 m Size: 175 mm x 175 mm x 3 m Size: 175 mm x 175 mm x 6 m Class: PCS-2, Size: 200 mm x 200 mm x 6 m Class: PCS-2, Size: 200 mm x 200 mm x 3 m RCS-1/ 150mm X 150mm X 3m RCS-1/ 150mm X 150mm X 6m RCS-1/ 175mm X 175mm X 3m RCS-1/ 175mm X 175mm X 6m		API	MS 1314:PART 3:2004

APOLITE CONCRETE PRODUCT SDN BHD

No. PPS : 1190305JH0352
No. CERT : A 004098

LOT JW 15/14,JALAN WAWASAN 12, KAWASAN PERINDUSTRIAN SRI GADING,
83300 JOHOR

TEL : 017-7217100
FAX : 07-4557100

TARIKH MULA	05-03-2019	TARIKH TAMAT	04-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Small Precast Reinforced Concrete Square Piles CLASS RCS-1 / 150MM X 150MM X 3M CLASS RCS-1 / 150MM X 150MM X 6M		APOLITE	MS 1314:PART 6:2004
Precast Reinforced Concrete Square Piles CLASS S / 200MM X 200MM X 3M CLASS S / 200MM X 200MM X 6M		APOLITE	MS 1314:PART 3:2004

C L PILE SDN BHD

No. PPS : 1160421JH0113
No. CERT : A004104

LOT 5632 JALAN SEELONG
SENAI 81400 JOHOR

TEL : +607-5993808
FAX : +607-5997228

TARIKH MULA	20-04-2019	TARIKH TAMAT	19-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Prestressed Concrete Square Piles CLASS PCS 1 (125mm X 125mm X 6m) CLASS PCS 1 (150mm X 150mm X 6m)		C L Pile	MS 1314:PART 5:2004

<p>Precast Reinforced Concrete Square Piles</p> <p>CLASS S (200mm X 200mm X 3M) CLASS S (200mm X 200mm X 6M) CLASS S (200mm X 200mm X 9M) CLASS S (250mm X 250mm X 3M) CLASS S (250mm X 250mm X 6M) CLASS S (250mm X 250mm X 9M) CLASS S (300mm X 300mm X 3M) CLASS S (300mm X 300mm X 6M) CLASS S (300mm X 300mm X 9M) CLASS S (300mm X 300mm X 12M) CLASS S (350mm X 350mm X 3M) CLASS S (350mm X 350mm X 6M) CLASS S (350mm X 350mm X 9M) CLASS S (350mm X 350mm X 12M) CLASS S (400mm X 400mm X 3M) CLASS S (400mm X 400mm X 6M) CLASS S (400mm X 400mm X 9M) CLASS S (400mm X 400mm X 12M)</p> <p>CLASS M (200mm X 200mm X 3M) CLASS M (200mm X 200mm X 6M) CLASS M (250mm X 250mm X 3M) CLASS M (250mm X 250mm X 6M) CLASS M (300mm X 300mm X 6M) CLASS M (300mm X 300mm X 3M)</p>	C L Pile	MS 1314:PART 3:2004
<p>CLASS RCS-1 (125mm X 125mm X 3M) CLASS RCS-1 (125mm X 125mm X 6M) CLASS RCS-1 (150mm X 150mm X 3M) CLASS RCS-1 (150mm X 150mm X 6M) CLASS RCS-1 (175mm X 175mm X 3M) CLASS RCS-1 (175mm X 175mm X 6M)</p> <p>CLASS RCS-2 (125mm X 125mm X 3M) CLASS RCS-2 (125mm X 125mm X 6M) CLASS RCS-2 (150mm X 150mm X 3M) CLASS RCS-2 (150mm X 150mm X 6M) CLASS RCS-2 (175mm X 175mm X 3M) CLASS RCS-2 (175mm X 175mm X 6M)</p>	C L Pile	MS 1314:PART 6:2004

CABARAN PERKASA SDN BHD

No. PPS : 1160105SB0078
No. CERT : A001707

KG. RANGGU, MILE 8 OFF JALAN APAS
91000 SABAH (CAWANGAN TAWAU)

TEL : 6089863166
FAX : 6089863266

TARIKH MULA	04-01-2019	TARIKH TAMAT	03-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
<p>Small Precast Reinforced Concrete Square Piles CLASS RCS-1 TYPE : NORMAL DRIVING SIZE : 150 MM X 150 MM X 3 M, 150 MM X 150 MM X 6 M</p> <p>CLASS S TYPE : HAMMER DRIVEN SIZE : 200 MM X 200 MM X 3 M 200 MM X 200 MM X 6 M 200 MM X 200 MM X 9 M</p> <p>CLASS S TYPE : HAMMER DRIVEN 250 MM X 250 MM X 3 M 250 MM X 250 MM X 6 M 250 MM X 250 MM X 9 M</p> <p>CLASS S TYPE : HAMMER DRIVEN</p>	URG	MS 1314:PART 6:2004	

300 MM X 300 MM X 6 M
300 MM X 300 MM X 9 M
300 MM X 300 MM X 12 M

CLASS S TYPE : HAMMER DRIVEN

350 MM X 350 MM X 6 M
350 MM X 350 MM X 12 M
350 MM X 350 MM X 12 M

CMS CONCRETE PRODUCTS SDN BHD

No. PPS : 1180222SR0254
No. CERT : A004173

LOT 212, BLOCK 17, KCLD, OLD AIRPORT ROAD
93250 KUCHING SARAWAK

TEL : 082-614436
FAX : 082-614406

TARIKH MULA	04-03-2019	TARIKH TAMAT	04-03-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Precast Reinforced Concrete Square Piles Class M/ 200mm x 200mm x 3M Class M/ 200mm x 200mm x 6M Class M/ 250mm x 250mm x 3M Class M/250mm x 250mm x 6M Class M/250mm x 250mm x 9M Class M/250mm x 250mm x 12M Class M/ 300mm x 300mm x 3M Class M/ 300mm x 300mm x 6M Class S/ 200mm x 200mm x 6M Class S/ 200mm x 200mm x 3M Class S/ 250mm x 250mm x 3M Class S/ 250mm x 250mm x 6M	CMS CONCRETE PRODUCTS	MS 1314:PART 3:2004
Small Precast Reinforced Concrete Square Piles Class RCS-1/ 175mm x 175mm x 3M Class RCS-1/ 175mm x 175mm x 6M Class RCS-1/ 150mm x 150mm x 3M Class RCS-1/ 150mm x 150mm x 6M	CMS CONCRETE PRODUCTS	MS 1314:PART 6:2004

CONCRETE ENGINEERING PRODUCTS BHD (BATANG KALI)

No. PPS : 1170303SL0172
No. CERT : A002169

LOT A3 KAW PERINDUSTRIAN MIEL BATANG KALI
44300 HULU SELANGOR SELANGOR

TEL : 03-60571811
FAX : 03-60571817

TARIKH MULA	30-03-2019	TARIKH TAMAT	29-03-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles Class B / 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm Class C / 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm	CEPCO	MS 1314:PART 4:2004

CONCRETE ENGINEERING PRODUCTS BHD (NILAI)No. PPS : 1170511NS0183
No. CERT : A001128LOT 7106 KAW PERINDUSTRIAN NILAI
71800 NILAI NEGERI SEMBILANTEL : 06-7992841
FAX : 06-7992839

TARIKH MULA	31-05-2018	TARIKH TAMAT	30-05-2019
JENIS / SAIZ	JENAMA	STANDARD	
Precast Pretensioned Spun Concrete Piles Class B / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm	CEPCO	MS 1314:PART 4:2004	
Class C / 250mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm			

**CONCRETE ENGINEERING PRODUCTS BHD
(PASIR GUDANG)**No. PPS : 1170226JH0170
No. CERT : A 004100PLO 337 JALAN SUASA PASIR GUDANG INDUSTRIAL ESTATE
81700 PASIR GUDANG JOHORTEL : 07-2511048
FAX : 07-2514066

TARIKH MULA	28-03-2019	TARIKH TAMAT	27-03-2020
JENIS / SAIZ	JENAMA	STANDARD	
Precast Pretensioned Spun Concrete Piles Class B / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm, 700 mm, 800 mm, 900 mm, 1000 mm	CEPCO	MS 1314:PART 4:2004	
Class C / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm, 700 mm, 800 mm, 900 mm, 1000 mm			

**CONCRETE ENGINEERING PRODUCTS BHD
(RAWANG)**No. PPS : 1170217SL0168
No. CERT : A002165PT 643 BATU 20 JALAN IPOH
48000 RAWANG SELANGORTEL : 07-2511048
FAX : 07-2514066

TARIKH MULA	26-02-2019	TARIKH TAMAT	25-02-2020
JENIS / SAIZ	JENAMA	STANDARD	
Precast Pretensioned Spun Concrete Piles Class B / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm	CEPCO	MS 1314:PART 4:2004	
Class C / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm			

CONCRETE ENGINEERING PRODUCTS BHD (SG PETANI)

No. PPS : 1170314KD0175
No. CERT : A 001378

LOT 63 BAKAR ARANG INDUSTRIAL ESTATE
08000 SUNGAI PETANI KEDAH

TEL : 07-2511048
FAX : 07-2514066

TARIKH MULA	28-03-2019	TARIKH TAMAT	27-03-2020
JENIS / SAIZ	JENAMA	STANDARD	
Precast Pretensioned Spun Concrete Piles Class B / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm Class C / 250 mm, 300 mm, 350 mm, 400 mm, 450 mm, 500 mm, 600 mm, 700 mm	CEPCO	MS 1314:PART 4:2004	

ENG BENG MANUFACTURING (M) SDN BHD

No. PPS : 1160822SL0140
No. CERT : A002111

LOT 5131 & 5132, JALAN KENANGAN, 6TH MILES, OFF JALAN MERU
41050 KLANG SELANGOR

TEL : 03-3392 3286
FAX : 03-3392 3530

TARIKH MULA	15-09-2018	TARIKH TAMAT	14-09-2019
JENIS / SAIZ	JENAMA	STANDARD	
Precast Pretensioned Spun Concrete Piles CLASS A/ 300MM X 6M CLASS A/ 300MM X 9M CLASS A/ 300MM X 12M CLASS A/ 350MM X 6M CLASS A/ 350MM X 9M CLASS A/ 350MM X 12M CLASS A/ 400MM X 6M CLASS A/ 400MM X 9M CLASS A/ 400MM X 12M CLASS A/ 450MM X 6M CLASS A/ 450MM X 9M CLASS A/ 450MM X 12M CLASS A/ 500MM X 6M CLASS A/ 500MM X 9M CLASS A/ 500MM X 12M CLASS A/ 600MM X 6M CLASS A/ 600MM X 9M CLASS A/ 600MM X 12M CLASS B/ 250MM X 6M CLASS B/ 250MM X 9M CLASS B/ 250MM X 12M CLASS B/ 300MM X 6M CLASS B/ 300MM X 9M CLASS B/ 300MM X 12M CLASS B/ 350MM X 6M CLASS B/ 350MM X 9M CLASS B/ 350MM X 12M CLASS B/ 400MM X 6M CLASS B/ 400MM X 9M CLASS B/ 400MM X 12M CLASS B/ 500MM X 6M CLASS B/ 500MM X 9M CLASS B/ 500MM X 12M CLASS B/ 600MM X 6M CLASS B/ 600MM X 9M	ECP	MS 1314:PART 4:2004	

CLASS B/ 600MM X 12M		
CLASS C/ 400MM X 6M		
CLASS C/ 400MM X 9M		
CLASS C/ 400MM X 12M		
CLASS C/ 450MM X 6M		
CLASS C/ 450MM X 9M		
CLASS C/ 450MM X 12M		
CLASS C/ 500MM X 6M		
CLASS C/ 500MM X 9M		
CLASS C/ 500MM X 12M		
CLASS C/ 600MM X 6M		
CLASS C/ 600MM X 9M		
CLASS C/ 600MM X 12M		

FJ CONCRETE & PILES SDN BHD

No. PPS : 1170201SR0164
No. CERT : A001743

LOT 1300, BLOCK 20, KEMENA LAND DISTRICT, MARKET GARDEN, JALAN SAMALAJU
COASTAL HIGHWAY 97011 BINTULU SARAWAK (CAWANGAN BINTULU)

TEL : 086-253227
FAX : 086-253236

TARIKH MULA	25-02-2019	TARIKH TAMAT	24-02-2020
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Precast Reinforced Concrete Square Piles CLASS M, S / 200MM , 250MM	FJ CONCRETE & PILES	MS 1314:PART 4:2004
Small Precast Reinforced Concrete Square Piles CLASS RCS-1 150mm, 175mm	FJ CONCRETE & PILES SDN BHD	MS 1314:PART 6:2004

GSG CONCRETE INDUSTRIES (M) SDN BHD

No. PPS : 1170621JH0201
No. CERT : A 002882

BT 6 3/4, JALAN BESAR SUNGAI MATI SUNGAI MATI
84400 LEDANG JOHOR

TEL : 069753399
FAX : 069752836

TARIKH MULA	21-06-2018	TARIKH TAMAT	20-06-2019
-------------	------------	--------------	------------

JENIS / SAIZ	JENAMA	STANDARD
Precast Reinforced Concrete Square Piles 200MM x 200MM x 3M, 200MM x 200MM x 6M, 225MM x 225MM x 3M, 225MM x 225MM x 6M, 250MM x 250MM x 3M, 250MM x 250MM x 6M, 275MM x 275MM x 3M, 275MM x 275MM x 6M, 300MM x 300MM x 3M, 300MM x 300MM x 6M, 300MM x 300MM x 9M, 300MM x 300MM x 12M	GCP	MS 1314:PART 3:2004
Small Precast Reinforced Concrete Square Piles 150MM x 150MM x 3M, 150MM x 150MM x 6M	GCP	MS 1314:PART 6:2004

HARDRIVE PILES SDN BHDNo. PPS : 1160826SL0142
No. CERT : A002109LOT 253, KM 5, JALAN SUNGAI LALANG,
43500 HULU LANGAT SELANGORTEL : 03-87237980
FAX : 03-87237977

TARIKH MULA	06-09-2018	TARIKH TAMAT	05-09-2019
JENIS / SAIZ	JENAMA		STANDARD
Precast Reinforced Concrete Square Piles 200MM X 200MM X 6M 200MM X 200MM X 3M 200MM X 200MM X 9M 205MM X 200MM X 3M 205MM X 200MM X 6M 205MM X 200MM X 9M 205MM X 200MM X 12M 300MM X 200MM X 3M 300MM X 200MM X 6M 300MM X 200MM X 9M 300MM X 200MM X 12M 350MM X 200MM X 3M 350MM X 200MM X 6M 350MM X 200MM X 9M 350MM X 200MM X 12M 400MM X 200MM X 3M 400MM X 200MM X 6M 400MM X 200MM X 9M 400MM X 200MM X 12M	HARDRIVE		MS 1314:PART 3:2004
Small Precast Reinforced Concrete Square Piles 150MM X 150MM X 3M 150MM X 150MM X 6M	HARDRIVE		MS 1314:PART 6:2004

HUME CONCRETE (EM) SDN BHDNo. PPS : 1190404SB0274
No. CERT : A0016305TH MILE, JALAN TUARAN, KOTA KINABALU.
88300 SABAHTEL : 088-426119
FAX : 088-422473

TARIKH MULA	04-04-2019	TARIKH TAMAT	03-04-2020
JENIS / SAIZ	JENAMA		STANDARD
Precast Reinforced Concrete Square Piles 200MM x 3M 200MM x 6M 200MM x 9M 250MM x 3M 250MM x 6M 250MM x 9M 250MM x 12M 300MM x 3M 300MM x 6M 300MM x 9M 350MM x 3M 350MM x 12M	HUME		MS 1314:PART 3:2004
Small Precast Reinforced Concrete Square Piles 150MM X 150MM X 3M 150MM X 150MM X 6M 175MM x 3M 175MM x 6M	HARDRIVE		MS 1314:PART 6:2004

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425NS0114
No. CERT : A001139LOT 5777, KAWASAN PERINDUSTRIAN NILAI,
71800 NILAI NEGERI SEMBILANTEL : 06 7993091
FAX : 03 7993094

TARIKH MULA	11-05-2019	TARIKH TAMAT	10-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles CLASS A : 350mm, 400mm, 450mm, 500mm, 600mm CLASS B : 350mm, 400mm, 450mm, 500mm, 600mm CLASS C : 350mm, 400mm, 450mm, 500mm, 600mm		ICP	MS 1314:PART 4:2004

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425SL0115
No. CERT : A002177BATU 12 1/2, KAMPUNG TOK MUDA, LOCKED BAG 207, KAPAR POST OFFICE,
KAPAR 42200 KLANG SELANGORTEL : 03 32508844
FAX : 03 32501966

TARIKH MULA	25-04-2019	TARIKH TAMAT	24-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS B: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS C : 300mm, 350mm, 400mm, 450mm, 500mm, 600mm		ICP	MS 1314:PART 4:2004

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425SL0116
No. CERT : A002178LOT 22936, BATU 6 JALAN KEBUN, KAMPUNG JAWA, MUKIM KLANG,
42450 KLANG SELANGORTEL : 03-51611699
FAX : 03-51611959

TARIKH MULA	25-04-2019	TARIKH TAMAT	24-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS B: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS C: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm		ICP	MS 1314:PART 4:2004

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425PP0117
No. CERT : A002819

LOT 1254, MUKIM 12, SUNGAI BAKAP, 14200 SEBERANG PERAI SELATAN
PULAU PINANG

TEL : 04 5825971
FAX : 04 5826329

TARIKH MULA	25-04-2019	TARIKH TAMAT	24-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Precast Pretensioned Spun Concrete Piles CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS B: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS C: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm	ICP	MS 1314:PART 4:2004	

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425JH0118
No. CERT : A002819

LOT 9981 & 9982, JALAN ULU CHOY-GELANG PATAH,
MUKIM JERAM BATU 81500 PEKAN NENAS JOHOR

TEL : 07 2888393
FAX : 018 6454800

TARIKH MULA	09-05-2019	TARIKH TAMAT	08-05-2020
JENIS / SAIZ	JENAMA	STANDARD	
Precast Pretensioned Spun Concrete Piles CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS B: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS C: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm	ICP	MS 1314:PART 4:2004	

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425JH0119
No. CERT : A004106

CT 5435, LOT 5633 & CT 5445, LOT 5643, JALAN SEELONG
MUKIM SENAI-KULAI 81400 SENAI JOHOR

TEL : 07 5985288
FAX : 07 5988200

TARIKH MULA	09-05-2019	TARIKH TAMAT	08-05-2020
JENIS / SAIZ	JENAMA	STANDARD	
Precast Pretensioned Spun Concrete Piles CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS B: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm, 700mm, 800mm CLASS C: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm, 700mm, 800mm	ICP	MS 1314:PART 4:2004	

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160425TR0120
No. CERT : A001594LOT 110, KAWASAN PERINDUSTRIAN GONG BADAK,
GONG BADAK 21300 KUALA TERENGGANU TERENGGANUTEL : 09 6666633
FAX : 09 6660634

TARIKH MULA	07-05-2019	TARIKH TAMAT	06-05-2020
JENIS / SAIZ	JENAMA	STANDARD	
Precast Pretensioned Spun Concrete Piles CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS B: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS C: 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm	ICP	MS 1314:PART 4:2004	

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160524PK0124
No. CERT : A003933LOT 1, PERSIARAN TASEK, TASEK INDUSTRIAL ESTATE
31400 IPOH PERAKTEL : 05 2913599
FAX : 05 2916606

TARIKH MULA	24-05-2019	TARIKH TAMAT	23-05-2020
JENIS / SAIZ	JENAMA	STANDARD	
Precast Pretensioned Spun Concrete Piles CLASS A: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS B: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS C: 300mm, 350mm, 400mm, 450mm, 500mm, 600mm	ICP	MS 1314:PART 4:2004	

INDUSTRIAL CONCRETE PRODUCTS SDN BHD

No. PPS : 1160524PK0125
No. CERT : A003932PT 2272 & PLOT A1,A3 & A4, LUMUT PORT INDUSTRIAL PARK,
KAWASAN PERINDUSTRIAN KG ACEH 32000 SITIAWAN PERAKTEL : 05 6913143
FAX : 05 6919443

TARIKH MULA	24-05-2019	TARIKH TAMAT	23-05-2020
JENIS / SAIZ	JENAMA	STANDARD	
Precast Pretensioned Spun Concrete Piles CLASS A/ 300mm, 350mm, 400mm, 450mm, 500mm, 600mm CLASS B/ 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm, 700mm, 800mm, 900mm, 1000mm, 1200mm CLASS C/ 250mm, 300mm, 350mm, 400mm, 450mm, 500mm, 600mm, 700mm, 800mm, 900mm, 1000mm, 1200mm	ICP	MS 1314:PART 4:2004	

LEADER CONCRETE SDN BHD

No. PPS : 1170713SR0204
No. CERT : A001686

LOT 1642 BLOCK 33 SARIKEI LAND DISTRICT
96100 SARAWAK

TEL : 084655379
FAX : 084655378

TARIKH MULA	31-07-2018	TARIKH TAMAT	30-07-2019
JENIS / SAIZ	JENAMA	STANDARD	
Precast Reinforced Concrete Square Piles CLASS S JTYPE : HAMMER DRIVEN CLASS M JTYPE : HAMMER DRIVEN	LEADER RC PILE	MS 1314:PART 3:2004	

MDC PRECAST INDUSTRIES SDN BHD

No. PPS : 1170614KD0199
No. CERT : A 001370

PT 48877 JALAN PERSIARAN AMANJAYA 5 BANDAR AMANJAYA
08000 KUALA MUDA KEDAH

TEL : 0124265288
FAX : 088-794327

TARIKH MULA	05-08-2018	TARIKH TAMAT	04-08-2019
JENIS / SAIZ	JENAMA	STANDARD	
Small Precast Reinforced Concrete Square Piles CLASS RCS -1/ 150mm X 150mm X 3M CLASS RCS -1/ 150mm X 150mm X 6M	MDC , API	MS 1314:PART 6:2004	
Small Precast Reinforced Concrete Square Piles CLASS RCS -1/ 175mm X 175mm X 3M CLASS RCS -1/ 175mm X 175mm X 6M	MDC , API	MS 1314:PART 6:2004	
Small Precast Reinforced Concrete Square Piles CLASS S/ 200mm X 200mm X 3M CLASS S/ 200mm X 200mm X 6M CLASS S/ 200mm X 200mm X 9M CLASS S/ 250mm X 200mm X 3M CLASS S/ 250mm X 200mm X 6M CLASS S/ 250mm X 200mm X 9M CLASS S/ 300mm X 200mm X 3M CLASS S/ 300mm X 200mm X 6M CLASS S/ 300mm X 200mm X 9M CLASS S/ 300mm X 200mm X 12M CLASS S/ 350mm X 200mm X 3M CLASS S/ 350mm X 200mm X 6M CLASS S/ 350mm X 200mm X 9M CLASS S/ 350mm X 200mm X 12M CLASS S/ 400mm X 200mm X 3M CLASS S/ 400mm X 200mm X 6M CLASS S/ 400mm X 200mm X 9M CLASS S/ 400mm X 200mm X 12M CLASS S/ 450mm X 200mm X 3M CLASS S/ 450mm X 200mm X 6M CLASS S/ 450mm X 200mm X 9M CLASS S/ 450mm X 200mm X 12M CLASS J/ 200mm X 200mm X 3M CLASS J/ 200mm X 200mm X 6M CLASS J/ 200mm X 200mm X 9M CLASS J/ 250mm X 200mm X 3M CLASS J/ 250mm X 200mm X 6M CLASS J/ 250mm X 200mm X 9M CLASS J/ 250mm X 200mm X 12M CLASS J/ 350mm X 200mm X 3M CLASS J/ 350mm X 200mm X 6M	MDC , API	MS 1314:PART 3:2004	

CLASS J/ 350mm X 200mm X 9M
 CLASS J/ 350mm X 200mm X 12M
 CLASS J/ 400mm X 200mm X 3M
 CLASS J/ 400mm X 200mm X 6M
 CLASS J/ 400mm X 200mm X 9M
 CLASS J/ 400mm X 200mm X 12M
 CLASS J/ 450mm X 200mm X 6M
 CLASS J/ 450mm X 200mm X 12M

METRIC CONCRETE INDUSTRIES SDN BHD

No. PPS : 1170324PK0176
 No. CERT : A003937

PT2645-PT2648, TUNGZEN INDUSTRIAL PARK, MUKIM SUNGAI RAYA,
 KAMPUNG KEPAYANG 31300 BATU GAJAH PERAK

TEL : 0165508316
 FAX : 053575657

TARIKH MULA	13-05-2019	TARIKH TAMAT	12-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Small Precast Reinforced Concrete Square Piles 150MM x 150MM X 6M RCS-1 150MM x 150MM X 6M RCS-2 200MM X 200MM X 6M PCS-2		METRIC	MS 1314:PART 6:2004
Precast Prestressed Concrete Square Piles 125MM X 125MM X 6M PCS-1		METRIC	MS 1314:PART 5:2004
Precast Reinforced Concrete Square Piles CLASS J 200MM X 200MM, 250MM X 250MM CLASS M 250MM X 250MM, 300MM X 300MM CLASS S 300MM X 300MM, 200MM X 200MM		METRIC	MS 1314:PART 3:2004

OKA CONCRETE INDUSTRIES SDN BHD

No. PPS : 1160204PK0099
 No. CERT : A003920

NO. 6, LEBUHRAYA CHATEAU, OFF PERSIARAN KAMPAR IPOH, PERAK.
 30250 KINTA PERAK

TEL : 052563408
 FAX : 052563408

TARIKH MULA	07-12-2018	TARIKH TAMAT	06-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Reinforced Concrete Square Piles RC PILES CLASS S : 200MM X 200MM X 3M, 200MM X 200MM X 6M, 200MM X 200MM X 9M, 250MM X 250MM X 3M 250MM X 250MM X 6M, 250MM X 250MM X 9M RC PILES CLASS S : 300MM X 300MM X 3M, 300MM X 300MM X 6M, 300MM X 300MM X 9M, 300MM X 300MM X 12M RC PILES CLASS J : 200MM X 200MM X 3M, 200MM X 200MM X 6M, 200MM X 200MM X 9M, 250MM X 250MM X 6M, 250MM X 250MM X12M, 300MM X 300MM X 6M, 300MM X 300MM X 12M PRECAST REINFORCED CONCRETE PILES - CLASS 1 : 200MMX200MM, 250MMX250MM, 300MMX300MM & 350MMX350MM;		OKA	MS 1314:PART 3:2004
Small Precast Reinforced Concrete Square Piles RC PILES CLASS RCS - 1 : 150MM X 150MM X 3M, 150MM X 150MM X 6M, 175MM X 175MM X 3M,		OKA	MS 1314:PART 6:2004

175MM X 175MM X 6M PRECAST REINFORCED CONCRETE PILES (SMALL SIZE) : 150MM X 150MM X 3M, 150MM X 150MM X 4.5M		
Precast Prestressed Concrete Square Piles PC PILES CLASS PCS - 1 : 125MM X 125MM X 3M, 125MM X 125MM X 6M	OKA	MS 1314:PART 5:2004

PBJ CONCRETE SDN BHD

No. PPS : 1170221SB0169
No. CERT : A001709

MILE.4, EASTERN ROAD
91000 SABAH (CAWANGAN TAWAU)

TEL : 01131652488
FAX : 089763612

TARIKH MULA	22-03-2019	TARIKH TAMAT	21-03-2020
JENIS / SAIZ	JENAMA	STANDARD	
Small Precast Reinforced Concrete Square Piles CLASS RCS-1	COMPANY ID = PBJ CONCRETE SDN BHD	MS 1314:PART 6:2004	
Precast Reinforced Concrete Square Piles CLASS S	COMPANY ID = PBJ CONCRETE SDN BHD	MS 1314:PART 3:2004	

PERUSAHAAN KONKRIT MERDEKA SDN BHD

No. PPS : 1160523PP0123
No. CERT : A002800

LOT 710, MUKIM 13, JALAN TOK KANGAR, JURU
14100 SEBERANG PERAI TENGAH PULAU PINANG

TEL : 045088998
FAX : 045088209

TARIKH MULA	25-09-2018	TARIKH TAMAT	24-09-2019
JENIS / SAIZ	JENAMA	STANDARD	
Small Precast Reinforced Concrete Square Piles RCS-1/ 150MM X 150MM X 6M RCS-1/ 150MM X 150MM X 3M RCS-1/ 175MM X 175MM X 3M RCS-1/ 175MM X 175MM X 6M	PKM	MS 1314:PART 6:2004	
Precast Reinforced Concrete Square Piles CLASS S / 200MM X 200MM, 300MM X 300MM 225MM X 225MM, 250MM X 250MM 275MM X 275MM, 350MM X 350MM 375MM X 375MM, 400MM X 400MM 450MM X 450MM	PKM	MS 1314:PART 3:2004	

PMW CONCRETE INDUSTRIES SDN BHD

No. PPS : 1160712PK0137
No. CERT : A001295

LOT 133077, JALAN LAHAT, BUKIT MERAH INDUSTRIAL ESTATE LAHAT, PERAK.
31500 IPOH PERAK

TEL : 05-3219022
FAX : 05-3218070

TARIKH MULA	20-07-2018	TARIKH TAMAT	19-07-2019
JENIS / SAIZ	JENAMA	STANDARD	
Precast Pretensioned Spun Concrete Piles 250MM X 250MM X 6M	PMW	MS 1314:PART 4:2004	

300MM X 300MM X 6M
300MM X 300MM X 12M

SCIB CONCRETE MANUFACTURING SDN BHD

No. PPS : 1170612SR0196
No. CERT : A004177

LOT 1258, JALAN UTAMA, PENDING INDUSTRIAL ESTATE, KUCHING,
93450 SARAWAK

TEL : 082-334485
FAX : 082-334406

TARIKH MULA	24-04-2019	TARIKH TAMAT	23-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Precast Reinforced Concrete Square Piles CLASS J / 200MM X 200MM X 3M CLASS J / 200MM X 200MM X 6M CLASS J / 250MM X 250MM X 6M CLASS J / 250MM X 250MM X 12M	SCIB	MS 1314:PART 3:2004	
Small Precast Reinforced Concrete Square Piles CLASS RCS-1 / 150MM X 150MM X 3M CLASS RCS-1 / 150MM X 150MM X 6M CLASS RCS-1 / 175MM X 175MM X 3M CLASS RCS-1 / 175MM X 175MM X 6M	SCIB	MS 1314:PART 6:2004	
Precast Pretensioned Spun Concrete Piles CLASS B / OUTSIDE DIAMETER 250MM (LENGTH: 6M, 9M, 12M) DIAMETER 300MM (LENGTH: 6M, 9M, 12M)	SCIB	MS 1314:PART 4:2004	

SEDCO PRECAST SDN BHD

No. PPS : 1170614SB0198
No. CERT : A001625

7TH KM, TUARAN-KOTA BELUD HIGHWAY KG. KINDU,
P.O.BOX 405 89208 TUARAN SABAH

TEL : 088-791326
FAX : 088-794327

TARIKH MULA	09-07-2018	TARIKH TAMAT	08-07-2019
JENIS / SAIZ	JENAMA	STANDARD	
Precast Reinforced Concrete Square Piles 200mm x 200mm x 3m, 6m 250mm x 250mm x 3m, 6m, 9m, 12m; 300mm x 300mm x 3m, 6m, 9m, 12m	Sedco Precast	MS 1314:PART 3:2004	
Precast Reinforced Concrete Square Piles 150mm X 150mm X 3m, 6m	Sedco Precast	MS 1314:PART 6:2004	

SEJATI KONKRIT SDN BHD

No. PPS : 1161104SL0149
No. CERT : A002112

LOT 2111, 2112, BATU 2 1/4, JALAN BANGI LAMA, SEMENYIH
43500 KAJANG SELANGOR

TEL : 03-87230641
FAX : 03-87230737

TARIKH MULA	10-10-2018	TARIKH TAMAT	09-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Precast Reinforced Concrete Square Piles 200MM X 200MM, 250MM X 250MM, 300MM X 300MM, 350MM X 350MM, 400MM X 400MM	Class S - Sejati Pile	MS 1314:PART 3:2004	

SEJATI KONKRIT SDN BHDNo. PPS : 1170531JH0188
No. CERT : A 002889LOT 309, LOT 2149, JALAN SEELONG, KAMPUNG BARU,
81410 SENAI JOHORTEL : 07-5993359
FAX : 07-5993935

TARIKH MULA	31-07-2018	TARIKH TAMAT	30-07-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Reinforced Concrete Square Piles 200MM X 200MM, 250MM X 250MM, 300MM X 300MM, 350MM X 350MM, 400MM X 400MM		CLASS S - SEJATI PILE	MS 1314:PART 3:2004

SUNWAY SPUN PILE (M) SDN BHDNo. PPS : 1170606SL0190
No. CERT : A002082LOT NO.10071, MUKIM BATANG KALI, 44300 DAERAH HULU SELANGOR
SELANGOR DARUL EHSAN. 44300 SELANGORTEL : 07-5993359
FAX : 07-5993935

TARIKH MULA	07-06-2018	TARIKH TAMAT	06-06-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles 300MM, 350MM, 400MM, 450MM, 500MM, 600MM, CLASS B		SUNWAY	MS 1314:PART 4:2004

SUPER PILES SDN BHDNo. PPS : 1150921JH0041
No. CERT : A004080LOT 11481 3 1/2 MILES JALAN MINYAK BEKU
83030 BATU PAHAT JOHORTEL : 07-431 3559/07-434
FAX : 07-431 5368

TARIKH MULA	10-12-2018	TARIKH TAMAT	09-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Prestressed Concrete Square Piles PCS-1/ 150MM X 150MM X 3M PCS-1/ 150MM X 150MM X 6M PCS-2/ 200MM X 200MM X 3M PCS-2/ 200MM X 200MM X 6M		SUPER PILES	MS 1314:PART 5:2004

WINABUMI SDN BHDNo. PPS : 1160930SB0145
No. CERT : A004080LOT 5,6 &7,LORONG 2A-1, KKIP TIMUR INDUSTRIAL ZONE 12 KOTA KINABALU
INDUSTRIAL PARK 88460 KOTA KINABALU SABAHTEL : 088-381 489
FAX : 088-381 469

TARIKH MULA	02-10-2018	TARIKH TAMAT	01-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Precast Pretensioned Spun Concrete Piles Class B 500mm, 250mm, 300mm, 450mm, 600mm x 12M, 9M, 6M		WB	MS 1314:PART 4:2004

ALLIANCE PRECAST INDUSTRIES SDN BHD

No. PPS : 1170606SL0191
No. CERT : A002102LOT 309, LOT 2149, JALAN SEELONG, KAMPUNG BARU,
81410 SENAI JOHORTEL : 03-60284088
FAX : 03-6028 4018

TARIKH MULA	31-07-2018	TARIKH TAMAT	30-07-2019
JENIS / SAIZ	JENAMA	STANDARD	
Precast Concrete Pipes With Flexible Joints For Drainage And Sewerage And Precast Concrete Manholes (Heavy Duty) REINFORCED- CLASS L,M,H - DN 300, 375, 450, 600, 750, 900, 1050,1200,1350,1500,1650,1800 MANHOLE(CHAMBER RING) - HEAVY DUTY : DN 1220 X 600, DN 1220 X 1200, DN 1220 X 1500, DN 1524 X 600, DN 1524 X 1200, DN 1524 X 1500, DN 1830 X 600, DN 1830 X 1200, DN 1830 X 1500 MANHOLE (TAPER TOP) - HEAVY DUTY : DN915 X DN1220 X 600 , DN915 X DN1220 X 1200, DN915 X DN1220 X 1500, DN915 X DN1524 X 600, DN915 X DN1524 X 1200, DN915 X DN1524 X 1500, DN915 X DN1830 X 600, DN915 X DN1830 X 1200, DN915 X DN1830 X 1500 MM	PIPEPLUS	MS 881:PART 1:1991	

E-RETE (MALAYA) SDN BHD

No. PPS : 1181002PK0308
No. CERT : A001299LOT 20374-76, JALAN IPOH/CHEMOR,
BATU 9, IPOH 31200 PERAKTEL : 605-2017069
FAX : 605-2017068

TARIKH MULA	02-10-2018	TARIKH TAMAT	01-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Precast Concrete Pipes With Ogee Joints REINFORCED 1) LAND DRAINAGE 2) SEWERAGE CLASS – L, M, H NOMINAL DIAMETER (MM): 300, 375, 450, 525, 600, 750, 900, 1050, 1200, 1500	E-RETE M	S 881:PART 3:1991	
Precast Concrete Pipes With Flexible Joints For Drainage And Sewerage And Precast Concrete Manholes (Heavy Duty) REINFORCED – CLASS L, M, H NOMINAL SIZE (MM): DN375, 450, 525, 600, 750, 900, 1050, 1200, 1500 (PIPES); DN 1200, 1350, 1500, 1800 (SHALLOW AND DEEP MANHOLES)	E-RETE M	S 881:PART 1:1991	

G-CAST CONCRETE SDN BHD

No. PPS : 1180104SL0236
No. CERT : A002155PLOT 6, JALAN BUNGA AZALEA 1/2, KAWASAN INDUSTRI
BUNGA AZALEA 48200 SERENDAH SELANGORTEL : 03-7983 8068
FAX : 03-7982 8068

TARIKH MULA	27-01-2019	TARIKH TAMAT	26-01-2020
JENIS / SAIZ	JENAMA	STANDARD	
Precast Concrete Pipes With Flexible Joints For Drainage And Sewerage And Precast Concrete Manholes (Heavy Duty)	G-CAST	MS 881:PART 1:1991	

MODEL:PIPES NOMINAL LAND DRAINAGE SIZE(MM): DN450, DN600, DN750, DN900 MODEL: MANHOLES NOMINAL CHAMBER COVER SLAB SIZE(MM): DN 1200, DN 1350, DN 1500, DN 1800 MANHOLES CHAMBER RING NOMINAL SIZE(MM): DN1200 X 600MM, DN1200 X 900MM, DN1200 X 1200MM, DN1200 X 1500MM, DN1350 X 600MM, DN1350 X 900MM, DN1350 X 1200MM, DN1350 X 1500MM, DN1500 X 600MM, DN1500 X 900MM, DN1500 X 1200MM, DN1500 X 1500MM, DN1800 X 600, DN1800 X 900MM, DN1800 X 1200MM, DN1800 X 1500MM MANHOLES TAPER TOP / SIZE(MM): DN 1200 X DN 675 X 600MM, DN 1350 X DN 900 X 900MM, DN 1500 X DN 900 X 900MM, DN 1800 X DN 900 X 900MM REINFORCED-CLASS L,M,H / SEWERAGE (MM), DN 450, DN600, DN 750 , DN 900		
Precast Concrete Pipes With Ogee Joints MODEL: REINFORCED- LAND DRAINAGE SIZE(MM): DN300,375, 450, 600, 750, 900, 1050,1200, 1350, 1500, 1650, 1800 MODEL: REINFORCED -SEWERAGE SIZE(MM): DN300, 375, 450, 600, 750, 900, 1050, 1200, 1350, 1500, 1650, 1800	G-CAST	MS 881:PART 3:1991
Precast Concrete Pipes MODEL:REINFORCED SIZE (MM): DN450, DN525, DN600, DN750, DN900, DN1050, DN1200, DN1350, DN1500, DN1650, DN1800, DN2100	G-CAST	BS 5911-1:2002

GSG CONCRETE INDUSTRIES (M) SDN BHD

No. PPS : 1170621JH0201
 No. CERT : A 002882

BT 6 3/4, JALAN BESAR SUNGAI MATI SUNGAI MATI
 84400 LEDANG JOHOR

TEL : 69753399
 FAX : 69752836

TARIKH MULA	21-06-2018	TARIKH TAMAT	20-06-2019
JENIS / SAIZ	JENAMA	STANDARD	
Precast Concrete Pipes With Ogee Joints 600MM, 750MM, 900MM, 1050MM, 1200MM, 1350MM, 1500MM, 1650MM, 1800MM	GSG	MS 881:PART 3:1991	
Precast Reinforced Concrete Small Box Culverts 600MM x 450MM, 600MM x 600MM, 750MM x 450MM, 750MM x 600MM, 750MM x 750MM, 900MM x 450MM, 900MM x 600MM, 900MM x 750MM, 900MM x 900MM, 1200 MM x 600MM, 1200MM x 750MM, 1200MM x 900MM, 1200MM x 1050MM, 1200MM x 1200MM, 1500MM x 600MM, 1500MM x 750MM, 1500MM x 900MM, 1500MM 1050MM, 1500MM x 1200MM, 1500MM x 1350MM, 1500MM x 1500MM, 1800MM x 750MM, 1800MM x 900MM, 1800MM x 1050MM, 1800MM x 1200MM, 1800MM x 1350MM, 1800MM x 1500MM, 1800MM x 1650MM, 1800MM x 1800MM 600MM x 450MM, 600MM x 600MM, 900MM x 450MM, 900MM x 600MM, 900MM x 750MM, 900MM x 900MM, 1200MM x 600MM, 1200MM x 750MM, 1200MM x 900MM, 1200MM x 1050MM, 1200MM x 1200MM, 1500MM x 600MM, 1500MM x 750MM, 1500MM x 900MM, 1500MM x 1050MM, 1500MM x 1200MM, 1500MM x 1350MM, 1500MM x 1500MM,	GSG	MS 1293:PT.1:1992	

1800MM x 750MM, 1800MM x 900MM, 1800MM x 1050MM,
1800MM x 1200MM, 1800MM x 1350MM, 1800MM x
1500MM, 1800MM x 1650MM, 1800MM x 1800MM

OKA CONCRETE INDUSTRIES SDN BHD

No. PPS : 1160204PK0099
No. CERT : A003920

NO. 6, LEBUHRAYA CHATEAU, OFF PERSIARAN KAMPAR IPOH, PERAK.
30250 KINTA PERAK

TEL : 052563408
FAX :

TARIKH MULA	07-12-2018	TARIKH TAMAT	06-12-2019
JENIS / SAIZ	JENAMA	STANDARD	
<p>Precast Concrete Pipes With Flexible Joints For Drainage And Sewerage And Precast Concrete Manholes (Heavy Duty) PIPES REINFORCED LAND DRAINAGE NOMINAL SIZE (MM): DN 300, DN 375, DN 450, DN 525, DN 600, DN 675, DN 750, DN 900, DN 1050, DN 1200, DN 1350, DN 1500, DN1650, DN 1800</p> <p>PIPES REINFORCED CLASS L,M,H SEWERAGE NOMINAL SIZE (MM): DN 300, DN 375, DN 450, DN 525, DN 600, DN 675, DN 750, DN 900, DN 1050, DN 1200, DN 1350, DN 1500, DN 1650, DN 1800</p> <p>MANHOLES CHAMBER RING - HEAVY DUTY DEEP OR/AND SHALLOW MANHOLES NOMINAL SIZE (MM): DN 900 X 600, DN 900 X 900, DN 900 X 1200, DN 900 X 1500, DN 1050 X 600, DN 1050 X 900, DN 1050 X 1200, DN 1050 X 1500, DN1200 X 600, DN 1200 X 900, DN1200 X 1200, DN 1200 X 1500, DN 1350 X 600, DN 1350 X 900, DN 1350 X 1200, DN 1350 X 1500, DN 1500 X 600, DN 1500 X 900, DN 1500 X 1200, DN 1500 X 1500, DN 1800 X 600, DN 1800 X 900, DN 1800</p> <p>MANHOLES CHAMBER COVER SLAB. HEAVY DUTY DEEP OR/AND SHALLOW MANHOLES NOMINAL SIZE (MM): DN 900, DN 1050, DN1200, DN 1350, DN 1500, DN 1800, DN 2100, DN 2400, DN2700, DN 3000, DN 2500</p> <p>MANHOLES CHAMBER RING - HEAVY DUTY NOMINAL SIZE (MM) : DN 2100 X 1000MM, DN 2400 x 1000MM, DN 2700 X 1000MM, DN 3000 X 1000MM, DN 2500 X 1000MM</p>	OKA	MS 881:PART 1:1991	
<p>Precast Concrete Pipes With Ogee Joints PIPES LAND DRAINAGE & SEWERAGE CLASS L, M, H : NOMINAL SIZE (DN) : 300, 375, 450, 525, 600, 675, 750, 825, 900, 975, 1050, 1125,1200,1350, 1500, 1650, 1800 MM</p>	OKA	MS 881:PART 3:1991	

ADVANCED TECHNICAL LAMINATES MANUFACTURING SDN BHD

No. PPS : 1140408SL0001
No. CERT : A002185

LOT 56 & 57, JALAN INDUSTRI 2/2, TAMAN INDUSTRI INTEGRASI RAWANG,
48000 GOMBAK SELANGOR

TEL : 0360933282
FAX : 0360931282

TARIKH MULA	03-05-2019	TARIKH TAMAT	02-05-2020
JENIS / SAIZ	JENAMA		STANDARD
Woven Base Type FILM BASE VELTISUN LIGHT NOMINAL GRAMMANGE: 350 ± 50 KG/M2, NOMINAL THICKNESS : 0.38MM	CAMEL, RADENSHIELD, PARSEDEX, BISON, VS, THERMACOOL BUBBLES, UNIFOIL, THERMAFOIL, Fix-FAS, DYNASPEC		MS 2095:2014
FILM BASE VELTISUN HEAVYDUTY NOMINAL GRAMMANGE: 574 ± 50KG/M2 NOMINAL THICKNESS:0.56MM			
PAPER BASE FR450 6L NOMINAL GRAMMANGE: 160 ± 10 KG/M2 NOMINAL THICKNESS: 0.20MM			
WOVEN BASE W228AM FR NOMINAL GRAMMANGE: 150 ± 40KG/M2 NOMINAL THICKNESS : 0.20MM			
WOVEN BASE W118A FR(L) NOMINAL GRAMMANGE: 130 ± 20KG/M2 NOMINAL THICKNESS : 0.15MM			
WOVEN BASE W118FR NOMINAL GRAMMANGE: 155 ± 10KG/M2 NOMINAL THICKNESS: 0.16MM			
WOVEN BASE W228AA FR NOMINAL GRAMMANGE: 150 ± 40KG/M2 NOMINAL THICKNESS: 0.16MM			
FILM BASE SUPER FOIL NOMINAL GRAMMANGE: 287 ± 50KG/M2 NOMINAL THICKNESS: 0.18MM			
Reflective Insulation BUBBLE BASE B228AAFR-10MM NOMINAL GRAMMANGE:240 ± 20 G/M2 NOMINAL THICKNESS: 3.0MM			
BUBBLE BASE SB228AA-20MM NOMINAL GRAMMANGE: 315 ± 50 KG/M2 NOMINAL THICKNESS: 4.8MM			
FOAM BASE SUPER FOAM NOMINAL GRAMMANGE: 440 ± 20 G/M2 NOMINAL THICKNESS:6.3MM			
FOAM BASE SUPER R -20MM FR NOMINAL GRAMMANGE : 670G/M2 NOMINAL THICKNESS : 20MM			
FOAM BASE SUPER R -10MM FR NOMINAL GRAMMANGE : 670G/M2 NOMINAL THICKNESS : 11MM			
BUBBLE BASE SBW228FR-20MM NOMINAL GRAMMANGE: 400G/M2 NOMINAL THICKNESS: 5.8MM			

ASSOCIATED AIR-PAK INDUSTRIES SDN BHD

No. PPS : 1181017PK0314
No. CERT : A0039289, PERSIARAN RISHAH 9 KAWASAN PERINDUSTRIAN SILIBIN IPOH
30100 PERAKTEL : 6055262122
FAX : 6055275476

TARIKH MULA	17-10-2018	TARIKH TAMAT	16-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Reflective Insulation HS 2550 Nominal Thickness 3.5mm	XINFRAX - HEAT SHIELD	MS 2095:2014	
Reflective Insulation HS2550 NOMINAL THICKNESS 3.5mm	XINFRAX-HEAT SHIELD QTE	MS 2095:2014	

FOIL LAMINATE INDUSTRIES SDN BHD

No. PPS : 1140724PP0008
No. CERT : A0027981139 LORONG PERINDUSTRIAN BUKIT MINYAK 11, TAMAN PERINDUSTRIAN BUKIT MINYAK,
SIMPANG AMPAT 14100 SEBERANG PERAI TENGAH PULAU PINANGTEL : +604-5011999
FAX : +604-5011991

TARIKH MULA	30-09-2018	TARIKH TAMAT	29-09-2019
JENIS / SAIZ	JENAMA	STANDARD	
Woven Foil MATT-FOIL MF2-FR	WHALE, ELSIE	MS 2095:2014	
Paper Foil TAC-FOIL; TAC-880BS			
Reflective Insulation- Foam ACOUSTIC THERMAL FOIL; ATF2FR			
Woven Foil MATT-FOIL; MF1-FR; MATT-FOIL; MF2-CLASS '0';	WHALE, KOOL INSULATION, ELSIE	MS 2095:2014	
Bubble Base Type AIR-TAC BUBBLE FOIL: BB238FR-10 AIR-TAC BUBBLE FOIL; BBS2FR-25			
Paper Foil TAC-FOIL; TAC-828FR CLASS '0'	WHALE, KOOL INSULATION	MS 2095:2014	
Paper Foil WHALE ULTRA-FOIL; FGM88-FR CLASS '0'	WHALE	MS 2095:2014	
Woven And Bubble Base AIR-TAC BUBBLE FOIL BW2FR-10			
Bubble Base Type BF-FOIL; BFB2FR CLASS '0'			
Reflective Insulation- Foam ACOUSTIC THERMAL FOIL; ATF1FR			
Polymer Base Type BRITE-FOIL; BF2-FR, BRITE-PLUS; BP2FR-TS			

HYPAK SDN BHDNo. PPS : 1180213ML0250
No. CERT : A001175LOT 24, JALAN USAHA 8 AIR KEROH INDUSTRIAL ESTATE
75450 MELAKATEL : 06 - 232 7822
FAX : 06 - 232 5086

TARIKH MULA	13-02-2019	TARIKH TAMAT	12-02-2020
JENIS / SAIZ	JENAMA	STANDARD	
Woven Foil FRAM2 1.25mt x 48 mt LFRAM2 1.25mt x 48mt FRAL1 1.25mt x 48mt	SEASONS SHIELD / COOLMAX	MS 2095:2014	

K FOIL INSULATION (MALAYSIA) SDN BHDNo. PPS : 1170529PP0186
No. CERT : A0028229, KILANG BERKEMBAR, LORONG IKS BUKIT MINYAK PERDA FASA 2,
BUKIT MERTA JAM SEBERANG PERAI TENGAH 14000 PULAU PINANGTEL : 604-5024898
FAX : 604-5076306

TARIKH MULA	29-05-2019	TARIKH TAMAT	28-05-2020
JENIS / SAIZ	JENAMA	STANDARD	
Woven Base Type MS AWA K750 / GRAMMAGE 140 G/M2 RATING: FIRE PROPAGATION INDEX, I: 8.0 SURFACE SPREAD OF FLAME: CLASS ONE LIGHT DUTY; MEDIUM VAPOUR BARRIER; REFLECTIVE EMITTANCE THERMAL RESISTANCE: 1.212 M2K/W	KFOIL, COOLMAX	MS 2095:2014	
Paper Foil Paper Foil Type / MS APRA / Grammage 170 g/m2 Rating: Fire propagation index, I:2.5 Surface spread of flame: Class One Extra Light Duty; Medium vapour barrier Double sided reflective emittance: High surface water absorbency Thermal resistance: 2.102 m2K/w			

SAN MIGUEL YAMAMURA WOVEN PRODUCTS SDN BHDNo. PPS : 1140425ML0002
No. CERT : A001177LOTS 9 & 10, JALAN USAHA 4, AYER KEROH INDUSTRIAL ESTATE,
75450 AYER KEROH MELAKATEL : +606 2323898
FAX : +606 2321437

TARIKH MULA	20-02-2019	TARIKH TAMAT	19-02-2020
JENIS / SAIZ	JENAMA	STANDARD	
Woven Foil WF302B; FR2-AL/MPET NOMINAL GRAMMAGE: 155G/M2	ENVIRO-TUFF TM, DUOFOIL	MS 2095:2014	
WF301; FR1-AL NOMINAL GRAMMAGE: 118G/M2			

WF302A; FR2-AL/AL NOMINAL GRAMMAGE: 163G/M2		
L302; VENO FOIL NOMINAL GRAMMAGE: 113G/M2		
L302P; VENO FOIL NOMINAL GRAMMAGE: 114g/M2		
Reflective Insulation S302 / NOMINAL GRAMMAGE 300G/M2		
S302A NOMINAL GRAMMAGE 293G/M2		
G302 NOMINAL GRAMMAGE 345G/M2		
G302A NOMINAL GRAMMAGE 361G/M2		
XFW301A-5 NOMINAL GRAMMAGE 270G/M2		
XFW301A-8 NOMINAL GRAMMAGE 430G/M2		
G302A1 NOMINAL GRAMMAGE 350G/M2		
G302B NOMINAL GRAMMAGE 340G/M2		
S302B NOMINAL GRAMMAGE 280G/M2		
S302A1 NOMINAL GRAMMAGE 300G/M2		
BFB 302 NOMINAL GRAMMAGE 475G/M2		
Paper Foil P302 ; NOMINAL GRAMMAGE: 153G/M2		

TROCELLEN S.E.A. SDN BHD

No. PPS : 1170822SL0212
No. CERT : A002097

LOT 2213, KEBUN BARU, BATU 9, JALAN KASAWARI
42500 KUALA LANGAT SELANGOR

TEL : 0331221213
FAX : 0331221211

TARIKH MULA	22-08-2018	TARIKH TAMAT	21-08-2019
JENIS / SAIZ	JENAMA	STANDARD	
Reflective Insulation Foam density: 25kg/m3 Model: W3CF4 + ALU-S Thickness: 6mm - 30mm	Trocellen Pro	MS 2095:2014	
Foam density: 33kg/m3 Model: NF4 + ALU-S Thickness: 5mm -12mm			

YH LAMINATED PRODUCTS SDN BHD

No. PPS : 1160504ML0121
No. CERT : A001176

LOT 2995, JALAN PK 11, KAWASAN PERINDUSTRIAN KRUBONG,
75250 MELAKA TENGAH MELAKA

TEL : 06-3372170
FAX : 06-3357199

TARIKH MULA	27-06-2018	TARIKH TAMAT	26-06-2019
JENIS / SAIZ	JENAMA		STANDARD
Woven Foil SN3-FR / 126 g/m ² ; Thickness : 0.17mm SN2-FR / 100 g/m ² ; Thickness : 0.3mm Bubble Base Type SB250 / 250 g/m ² ; Thickness : 3.8 mm SB200-FR/ 200g/m ² ; Thickness: 4.0 m SB400-FR+ / 380 g/m ² ; Thickness : 9.0 mm	SUNFOIL		MS 2095:2014
Woven Foil SN3-FR / 126g/m ² ; Thickness : 0.17mm SN2-FR / 100 g/m ² ; Thickness : 0.3mm Paper Foil PA2-FR / 195 g/m ; Thickness : 0.25mm Bubble Base Type SB250 / 250 g/m ² ; Thickness : 3.8mm SB200-FR/ 200 g/m ² ; Thickness: 4.0 mm SN3-FR+ / 250 g/m ² ; Thickness : 2.0 mm SB400-FR+ / 380 g/m ² ; Thickness : 9.0 mm	ELSIE		MS 2095:2014

HANSON BUILDING MATERIALS MALAYSIA S/BNo. PPS : 1171205WP0230
No. CERT : A001007SG BESI PLANT LOT 110, 163 DAN 166, JALAN 3/89B,
OFF JALAN SUNGAI BESI, 57100 WILAYAH PERSEKUTUANTEL : +60392228927
FAX : +60392220654

TARIKH MULA	17-01-2019	TARIKH TAMAT	16-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete 2020NGN, 2520NGN, 3020NGN, 3520NGN, 4020NGN		NIL	MS EN 206:2016

KTK CONCRETE SDN BHDNo. PPS : 1181127KD0327
No. CERT : A 001375LOT 77, LORONG PERUSAHAAN 5, KULIM INDUSTRIAL ESTATE,
09000 KULIM, KEDAHTEL : 016-4191960
FAX : 04-7352217

TARIKH MULA	27-11-2018	TARIKH TAMAT	26-11-2019
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete Desgined Concrete (Consistence Class:S2); C16/20 (Normal) ; 0.66(Max,W/C), 365 KG (Min.Cement Content) Desgined Concrete C20/25 (Normal) ; 0.59(Max,W/C), 295 KG (Min.Cement Content) Desgined Concrete C25/30 (Normal) ; 0.54(Max,W/C), 325 KG (Min.Cement Content) Desgined Concrete C30/37 (Normal) ; 0.48(Max,W/C) 355 KG (Min.Cement Content)		KTK CONCRETE SDN BHD	MS EN 206:2016 CIS 21:2016

LAFARGE CONCRETE (M) SDN BHD - KL PLANTNo. PPS : 1180312WP0257
No. CERT : A001009LOT 310, SEKSYEN 92 PN 46797 JALAN EMPAT OFF JALAN CHAN SOW LIN
51100 KUALA LUMPUR WILAYAH PERSEKUTUANTEL : 0377872000
FAX : 0377872129

TARIKH MULA	29-03-2019	TARIKH TAMAT	28-03-2020
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete 30N, 25N		LAFARGE	MS 523:PART 1:2005

LAFARGE CONCRETE (M) SDN BHD - PJ PLANTNo. PPS : 1180423SL0262
No. CERT : A002182NO.2, JALAN KILANG 46050 PETALING JAYA
SELANGORTEL : 016-6623526
FAX :

TARIKH MULA	23-04-2019	TARIKH TAMAT	22-04-2020
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete PRODUCER'S CONCRETE CODE : 25N STRENGTH CLASS : C20/25		LAFARGE	MS 523: PART 1:2005, CIS 21:2016
PRODUCER'S CONCRETE CODE : 30N STRENGTH CLASS : C25/30			

**LY CONCRETE PRODUCTS SDN BHD -
KOTA TINGGI PLANT**No. PPS : 1190103JH0337
No. CERT : A004090LOT 925, BATU 5 1/2, JALAN MAWAI
81900 JOHORTEL : 07-8830000 /
07-8831713
FAX : 07-8832403

TARIKH MULA	03-01-2019	TARIKH TAMAT	02-01-2020
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete ME20N/001, ME25N/001, ME30N/001, ME35N/001		LY Concrete Products Sdn Bhd	MS EN 206:2016, CIS 21:2016

MACRO DIMENSION CONCRETE SDN BHDNo. PPS : 1181221WP0333
No. CERT : A001006LOT 296, JLN DUA, OFF JLN CHAN SOW LIN
55200 WILAYAH PERSEKUTUANTEL : 03-61423418
FAX : 03-61423461

TARIKH MULA	21-12-2018	TARIKH TAMAT	20-12-2019
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete S3-S5		MDC	CIS 21:2016, MS EN 206:2016

MACRO DIMENSION CONCRETE SDN BHDNo. PPS : 1190513PP0363
No. CERT : A002823LOT 169, MUKIM 12, DAERAH BARAT DAYA
BATU MAUNG 11960 PULAU PINANGTEL : 03-61423418
FAX : 03-61423461

TARIKH MULA	13-05-2019	TARIKH TAMAT	12-05-2020
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete CODE: G25N3BG		MDC	MS EN 206:2016, CIS 21:2016

TYPE : DESIGNED CONCRETE
STRENGTH CLASS : C20/25

PARAGON CONCRETE SDN BHD

No. PPS : 1181226SR0334
No. CERT : A001690

LOT 1437, BLOCK 224 4 1/2 MILE, JALAN BATU KAWA KUCHING
93250 SARAWAK

TEL : 082682866
FAX : 082683866

TARIKH MULA	26-12-2018	TARIKH TAMAT	25-12-2019
JENIS / SAIZ	JENAMA	STANDARD	
Ready Mix Concrete C30 CLASS S3, C35 CLASS S3, C45 CLASS S4	PARAGON CONCRETE	MS EN 206:2016, CIS 21:2016	

PERFECT MIX PORTFOLIO SDN BHD (NUSAJAYA PLANT)

No. PPS : 1170809JH0208
No. CERT : A 004082

PTD 141091, MUKIM PULAI, NUSAJAYA,
79250 JOHOR

TEL : 07-333 8899
FAX : 07-333 8988

TARIKH MULA	09-12-2018	TARIKH TAMAT	08-12-2019
JENIS / SAIZ	JENAMA	STANDARD	
Ready Mix Concrete G35N, G35P	Perfect Mix	MS 523: PART 1:2005, CIS 21:2016	

SETIA READYMIX SDN BHD - BANGSAR PLANT (PLANT IDENTIFICATION: SRSB-14-W-1)

No. PPS : 1180827WP0301
No. CERT : A001004

MAILING SEKSYEN 97, MUKIM KUALA LUMPUR,
40170 KUALA LUMPUR WILAYAH PERSEKUTUAN

TEL :
FAX :

TARIKH MULA	27-08-2018	TARIKH TAMAT	26-08-2019
JENIS / SAIZ	JENAMA	STANDARD	
Ready Mix Concrete C20/25	GRADE 25	MS EN 206:2016, CIS 21:2016	
Ready Mix Concrete C25/30	GRADE 30	MS EN 206:2016, CIS 21:2016	
Ready Mix Concrete C28/35	GRADE 35	MS EN 206:2016, CIS 21:2016	

SETIA READYMIX SDN BHD - BERANANG PLANT (PLANT IDENTIFICATION: SRSB-010-D-4)

No. PPS : 1181031SL0319
No. CERT : A002132

LOT 39, MUKIM BERANANG, DAERAH HULU LANGAT,
43700 HULU LANGAT SELANGOR

TEL : 03-33482200
FAX : 03-33482222

TARIKH MULA	31-10-2018	TARIKH TAMAT	30-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete C20/25, C25/30, C28/35		Setia Readymix Sdn Bhd	MS 523: PART 1:2005, CIS 21:2016

SETIA READYMIX SDN BHD - SEMENYIH PLANT (PLANT IDENTIFICATION : SRSB-010-D-3)

No. PPS : 1181031SL0318
No. CERT : A002131

LOT PT 33987 (RIZAB KUBUR), MUKIM SEMENYIH,
DAERAH HULU LANGAT 43500 HULU LANGAT SELANGOR

TEL :
FAX :

TARIKH MULA	31-10-2018	TARIKH TAMAT	30-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete C20/25, C25/30, C28/35		Setia Readymix Sdn Bhd	CIS 21:2016, MS 523:PART 1:2005

SETIA READYMIX SDN BHD - SETIA ALAM PLANT 1 (PLANT IDENTIFICATION: SRSB-010-D-1)

No. PPS : 1181022SL0316
No. CERT : A002127

LOT PT 32276, PERSIARAN SETIA MAKMUR, SEKSYEN U14, MUKIM BUKIT RAJA,
DAERAH PETALING 40170 PETALING SELANGOR

TEL :
FAX :

TARIKH MULA	22-10-2018	TARIKH TAMAT	21-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete C20/25, C25/30, C28/35		Setia Readymix Sdn Bhd	MS 523: PART 1:2005, CIS 21:2016

SETIA READYMIX SDN BHD - SETIA ALAM PLANT 2 (PLANT IDENTIFICATION: SRSB-010-D-2)

No. PPS : 1181022SL0317
No. CERT : A002128

LOT PT 32276, PERSIARAN SETIA MAKMUR, SEKSYEN U14, MUKIM BUKIT RAJA,
DAERAH PETALING 40170 PETALING SELANGOR

TEL :
FAX :

TARIKH MULA	22-10-2018	TARIKH TAMAT	21-10-2019
JENIS / SAIZ		JENAMA	STANDARD
Ready Mix Concrete C20/25, C25/30, C28/35		Setia Readymix Sdn Bhd	MS 523: PART 1:2005, CIS 21:2016

SPC INDUSTRIES SDN BHD

No. PPS : 1190218JH0347
No. CERT : A004096

21 M/S JALAN PONTIAN ULU CHOY
81150 JOHOR

TEL : 07-6996208
FAX : 07-6994137

TARIKH MULA	18-02-2019	TARIKH TAMAT	17-02-2020
JENIS / SAIZ	JENAMA	STANDARD	
Ready Mix Concrete PRODUCER'S CONCRETE CODE : G50 LDP, G40 PS, G50 HCI	SP	MS 523: PART 1:2005, CIS 21:2016	

STRONG MIXED CONCRETE SDN BHD

No. PPS : 1180806WP0296
No. CERT : A001003

LOT 28, JALAN LIMA, OFF JALAN CHAN SAW LIN KUALA LUMPUR
58000 WILAYAH PERSEKUTUAN

TEL :
FAX :

TARIKH MULA	06-08-2018	TARIKH TAMAT	05-08-2019
JENIS / SAIZ	JENAMA	STANDARD	
Ready Mix Concrete C16/20 (NORMAL), MAX W/C 0.61, MIN CEMENT CONTENT 270kg C16/20 (PUMP), MAX W/C 0.60, MIN CEMENT CONTENT 290kg C20/25 (NORMAL), MAX W/C 0.57, MIN CEMENT CONTENT 290kg C20/25 (PUMP), MAX W/C 0.55 MIN CEMENT CONTENT 310kg C25/30 (NORMAL), MAX W/C 0.48, MIN CEMENT CONTENT 330kg C25/30 (PUMP), MAX W/C 0.48, MIN CEMENT CONTENT 330kg C25/30 (TREMIE 1), MAX W/C 0.49, MIN CEMENT CONTENT 340kg C25/30 (TREMIE 2), MAX W/C 0.49, MIN CEMENT CONTENT 350kg C28/35 (NORMAL), MAX W/C 0.46 MIN CEMENT CONTENT 350kg C28/35 (PUMP), MAX W/C 0.46 MIN CEMENT CONTENT 360kg C28/35 (TREMIE 1), MAX W/C 0.45 MIN CEMENT CONTENT 370kg C28/35 (TREMIE 2), MAX W/C 0.45 MIN CEMENT CONTENT 380kg C32/40 (NORMAL), MAX W/C 0.42 MINIMUM CEMENT CONTENT 380kg	STRONG MIXED CONCRETE	MS EN 206:2016, CIS 21:2016	

C32/40 (PUMP), MAX W/C 0.42 MIN CEMENT CONTENT 390kg		
C32/40 (TREMIE 1), MAX W/C 0.41 MINIMUM CEMENT CONTENT 400kg		
C32/40 (TREMIE 2), MAX W/C 0.41 MINIMUM CEMENT CONTENT 410kg		
C35/45 (NORMAL), MAX W/C 0.38 MIN CEMENT CONTENT 420kg		
C35/45 (PUMP), MAX W/C 0.38 MIN CEMENT CONTENT 430kg		
C35/45 (TREMIE 1), MAX W/C 0.38 MIN CEMENT CONTENT 440kg		
C35/45 (TREMIE 2), MAX W/C 0.38 MIN CEMENT CONTENT 450kg		
C40/50 (NORMAL), MAX W/C 0.36 MIN CEMENT CONTENT 440kg		
C40/50 (PUMP), MAX W/C 0.37, MIN CEMENT CONTENT 450kg		
C40/50 (TREMIE 1), MAX W/C 0.36 MIN CEMENT CONTENT 460kg		
C40/50 (TREMIE 2), MAX W/C 0.36 MIN CEMENT CONTENT 470kg		
C40/50 (TREMIE 3), MAX W/C 0.32 MIN CEMENT CONTENT 470kg		
C50/60 (TREMIE 3), MAX W/C 0.31 MIN CEMENT CONTENT 480kg		
C16/20 (NORMAL), MAX W/C 0.65 MIN CEMENT CONTENT 215kg- (OPC) 55kg- (PFA)		
C16/20 (PUMP), MAX W/C 0.64 MIN CEMENT CONTENT 225kg- (OPC) 55kg- (PFA)		
C20/25 (NORMAL), MAX W/C 0.57 MIN CEMENT CONTENT 240kg- (OPC) 60kg- (PFA)		
C20/25 (PUMP), MAX W/C 0.55 MIN CEMENT CONTENT 250kg- (OPC) 60kg- (PFA)		
C25/30 (NORMAL), MAX W/C 0.50, MIN CEMENT CONTENT 270kg- (OPC) 70kg- (PFA)		
C25/30 (PUMP), MAX W/C 0.49, MIN CEMENT CONTENT 280kg- (OPC) 70kg- (PFA)		
C28/35 (NORMAL), MAX W/C 0.46, MIN CEMENT CONTENT 295kg- (OPC) 75kg- (PFA)		
C28/35 (PUMP), MAX W/C 0.45 MIN CEMENT CONTENT 305kg- (OPC) 75kg- (PFA)		
C28/35 (TREMIE 1), MAX W/C 0.45 MIN CEMENT CONTENT 310kg- (OPC) 80kg- (PFA)		
C28/35 (TREMIE 2), MAX W/C 0.44 MIN CEMENT CONTENT 320kg- (OPC) 80kg- (PFA)		

C32/40 (NORMAL), MAX W/C 0.43 MIN CEMENT CONTENT 320kg- (OPC) 80kg- (PFA)
C32/40 (PUMP), MAX W/C 0.43 MIN CEMENT CONTENT 320kg- (OPC) 80kg- (PFA)
C32/40 (TREMIE 1), MAX W/C 0.43 MIN CEMENT CONTENT 325kg- (OPC) 85kg- (PFA)
C32/40 (TREMIE 2), MAX W/C 0.42 MIN CEMENT CONTENT 335kg- (OPC) 85kg- (PFA)
C35/45 (NORMAL), MAX W/C 0.40 MIN CEMENT CONTENT 340kg- (OPC) 90kg- (PFA)
C35/45 (PUMP), MAX W/C 0.40 MIN CEMENT CONTENT 340kg- (OPC) 90kg- (PFA)
C35/45 (TREMIE 1), MAX W/C 0.40 MIN CEMENT CONTENT 350kg- (OPC) 90kg- (PFA)
C35/45 (TREMIE 2), MAX W/C 0.39 MIN CEMENT CONTENT 360kg- (OPC) 90kg- (PFA)
C40/50 (NORMAL), MAX W/C 0.36 MIN CEMENT CONTENT 375kg- (OPC) 95kg- (PFA)
C40/50 (PUMP), MAX W/C 0.35 MIN CEMENT CONTENT 380kg- (OPC) 100kg- (PFA)
C40/50 (TREMIE 1), MAX W/C 0.36 MIN CEMENT CONTENT 390kg- (OPC) 100kg- (PFA)
C40/50 (TREMIE 2), MAX W/C 0.35 MIN CEMENT CONTENT 400kg- (OPC) 100kg- (PFA)
C40/50 (TREMIE 3), MAX W/C 0.30 MIN CEMENT CONTENT 400kg- (OPC) 100kg- (PFA)
C50/60 (TREMIE 3), MAX W/C 0.28 MIN CEMENT CONTENT 420kg- (OPC) 110kg- (PFA)

STRONG MIXED CONCRETE SDN BHD

No. PPS : 1181115JH0323
No. CERT : A004081

PTD 152682, MUKIM PULAI JALAN SILC 1, KAWASAN PERINDUSTRIAN SILC
NUSAJAYA 79200 JOHOR

TEL :
FAX :

TARIKH MULA : 15-11-2018 TARIKH TAMAT : 14-11-2019

JENIS / SAIZ	JENAMA	STANDARD
Ready Mix Concrete C12/15, C16/20, C20/25, C25/30, C40/50, C32/40, C35/45 NORMAL	STRONG MIXED CONCRETE SDN BHD	MS EN 206:2016, CIS 21:2016
C16/20, C20/25, C25/30, C28/35, C32/40, C35/45, C40/50, PUMP		
C25/30, C28/35, C32/40, C35/45, C40/50 TREMIE 1		
C25/30, C28/35, C40/50 TREMIE 2		
C40/50, C50/60 TREMIE 3		

STRONG MIXED CONCRETE SDN BHD

No. PPS : 1181127PP0328
No. CERT : A002804LOT A1-2, PARCEL A1 SEKSYEN 8 GEORGETOWN
11600 PULAU PINANGTEL :
FAX :

TARIKH MULA	27-11-2018	TARIKH TAMAT	26-11-2019
JENIS / SAIZ	JENAMA		STANDARD
Ready Mix Concrete C16/20, C20/25, C25/30, C28/35, C32/40, C35/45, C40/50, NORMAL	STRONG MIXED CONCRETE SDN BHD		MS EN 206:2016, MS523-2:2011, MS523-3:2010, CIS 21:2016
C16/20, C20/25, C25/30, C28/35, C32/40, C35/45, C40/50, PUMP			
C25/30, C28/35, C32/40, C35/45, C40/50 TREMIE 1			
C25/30, C28/35, C32/40, C35/45, C40/50 TREMIE 2			
C40/50, C50/60 TREMIE 3			

STRONG MIXED CONCRETE SDN BHD

No. PPS : 1190124WP0345
No. CERT : A001008LOT 4719, SEBAHAGIAN LOT 32661, JALAN SEGAMBUT MUKIM BATU
51200 WILAYAH PERSEKUTUANTEL :
FAX :

TARIKH MULA	24-01-2019	TARIKH TAMAT	23-01-2020
JENIS / SAIZ	JENAMA		STANDARD
Ready Mix Concrete CEM 1	C16/20, C20/25, C25/30, C28/35, C32/40, C28/35, C35/45, C40/50 (NORMAL)		MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM 1	C16/20, C25/30, C28/35, C32/40, C35/45 C40/50 (PUMP)		MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM 1	C25/30, C28/35, C32/40, C35/45, C40/50 (TREMIE 1)		MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM 1	C25/30, C28/35, C32/40, C35/45, C40/50, (TREMIE 2)		MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM 1	C40/50, C50/60 (TREMIE 3)		MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM II	C16/20, C20/25, C25/30, C28/35, C32/40, C35/45, C40/50 (NORMAL)		MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010

Ready Mix Concrete CEM II	C16/20, C20/25, C25/30, C28/35, C32/40, C35/45, C40/50 (PUMP)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM II	C25/30, C28/35, C32/40, C35/45, C40/50 (TREMIE 1)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM 1	C25/30, C28/35, C32/40, C35/45, C40/50 (TREMIE 2)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010
Ready Mix Concrete CEM II	C40/50, C50/60 (TREMIE 3)	MS EN 206:2016, CIS21:2016, MS523-2:2011, MS523-3:2010

SUNGAI RASAU PLANT 1

No. PPS : 1181227SL0335
No. CERT : A002144

LOT 723, JALAN SUNGAI RASAU
SHAH ALAM 41300 SELANGOR

TEL : 019 3323721
FAX :

TARIKH MULA	27-12-2018	TARIKH TAMAT	26-12-2019
JENIS / SAIZ	JENAMA	STANDARD	
Ready Mix Concrete READY-MIXED CONCRETE / 30P-30BS STRENGTH CLASS : C25/30	SUNTIGA	MS 523: PART 1:2005, CIS 21:2016	

SUNGAI RASAU PLANT 2

No. PPS : 1181227SL0336
No. CERT : A002143

LOT 723, JALAN SUNGAI RASAU
SHAH ALAM 41300 SELANGOR

TEL : 019 3323721
FAX :

TARIKH MULA	27-12-2018	TARIKH TAMAT	26-12-2019
JENIS / SAIZ	JENAMA	STANDARD	
Ready Mix Concrete PRODUCER'S CONCRETE CODE : 30P-30BS	SUNTIGA	MS 523: PART 1:2005, CIS 21:2016	

UNIQUE MIX (PENANG) SDN BHD

No. PPS : 1190418PP0288
 No. CERT : A002820

LOT 7595, MUKIM 13, JALAN BUKIT GAMBIER
 11700 PULAU PINANG

TEL : 04-2636486
 FAX : 04-2637470

TARIKH MULA	18-04-2019	TARIKH TAMAT	17-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Ready Mix Concrete Producer's Concrete Code : G30N, Type of Concrete : Designed Concrete, Strength Class : C25/30	Manufacturer ID : Unique Mix (Penang) Sdn Bhd	MS 523: PART1:2005, MS523-2:2011, MS523-3:2010, CIS 21:2016	

CLAY INDUSTRIES SDN BHD

No. PPS : 1160119JH0090
No. CERT : A00409257 MILES, JALAN JOHOR
86100 KLUANG JOHORTEL : 07-7581201
FAX : 07-7581175

TARIKH MULA	10-01-2019	TARIKH TAMAT	09-01-2020
JENIS / SAIZ	JENAMA		STANDARD
Ceramic Wash Basin (Padestal) 163 TYPES OF MODEL	CLAYTAN, CLAYTAN SIGNATURE, GLOBE, LEGEND, SILVERDALE, INAX, JP GLOBE, CAROMA, BTHRMS		MS 147:2001
Ceramic Flushing Cisterns Equipped With Mechanism CRONOS CC CISTERN ATHENA CC CISTERN, PROFILE CC CISTERN, OPAL II CC CISTERN, GRUS CC CISTERN, GEO CC CISTERN, VAND CC CISTERN, OPAL 2000 CISTERN, LIANO CC CISTERN	CAROMA		MS 795:2002, MS 795-1:2011
Ceramic Flushing Cisterns Equipped With Mechanism INAX T11, INAX T12	INAX		MS 795:2002, MS 795-1:2011
Ceramic Flushing Cisterns Equipped With Mechanism LC3009 , LC3005, LC3004, LC3007, LC3010, LC3011D, LC3014D, LC3013D, LC3016, LC3017, LC3029, LC3008, LC 627, LC3030D, LC3306D	CLAYTAN		MS 795:2002, MS 795-1:2011
Ceramic Flushing Cisterns Equipped With Mechanism LC3302, LC3305	LEGEND		MS 795:2002, MS 795-1:2011
Ceramic Flushing Cisterns Equipped With Mechanism LC 304, LC3020	GLOBE		MS 795:2002, MS 795-1:2011
Ceramic Flushing Cisterns Equipped With Mechanism LC981082, LC983022D, LC3011D, LC93025, LC3033D, LC83029D,LC93029	CLAYTAN SIGNATURE		MS 795:2002, MS 795-1:2011
Ceramic Flushing Cisterns Equipped With Mechanism LC3310, LC3313, LC3315, LC3317	SILVERDALE		MS 795:2002, MS 795-1:2011
Ceramic Flushing Cisterns Equipped With Mechanism LC3025, LC3029, LC3005	BTHRMS		MS 795:2002, MS 795-1:2011
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC1622, WC1655S, WC1699, WC1633A, WC1688	CLAYTAN		MS 147:2001, MS 795-1:2011, MS 1522:2011
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC1622,WC1699	CAROMA		MS 147:2001, MS 795-1:2011, MS 1522:2011
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC91699DM04T,WC91811	CLAYTAN SIGNATURE		MS 147:2001, MS 795-1:2011, MS 1522:2011
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC1655S,WC1622S,WC1622P	BTHRMS		MS 147:2001, MS 795-1:2011, MS 1522:2011
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC1633B,WC1866P,WC1855,WC1899	EURANO		MS 147:2001, MS 795-1:2011, MS 1522:2011
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC91855,WC1811S	16. CLAYTAN, CLAYTAN SIGNATURE, GLOBE, LEGEND, LEGEND ENGLAND		MS 147:2001, MS 795-1:2011, MS 1522:2011

<p>Ceramic Water Closet Pans Without Flushing Cisterns ES401, ES403, WC644, WC624, WC3705</p> <p>ST202, WC602, WC612 MATCHING LC3004, WC612; MATCHING LC3005, WC611 MATCHING LC3004, WC1; MATCHING LC3005, WC4505 MATCHING LC3005, WC4505; MATCHING LC3007, WC4501 MATCHING LC3004, WC4501; MATCHING LC3005, WC4501 MATCHING LC3010, WC4503; MATCHING LC3004, WC4511 MATCHING LC3011, WC4304; MATCHING LC3005, WC4510 MATCHING LC3007, WC4510; MATCHING LC3010, WC3504 MATCHING LC3014, WC3505; MATCHING LC3007, WC4303 MATCHING LC3013, WC4506; MATCHING LC3016, WC4308 MATCHING LC3005, WH4801</p> <p>WC4201, WC4707BI/TI, WC626</p> <p>WC4301 MATCHING LC3001, WC4301 MATCHING LC3005, WC4306 MATCHING LC3005, WC4306 MATCHING LC3006, WC623 MATCHING LC627, WC623 MATCHING LC3005, WC622 MATCHING LC3004, WC622 MATCHING LC3005, WC4504 MATCHING LC3014, WC4507 MATCHING LC3017</p>	<p>GLOBE, CLAYTAN</p>	<p>MS 147:2001, MS 1522:2011</p>
<p>Ceramic Water Closet Pans Without Flushing Cisterns GEO CC PAN MATCHING GEO CC CISTERN, VAND CC</p> <p>OPAL 2000 CC PAN MATCHING OPAL 2000 CC CISTERN, PROFILE CC PAN MATCHING PROFILE CC CISTERN, OPAL II CC PAN MATCHING OPAL II CISTERN, ROYALE WH PAN, CUBE WH PAN, SEIDO WH PAN</p>	<p>CAROMA</p>	<p>MS 147:2001, MS 1522:2011</p>
<p>Ceramic Water Closet Pans Without Flushing Cisterns WC4509 MATCHING LC3029, WC4515 MATCHING LC3025, WC4518A MATCHING CISTERN LC3010, WC4526B MATCHING LC3306, WC4525B MATCHING LC3025, WC4528B MATCHING LC3005, WC4512B MATCHING LC3025, WC3100 MATCHING LC3030D, WH4809, WH140, WC9501 CARE MATCHING LC3005</p> <p>WC4529P MATCHING LC3005, WC4521B MATCHING LC3011</p> <p>LEDA WC9701 CARE PAN</p> <p>WC4709</p>	<p>CLAYTAN</p>	<p>MS 147:2001, MS 1522:2011</p>
<p>Ceramic Water Closet Pans Without Flushing Cisterns INAX C11 MATCHING T11, INAX C12 MATCHING T12</p>	<p>INAX</p>	<p>MS 147:2001, MS 1522:2011</p>
<p>Ceramic Water Closet Pans Without Flushing Cisterns WC4455 MATCHING LC3305, WC4456 MATCHING LC3305, WC7702, WC7703, WC7701, WH8803</p> <p>WC4451 MATCHING LC3302, WC7705</p>	<p>LEGEND</p>	<p>MS 147:2001, MS 1522:2011</p>
<p>Ceramic Water Closet Pans Without Flushing Cisterns WC98387 MATCHING LC981082 WC94516 MATCHING LC983022D WC94512 MATCHING LC93025DBICO WC94521S MATCHING L3011D WC94525B MATCHING LC93025 WC94533 MATCHING LC3033D WC94101 MATCHING LC93029D WC94101 MATCHING LC93029, WC94709, WC94601, WC98388, WC98283M, WH94809, WH981528; WC93503</p>	<p>CLAYTAN SIGNATURE</p>	<p>MS 147:2001, MS 1522:2011</p>
<p>Ceramic Water Closet Pans Without Flushing Cisterns WC4515S MATCHING LC3025, WC4515P MATCHING LC3025, WC4515S MATCHING LC3029, WC4501S MATCHING LC3005, WC4707BI, WC4709BI, WH4809, WH4815</p>	<p>BTHRMS</p>	<p>MS 147:2001, MS 1522:2011</p>

Ceramic Water Closet Pans Without Flushing Cisterns WC4460B MATCHING LC3310, WC4463B MATCHING LC3313, WC4465 MATCHING LC3315, WC4467B MATCHING LC3317	SILVERDALE	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns WC4530 MATCHING LC3020	GLOBE	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns WC4530 MATCHING LC3010DT; WC644II	EURANO	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns WC4530S MATCHING LC3010DT, WC4520 MATCHING LC3011ND, WC4516 MATCHING LC3022, WC4516 MATCHING LC3022, WC4533 MATCHING LC3033, WC4533 MATCHING LC3033, WC4102 MATCHING LC3032, WC8387 MATCHING LC81082, WC9502, WC8283, WC4601, WC8388, WH4901, WH4810, WH4809	(21) CLAYTAN, CLAYTAN SIGNATURE, GLOBE, LEGEND, LEGEND ENGLAND	MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns WC4528 MATCHING LC3101DT, WC4506 MATCHING LC3005, WC4526 MATCHING CISTERN LC3306 WC4709TI, WC4709BI	CLAYTAN, CLAYTAN SIGNATURE, GLOBE, LEGEND, LEGEND ENGLAND	MS 147:2001, MS 1522:2011
Ceramic Wash Basin (Pedestal) WB1128SR, COMPACT WALL BASIN, LINEA ELBA SEMI RECESS BASIN, MILAN 600 WALL BASIN, CAMELOT VANITY BASIN, CRAVELLE 600 VANITY BASIN, MILAN/MEDINA 550 VANITY BASIN, FLORA 500 WALL BASIN, CARAVELLE 600 SEMI-RECESS BASIN, LASER SEMI-RECESS BASIN MILAN/MEDINA PEDESTAL., CARAVELLE PEDESTAL; TORRES URINAL	LEGEND	MS 2578:2014
Ceramic Wash Basin (Pedestal) INAX L51, INAX L 13, INAX L14, INAX L41, INAX L21, INAX L31, INAX L32, INAX L 11, INAX L12; INAX P21; INAX P11	INAX	MS 2578:2014
Ceramic Wash Basin (Pedestal) WB 701, WB702, WB 704, WB106, WB122, WB 132, WB134, WB 136, WB 140, WB142, WB144, WB 145, WB146; LS 802, LS 804, LS 806, LS 807, LS 808, KS 901; BP1, BP151, BP 152, BP 153, BP 145, BP1754, BP1755, BP 1756, BP 1758, BP 1711 SR 1701, SR 1703, SR 1711, SR 1718 UR 402, UR 405, UR 407, UR604, UR 609, UR 5602, UR 5603, UR 5605 BD 1, BD 502, BD 503, BD 504, BD 505, BD 5105; TA 723, TA 501, TA 726, TA 729 TA 702, TA 705, TA502;	JP GLOBE, CLAYTAN	MS 2578:2014
Ceramic Wash Basin (Pedestal) LEDA VASQUE ABOVE COUNTER VANITY BASIN, LEDA VASQUE SEMI-RECESSED BASIN, LEDA VASQUEINSERT VANITY BASIN, CARAVELLE 550 SRB, GEO WALL HUNG BASIN	CAROMA	MS 2578:2014
Ceramic Wash Basin (Pedestal) BP1710WT, SRFC1710WT, BP1753, SR1701	BTHRMS	MS 2578:2014

INNO CERAMITEC SDN BHD

No. PPS : 1160223JH0102
No. CERT : A00410856 MILES, JALAN JOHOR BAHRU AYER HITAM
86100 BATU PAHAT JOHORTEL : 07-7583799
FAX : 07-7582648

TARIKH MULA	21-05-2019	TARIKH TAMAT	20-05-2020
JENIS / SAIZ	JENAMA		STANDARD
Ceramic Urinals UB4001, UB4002, UB4003, UB4006, UB4009, UB4019	INNO, SERICITE		MS 147:2001
Ceramic Water Closet Pans Without Flushing Cisterns WC1016/LC5016, WC1019/LC5019, WC1028/LC5028, WC1026/LC5026, WC1012/LC5002, WC1009/LC5002, WC1002/LC5002, WC1006/LC5006, WC1031/LC5028, WC1036/LC5028, WC1001, WC1013, SQ7003, SQ7004, WC1033/LC5033, WC1046/LC5046, WC1040/LC5019	INNO, SERICITE		MS 147:2001, MS 1522:2015
Ceramic Wash Basin WB2001, WB2002, WB2023, WB2043, WB2051B, WB2052B, WB2031, WB2041, WB2042, WB2003, WB2009, WB2033, WB2010, WB2022, WB2014, WB2015, WB2025, WB2052, WB2004, WB2016, WB2024, WB2046, WB2047, WB2050, WB2053, WB2030, WB2013, WB2038, WB2056, WB2035, WB2020, WB2055	INNO, SERICITE		MS 147:2001, MS 2578:2014
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) WC1015, WC1030, WC1038, WC1048, WC1045, WC1044, WC1043, WC1041	SERICITE		MS 147:2001, MS 795-1:2011, MS 1522:2015
Ceramic Flushing Cisterns Equipped With Mechanism LC5002, LC5016, LC5019, LC5028, LC5026, LC5006, LC5033, LC5046	INNO, SERICITE		MS 795-1:2011

NAGAKO CERAMICS SDN BHD

No. PPS : 1180116SR0240
No. CERT : A001691LOT 1112, BLOCK 33, SARIKEI L. D. SARIKEI LIGHT INDUSTRIAL ESTATE JALAN
BAJI/SENTUBU 96100 SARIKEI SARAWAKTEL : 084-653237
FAX : 084-658843

TARIKH MULA	16-01-2019	TARIKH TAMAT	15-01-2020
JENIS / SAIZ	JENAMA		STANDARD
Ceramic Wash Basin WASH BASIN (CL806, CL809, CL900, CL901, CL902, CL114, CL116, CL133, CL136)	CERASAN, SAMA, LASIO		MS 147:2001
Ceramic Wash Basin URINAL (U402)	CERASAN, SAMA		MS 147:2001
Ceramic Water Closet Pans Without Flushing Cisterns GROUP 2 - WALL HUNG WC PANS (MODEL NO: NC 302), (NC 303S), NC 303P) PEDESTAL WC PANS (MODEL NO: NC 201, WC 502, NC 203S, NC 203P, NC 207, NC 208S, NC 208P, NC 209S, NC 209P, INTEGRAL OUTLET)	CERASAN, SAMA, LASIO		MS 147:2001, MS 1522:2011
Ceramic Water Closet Pans Without Flushing Cisterns GROUP 2 - SQUATTING WC PANS (SQ 31S, INTEGRAL OUTLET)	SAMA		MS 147:2001, MS 795-1:2011, MS 1522:2015

GROUP 2 - SQUATTING WC PANS
(MODEL NO: SQ 31P, INTEGRAL OUTLET)

PAKAI INDUSTRIES BERHAD

No. PPS : 1170906SL0215
No. CERT : A002107

NO.8 & NO.10 JALAN HI-TECH 6/1 KAWASAN PERINDUSTRIAN HI-TECH 6
43500 HULU LANGAT SELANGOR

TEL : 03-9108 2199
FAX : 03-9108 3199

TARIKH MULA	06-09-2018	TARIKH TAMAT	05-09-2019
JENIS / SAIZ	JENAMA	STANDARD	
Plastic Flushing Cisterns Equipped With Mechanism TK3, TK7 SIPHON FLUSHING TYPE: SINGLE INLET VALVE MODEL NO.: P110, P113, P118, P119 FLUSHING DEVICE MODEL NO.: F100 TK3, TK6, TK7 INSPIRE FLUSHING TYPE: SINGLE INLET VALVE MODEL NO.: P110, P113, P118, P119, FLUSHING DEVICE MODEL NO.: F200 TK3, TK6, TK7 VISION FLUSHING TYPE: SINGLE INLET VALVE MODEL NO.: P110, P113, P118, P119 FLUSHING DEVICE MODEL NO.: F210 TK3, TK6, TK7 TWINS FLUSHING TYPE: DUAL INLET VALVE MODEL NO.: P110, P113, P118, P119 FLUSHING DEVICE MODEL NO.: F300 TK3, TK6, TK7, HARMONIC FLUSHING TYPE: SINGLE INLET VALVE MODEL NO.: P110, P113, P118, P119 FLUSHING DEVICE MODEL NO.: F400	MAYOR, PAKAI, STAR	MS 795-1:2011	

ROCA MALAYSIA SDN BHD

No. PPS : 1160108SL0086
No. CERT : A002124

LOT 552, LOCKED BAG NO. 212, JALAN RAJA MUSA KAWASAN PERINDUSTRIAN
BESTARI JAYA 45600 KUALA SELANGOR SELANGOR

TEL : 03-32803051
FAX : 03-32803054

TARIKH MULA	12-10-2018	TARIKH TAMAT	11-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Ceramic Wash Basin L528, LB06, L384, L562, L138, L82, L500, L600, L400, L2293U, L2292U, L2394, L2292, LS3, LS560, L365PP	ECONAX	MS 147:2001, MS 2578:2014	
Ceramic Wash Basin Boston 400, Boston 500, Boston 600, Windsor 410, Windsor 480, Windsor 605, Monte Carlo, Bergamo Round, Bergamo SQ/ADBO010, Dover, Rosslare 560, Handicap, Modena, Latina 500, Latina 600, Como, Basel, Trezzo 480, Arosa, Venice, Windsor, Gemelli SQ SR 550 x 480 / AAGM101 Moritz, Yale, Gemelli SQ SI 550 x 410 / AAGM131, Gemelli Round SI 450 x 410 / AAGM151, Gemelli SQ SI 450 x 410 / AAGM12	JOHNSON SUISSE	MS 147:2001, MS 2578:2014	

York, Gemelli Round OC 450 x 410 / AAGM141, Gemelli SQ OC 450 x 410 / AAGM111, Basel, Trezzo 485, Gemelli SQ OC 400 x 400 / AAGM100, Gemelli Round OC 400 / AAGM120, Mars, Mercury, Venus, Jupiter, Gemelli Round SI 400 / AAGM130, Gemelli SQ SI 400 x 400 / AAGM110		
Windsor Corner, Celico, Torino, Lab Sink 560, Lab Sink 400		
Ceramic Bidets MONTE CARLO, VALENTIA, MODENA	JOHNSON SUISSE	MS 147:2001
Ceramic Wash Basin (Padestal) COMO PEDESTAL, UNIVERSAL, MONTE CARLO, HALF, HALF PEDESTAL MODENA, HALF PEDESTAL LUGANO		
Ceramic Urinals SANTANA 320, SANTANA 455, MALVERN, RICHMOND, SANTANA 320 BI, SANTANA 320 TI CLEANSING, SANTANA 320 BI CLEANSING, SANTANA 455 BI, SANTANA 455 TI CLEANSING, SANTANA 320 BI (CL), SANTANA 450 BI (CL)		
SANTANA 320 TI, SANTANA 455 TI, SANTANA 455 BI CLEANSING		
Ceramic Wash Basin (Padestal) LD1, LD2, LD3, LD5, LD690, LD89, LD6, LD82	ECONAX	MS 147:2001
Ceramic Urinals U15, U21, U26, U30, U114, U104, U22, U24		

SAMA SANITARYWARE (M) SDN BHD

No. PPS : 1180426SR0266
No. CERT : A004176

LOT 2450, 9TH MILE, OYA ROAD, 96000 SIBU, SARAWAK

TEL : 084-653237
FAX : 084-658843

TARIKH MULA	27-04-2019	TARIKH TAMAT	26-04-2020
JENIS / SAIZ	JENAMA	STANDARD	
Ceramic Water Closet Pans Without Flushing Cisterns WC501S, WC501P	SAMA	MS 147:2001, MS 1522:2011	
Ceramic Urinals U2030	SAMA	MS 147:2001	
Ceramic Wash Basin BA801, BA802, BA804, BA805	SAMA	MS 147:2001, MS 2578:2014	
Ceramic Wash Basin BA803, LS8360	CERASAN	MS 147:2001, MS 2578:2014	

T.J. POTTERY SDN BHD

No. PPS : 1160606PK0126
No. CERT : A0039312, PLOT 61, JALAN CHEPOR 11/7, KAWASAN PERUSAHAAN SERAMIK CHEPOR,
CHEMOR 31200 KINTA PERAKTEL : 05-2014525
FAX : 05-2014503

TARIKH MULA	08-04-2019	TARIKH TAMAT	07-04-2020
JENIS / SAIZ	JENAMA		STANDARD
Ceramic Water Closet Pans With Flushing Cisterns (One Piece) CASTILLO 1702, MONTE CRISTO VW 1019, ALPINE 2010, ANDES 3680, ADESSO VW 1008, WC 1000, VIM VW 1001	DOLPHIN TJP, SANNEZ TJP, the VERVE, PANTHEON, ANSPORN, ACL		MS 147:2001, MS 795:2002, MS 1522:2015, MS 795-1:2011
Ceramic Water Closet Pans Without Flushing Cisterns ADESSO VW 2008, WC 625, CARTYA VW 2004, CASTILLO 720, CASPIAN 1905, VENIUS 605, VIM VW 2001, PILDOOR VW 2002, SHARRIDENS VW 20010, WC 103, SHARRIDENS VW 10310, CARTYA VW 1004, SHARRIDENS VW 10210	DOLPHIN TJP, SANNEZ TJP, the VERVE, PANTHEON, ANSPORN, ACL, eurano		MS 1522:2015
Ceramic Flushing Cisterns Not Equipped With Mechanism C 206, C 208, C 215, C 230, C 230A, C 290, C 330, C 390, C 820, C 1905, CARTYA C 2014 VIM C 2001, PILDOOR C 2002, CARTYA C 2004, ADESSO C 2008 Ceramic Wash Basin (Pedestal) SOLANGE VP 2006F, ADESSO VP 2028, ADESSO VP 2038F, BP 168, 118010024P, SOLANGE VP 2006 H Ceramic Urinals SHARRIDENS VUB 30410, 30010, 30210, 30110, 30310, UB 708 Ceramic Bidets BD 1	DOLPHIN TJP, SANNEZ TJP, the VERVE, PANTHEON, ANSPORN, ACL, eurano		MS 147:2001
Ceramic Wash Basin MONTE CRISTO VB 2019, SHARRIDENS VB 20010, ADESSO VB 2018, SOLANGE VB 2006, CARTYA VB 2004, ADESSO VB 2008, WB 55, ADESSO VB 2028, WB 506, WB 510, MONTE CRISTO VB 2009, WB 601, WB 6150, WB 670, SHARRIDENS VLS 20010, VC 118, TANITO VC 2015, VIM VS 2001, MONTE CRISTO VS 2009, AV 4350, ADESSO VS 2008, WB 285, MONTE CRISTO VS 2019, SOLANGE VS 2056, TANITO VU 2025, TANITO VU 2035, AV 55, AV 3483, ADESSO VA 2008, AV 3726, AV 6050, SOLANGE VA 2046, PILDOOR VA 2012	DOLPHIN TJP, SANNEZ TJP, the VERVE, PANTHEON, ANSPORN, ACL, eurano		MS 2578:2014

CERAMICA INDAH SDN BHD

No. PPS : 1150413SR0031
No. CERT : A001685

4 1/2 MILE, KUNG PHIN ROAD, OFF PENRISSEN ROAD, KUCHING
93250 KUCHING SARAWAK

TEL : 082-451567
FAX : 082-577201

TARIKH MULA	16-08-2018	TARIKH TAMAT	15-08-2019
JENIS / SAIZ	JENAMA		STANDARD
Glazed Ceramic Tiles (<7.5mm) BIIA - 200 X 200 MM, 300 X 300 MM, BIIB - 200 X 200 MM, 200 X 250 MM, BIII - 200 X 200MM, 200 X 250 MM, 200 X 300 MM, BIA - 300 X 300 MM BIIB - 200 X 300 MM, 200 X 400 MM BIIA - 400 X 400 MM, BIIB - 300 X 400 MM, BIII - 300 X 400 MM, BIA - 300 X 600 MM, 600 X 600 MM BIIA - 500 x 500 MM, BIA - 500 x 500 MM Unglazed Ceramic Tiles (<7.5mm) BIA - 200 X 200 MM, 300 X 300 MM BIA - 400 X 400 MM, 300 X 600 MM, 600 X 600 MM	KIMGRES, VITROGRE, DUROGRES, HABITAT, JOHNSON, Lamaison Gallery, MegaGres, Feruni, ACOTILES		MS ISO 13006:2003

GUOCERA SDN BHD

No. PPS : 1170531JH0187
No. CERT : A 002886

201 JALAN MENGGIBOL 86000, KLUANG JOHOR
86000 KLUANG JOHOR

TEL : +067-7723599
FAX : +067-7723598

TARIKH MULA	08-07-2018	TARIKH TAMAT	07-07-2019
JENIS / SAIZ	JENAMA		STANDARD
Glazed Ceramic Tiles (>7.5mm) GROUP BIII 20CM X 40CM, 25CM X 33CM, 30CM X 45CM, 30CM X 60CM 20CM X 25CM GROUP BIIA 30CM X 30CM, 40CM X 40CM, 45CM X 45CM, 50CM X 50CM 20CM X 20CM	CERAMICHE GUOCERA, FORZA, SOLARE		MS ISO 13006:2003
Glazed Ceramic Tiles (>7.5mm) GROUP BIA 15CM X 60CM, 30CM X 30CM, 30CM X 60CM, 60CM X 60CM Unglazed Ceramic Tiles (>7.5mm) GROUP BIA 30CM X 60CM, 60CM X 60CM, 30CM X 60CM, 60CM X 60CM	CERAMICHE GUOCERA, SOLARE		MS ISO 13006:2003
Glazed Ceramic Tiles (>7.5mm) 30x30cm	Guocera, Solare		MS ISO 13006:2003

GUOCERA TILE INDUSTRIES (MERU) SDN BHD

No. PPS : 1160217SL0100
No. CERT : A002092LOT 11832, 5 1/2 MILES JALAN MERU
41050 KLANG SELANGORTEL : 0333927623
FAX : 0333927612

TARIKH MULA	06-07-2018	TARIKH TAMAT	05-07-2019
JENIS / SAIZ	JENAMA		STANDARD
Glazed Ceramic Tiles (>7.5mm) 15CMX60CM, 30CMX30CM, 30CMX60CM	CERAMICHE GUOCERA		MS ISO 13006:2003
Unglazed Ceramic Tiles (>7.5mm) 30CMX30CM			
Glazed Ceramic Tiles (>7.5mm) 15CMX60CM, 30CMX30CM, 30CMX60CM	GUOCERA GRES		MS ISO 13006:2003
Unglazed Ceramic Tiles (>7.5mm) 30CMX30CM			

KIM HIN CERAMIC (SEREMBAN) SDN BHD

No. PPS : 1151211NS0064
No. CERT : A001130LOT NO.10807, TUANKU JAAFAR INDUSTRIAL ESTATE
P.O. BOX 171, 70720 SEREMBAN NEGERI SEMBILANTEL : 06-6774609/
6774611/ 6775501
FAX : 06-6773566

TARIKH MULA	02-08-2018	TARIKH TAMAT	01-08-2019
JENIS / SAIZ	JENAMA		STANDARD
Glazed Ceramic Tiles (>7.5mm) GROUP BIIA- 30CM X 30CM, 40CM X 40CM, 50CM X 50CM	DUROGRES, KIMGRES & JOHNSON		MS ISO 13006:2003
GROUP BIA - 10CM X 60CM, 15CM X 60CM, 30CM X 60CM, 60CM X 60CM, 30CM X 30CM, 50CM X 50CM, 20CM X 80CM, 40CM X 80CM, 80CM X 80CM, 15CM X 90CM, 60CM X 90CM			
GROUP BIB - 30CM X 30CM			
Glazed Ceramic Tiles (>7.5mm) GROUP BIA - 30CM X 60CM	FERUNI CERAMICHE		MS ISO 13006:2003
Glazed Ceramic Tiles (>7.5mm) GROUP BIA - 40CM X 40CM	JOHNSON		MS ISO 13006:2003
Glazed Ceramic Tiles (>7.5mm) GROUP BIIB - 30CM X 30CM	DUROGRES		MS ISO 13006:2003
Glazed Ceramic Tiles (>7.5mm) GROUP BIIB - 30CM X 30CM	KIMGRES		MS ISO 13006:2003

MALAYSIAN MOSAICS SDN BHD

No. PPS : 1150218JH0025
No. CERT : A 002884

BATU 4, JALAN BATU PAHAT
86000 KLUANG JOHOR

TEL : 077761406
FAX : 077761380

TARIKH MULA	13-06-2018	TARIKH TAMAT	12-06-2019
JENIS / SAIZ	JENAMA		STANDARD
Unglazed Ceramic Tiles (>7.5mm) GROUP BIA - GLAZED 30CM X 30CM, 30CM X 60CM, 60CM X 60CM	MML		MS ISO 13006:2003
GROUP BIA - UNGLAZED POLISHED (P) 30CMX30CM, 40CMX40CM, 30CMX60CM, 60CMX60CM, 60CMX90CM			
GROUP BIA - UNGLAZED NON-POLISHED (NP)/ 20CMX20CM, 30CMX30CM, 40 CMX40CM, 30CMX60CM, 60CMX60CM, 60CMX90CM			
GROUP BIA UNGLAED NON-POLISHED 30CMx30CM			
Glazed Ceramic Tiles (<7.5mm) GROUP BIIA GLAZED 30CMx30CM, 40CMx40CM			

MALAYSIAN MOSAICS SDN BHD

No. PPS : 1151029JH0055
No. CERT : A 004077

BATU 3 1/4 , JALAN MERSING
86000 KLUANG JOHOR

TEL : 077761406
FAX : 077761380

TARIKH MULA	20-11-2018	TARIKH TAMAT	19-11-2019
JENIS / SAIZ	JENAMA		STANDARD
Unglazed Ceramic Tiles (>7.5mm) BIA UNGLAED NON-POLISHED 20CMx10CM, 20CMx20CM, 30CMx30CM,10CMx10CM	MML		MS ISO 13006: 2003, MS ISO 13006:2014
BIA UNGLAZED POLISHED 30CMx30CM			
BIA UNGLAZED NON-POLISHED 30CMx30CM			

MALAYSIAN MOSAICS SDN BHD

No. PPS : 1151029JH0056
No. CERT : A 004076

NO. PLO 1 , OFF JALAN BATU PAHAT KAWASAN PERINDUSTRIAN MENGGIBOL
86000 KLUANG JOHOR

TEL : 077761406
FAX : 077761380

TARIKH MULA	20-11-2018	TARIKH TAMAT	19-11-2019
JENIS / SAIZ	JENAMA		STANDARD
Glazed Ceramic Tiles (>7.5mm) GROUP BIA- GLAZED	MML, AZURA, ES'TILE		MS ISO 13006: 2003, MS ISO 13006:2014

30CMX30CM, 33CMX33CM, 40 CMX40CM, 45CMX45CM 30CMX60CM, 60CMX60CM		
Glazed Ceramic Tiles (>7.5mm) GROUP BIB-GLAZED 30CMX30CM, 33CMX33CM, 40CMX40CM, 45CMX45CM GROUP BIII-GLAZED 25CMX25CM, 30CMX30CM, 30 CMX45CM, 30CMX60CM, 40CMX40CM, 20CMx25CM, 20CMx33CM	MML, ES'TILE	MS ISO 13006:2003

MYDECOR SDN BHD

No. PPS : 1171011JH0218
No. CERT : A 002897

51, JALAN KERANJI KLUANG
86000 JOHOR

TEL : 077718196
FAX : 0167717843

TARIKH MULA	11-10-2018	TARIKH TAMAT	10-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Glazed Ceramic Tiles (>7.5mm) Non-modular 7.5x15cm & 10x10cm	MyGres	MS ISO 13006:2003	

NIRO CERAMIC (M) SDN BHD

No. PPS : 1151218JH0070
No. CERT : A004084

PLO 316 JALAN PERAK 4 KAWASAN PERINDUSTRIAN PASIR GUDANG
81700 JOHOR BAHRU JOHOR

TEL : 072762995
FAX : 072762993

TARIKH MULA	19-12-2018	TARIKH TAMAT	18-12-2019
JENIS / SAIZ	JENAMA	STANDARD	
Unglazed Ceramic Tiles (>7.5mm) GROUP BIa - UNGLAZED NON-POLISHED - NON - MODULAR 20cm x 20cm, 30cm x 30cm, 30cm x 40cm, 30cm x 60cm, 40cm x 40cm, 60cm x 60cm, 60cm x 120cm GROUP BIa - UNGLAZED POLISHED - NON - MODULAR 20cm x 20cm, 30cm x 30cm, 30cm x 40cm, 30cm x 60cm, 40cm x 40cm, 60cm x 60cm, 60cm x 120cm NON-MODULAR - CUT TILES 10cm x 60cm, 15cm x 60cm, 30cm x 60cm, 20cm x 120cm Glazed Ceramic Tiles (>7.5mm) GROUP BIa - GLAZED - NON - MODULAR 30cm x 60cm, 60cm x 60cm, 60cm x 120cm NON - MODULAR - CUT TILES 20cm x 120cm, 10cm x 60cm, 15cm x 60cm, 60cm x 60cm, 30cm x 30cm (Approximate: 55.2cm x 47.9cm - Hexagon)	NIRO GRANITE, PORTINO, ZIRCONIO	MS ISO 13006:2014	

SEACERA GROUP BERHAD

No. PPS : 1160229SL0103
No. CERT : A002083

LOT 16428, 14KM, JALAN IPOH KAWASAN PERINDUSTRIAN SELAYANG
68100 BATU CAVES SELANGOR

TEL : 03-61362494
FAX : 03-61378422

TARIKH MULA	07-06-2018	TARIKH TAMAT	06-06-2019
JENIS / SAIZ	JENAMA	STANDARD	
Glazed Ceramic Tiles (>7.5mm) Group BIA / 30 CM X 30 CM	SEACERA, MYGRES	MS ISO 13006:2003	

TIMES CERAMICA SDN BHD

No. PPS : 1181018JH0315
No. CERT : A 004075

PLO 153, JALAN TERUNTUM 3, KAWASAN PERINDUSTRIAN TG. LANGSAT, PSIR
GUDANG, MUKIM SUNGAI TIRAM 81700 JOHOR

TEL : +607 254 1689
FAX : +607 256 5388

TARIKH MULA	18-10-2018	TARIKH TAMAT	17-10-2019
JENIS / SAIZ	JENAMA	STANDARD	
Glazed Ceramic Tiles (>7.5mm) 30 cm x 60 cm, 60 cm x 60 cm	TIMES CERAMICA	MS ISO 13006:2014	
Glazed Ceramic Tiles (>7.5mm) 30 cm x 60 cm, 60 cm x 60 cm	BMS	MS ISO 13006:2003	
Glazed Ceramic Tiles (>7.5mm) 30 cm x 60 cm, 60 cm x 60 cm	NIRO GRANITE	MS ISO 13006:2003	
Glazed Ceramic Tiles (>7.5mm) 30 cm x 60 cm, 60 cm x 60 cm	PORTINO	MS ISO 13006:2003	

VENUS CERAMIC INDUSTRY SDN.BHD

No. PPS : 1160127JH0092
No. CERT : A004095

PLO 58, KAWASAN PERINDUSTRIAN KLUANG II BATU 4,
JALAN MERSING 86000 KLUANG JOHOR

TEL : +607-7878999
FAX : +607-7878889

TARIKH MULA	08-07-2018	TARIKH TAMAT	07-07-2019
JENIS / SAIZ	JENAMA	STANDARD	
Glazed Ceramic Tiles (>7.5mm) GROUP BIIA - GLAZED 25CM X 33CM, 30CM X 30CM, 30CM X 60CM, 33CM X 33CM, 40CM X 40CM, 45CM X 45CM	VENUS, VENERE	MS ISO 13006:2014	
GROUP B1B-GLAZED (THICKNESS MORE THEN OR EQUAL TO 7.5MM 30CM X 30CM,30CM X 60CM			
Unglazed Ceramic Tiles (>7.5mm) GROUP BIA - UNGLAZED (NON-POLISHED) 30CM X 30CM, 30CM X 60CM, 60CM X 60CM			
GROUP BIA - UNGLAZED (POLISHED) 30CM X 30CM, 30CM X 60CM, 60CM X 60CM, 80CM X 80CM			

WHITE HORSE CERAMIC INDUSTRIES SDN BHD

No. PPS : 1151124JH0060
No. CERT : A004093PLO 464, JALAN GANGSA, ZONE II, PASIR GUDANG INDUSTRIAL ESTATE,
JOHOR, MALAYSIA 81700 PASIR GUDANG JOHORTEL : +6072551010
FAX : +6072518222

TARIKH MULA	01-03-2019	TARIKH TAMAT	29-02-2020
JENIS / SAIZ	JENAMA		STANDARD
Glazed Ceramic Tiles (>7.5mm) Group BIA 20 cm x 20 cm, 30 cm x 30 cm, 8 cm x 20 cm Group BIIA 20 cm x 20 cm, 25 cm x 25 cm, 30 cm x 60 cm, 50 cm x 50 cm, 30 cm x 30 cm, 40 cm x 40 cm Group BIIB 20 cm x 20 cm, 40 cm x 40 cm Group BIII 25 cm x 33 cm, 25 cm x 40 cm, 30 cm x 30 cm, 30 cm x 40 cm, 30 cm x 45 cm, 45 cm x 45 cm, 1.8 cm x 30 cm, 6.5 cm x 25 cm, 6 cm x 33 cm, 25 cm x 50 cm, 25 cm x 75 cm, 30 cm x 60 cm, 20 cm x 20 cm, 20 cm x 25 cm, 6.5 cm x 20 cm, 5 cm x 20 cm	WHITE HORSE, FREYA		MS ISO 13006:2014

WHITE HORSE CERAMIC INDUSTRIES SDN BHD

No. PPS : 1151124JH0062
No. CERT : A004094PLO 29, KAWASAN PERINDUSTRIAN TANJUNG LANGSAT, PASIR GUDANG,
JOHOR, MALAYSIA 81700 PASIR GUDANG JOHORTEL : +6072563888
FAX : +6072563757

TARIKH MULA	01-03-2019	TARIKH TAMAT	29-02-2020
JENIS / SAIZ	JENAMA		STANDARD
Glazed Ceramic Tiles (>7.5mm) Group BIA 30 cm X 60 cm, 60 cm X 60 cm, 80 cm X 80 cm, 30 cm X 90 cm, 60 cm X 90 cm, 60 cm X 120 cm 40 cm X 40 cm, 40 cm X 80 cm, 15 cm X 90 cm, 15 cm X 30 cm, 15 cm X 60 cm, 30 cm X 30 cm, 18 cm x 60 cm Group BIIA 50 cm X 50 cm, 30 cm X 60 cm Unglazed Ceramic Tiles (>7.5mm) Group BIA 30 cm x 60 cm, 60 cm x 60 cm, 80 cm x 80 cm, 60 cm x 120 cm	WHITE HORSE, FREYA		MS ISO 13006:2014

YI-LAI INDUSTRY BERHAD

No. PPS : 1160321JH0108
No. CERT : A 002893

LOT 7020 BATU 23 JALAN AIR HITAM
81000 KULAJAYA JOHOR

TEL : 07-6522652
FAX : 07-6523388

TARIKH MULA	15-08-2018	TARIKH TAMAT	14-08-2019
JENIS / SAIZ	JENAMA		STANDARD
Glazed Ceramic Tiles (<7.5mm) NON MODULAR 20CMX20CM, 20CMX25CM, 20 CMX30CM, 25CMX33CM 20CMX20CM, 25CMX40CM, 30CMX30CM, 30CMX40CM, 30CMX60CM, 40CMX40CM, 45CMX45CM, 50CMX50CM, 60CMX60CM 30CMX60CM,30CMX30CM Unglazed Ceramic Tiles (>7.5mm) NON MODULAR 20CMX20CM, 30X30CM, 40CMX40CM, 30CMX60CM, 60CMX60CM 30CMX60CM, 45CMX45CM, 60CMX60CM	ALPHA TILES, FERUNI, NIRO GRANITE, PORTINO		MS ISO 13006:2014



www.cidb.gov.my

ISBN 978-967-0997-26-1



9 789670 997261